

References Page from the MCCPOP Conferences from Thursday May 13, 2021

- Abdel-Latif ME;Pinner J;Clews S;Cooke F;Lui K;Oei J;, M., Pinner, J., Clews, S., Cooke, F., Lui, K., & Oei, J. (2006, June). Effects of breast milk on the severity and outcome of neonatal abstinence syndrome among infants of drug-dependent mothers. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/16740817/>
- American College of Gynecologists and Obstetricians. (2010, November). Practice bulletin no. 116: Management of intrapartum fetal heart rate tracings. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/20966730/>
- Basit, S., Wohlfahrt, J., & Boyd, H. A. (2018, October 17). Pre-eclampsia and risk of dementia later in life: Nationwide cohort study. Retrieved from <https://www.bmj.com/content/363/bmj.k4109>
- Behrens, I., Basit, S., Alexander Lykke, J., FlyvholmRanthe, M., Wohlfahrt, J., Bundgaard, H., Boyd, H. (2016, March 8). Association Between Hypertensive Disorders of Pregnancy and Later Risk of Cardiomyopathy. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/26954411/>
- Bellamy, L., Casas, J., Hingorani, A., & Williams, D. (2007, November 1). Pre-eclampsia and risk of cardiovascular disease and cancer in later life: Systematic review and meta-analysis. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/17975258/>
- Bushnell, C., & Chireau, M. (2011, January 20). Preeclampsia and Stroke: Risks during and after Pregnancy. Retrieved from <https://www.hindawi.com/journals/srt/2011/858134/>
- Bushnell, C., & Tate, J. (2011, May 1). Pregnancy and Stroke Risk in Women - Jessica Tate, Cheryl Bushnell, 2011. Retrieved from <https://journals.sagepub.com/doi/10.2217/WHE.11.19>
- Brown, R., & Semler, M. (n.d.). Fluid Management in Sepsis. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/29986619/>
- Campbell, C., Weisner, C., Leresche, L., Thomas Ray, G., Saunders, K., Sullivan, M., . . . Van Korff, M. (2010, December). Age and gender trends in long-term opioid analgesic use for noncancer pain. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/20724688/>
- Campbell, N. D. (2018, March 01). When Should Screening and Surveillance Be Used during Pregnancy? Retrieved from <https://journalofethics.ama-assn.org/article/when-should-screening-and-surveillance-be-used-during-pregnancy/2018-03>
- Cleary, B., Donnelly, J., Strawbridge, J., Gallagher, P., Fahey, T., Clarke, M., & Murphy, D. (2010, September 15). Methadone dose and neonatal abstinence syndrome-systematic review and meta-analysis. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/20840198/>
- Committee Opinions. (2016, June). Retrieved from <https://www.acog.org/clinical/clinical-guidance/committee-opinion>

- Douglas-Escobar, M., MD, & Weiss, M., MD. (2015, April 01). Hypoxic-Ischemic Encephalopathy. Retrieved from <https://jamanetwork.com/journals/jamapediatrics/article-abstract/2118582>
- Gaskins, A., ScD, Nassan, F., ScD, MBBCh, Chiu, Y., MD,ScD, Hauser, R., MD,ScD, & Chavarro, J. (2019, February 8). Dietary Patterns and Outcomes of Assisted Reproduction. Retrieved from [https://www.ajog.org/article/S0002-9378\(19\)30345-X/abstract](https://www.ajog.org/article/S0002-9378(19)30345-X/abstract)
- Ghossien-Doha, C., Khalil, A., & Lees, C. (2010, February 10). Maternal hemodynamics: A 2017 update. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28058786/>
- Greenwald, M. K., Comer, S. D., & Fiellin, D. A. (2014, August 19). Buprenorphine maintenance and mu-opioid receptor availability in the treatment of opioid use disorder: Implications for clinical use and policy. Retrieved from <https://www.sciencedirect.com/science/article/abs/pii/S0376871614010254>
- Gyamfi-Bannerman, C., MD, Thom, E., PhD, Blackwell, S., MD, Tita, A., MD, PhD, Reddy, U., MD, MPH, Saade, G., MD, . . . Et al. (2016, April 07). Antenatal Betamethasone for Women at Risk for Late Preterm Delivery: NEJM. Retrieved from <https://www.nejm.org/doi/full/10.1056/nejmoa1516783>
- Jones, H. E., PhD, Katenbach, K., PhD, Heil, S., PhD, Stine, S., MD, PhD, Coyle, M., MD, Arria, A., PhD, . . . Fischer, G., MD. (2010, December 09). Neonatal Abstinence Syndrome after Methadone or Buprenorphine Exposure: NEJM. Retrieved from <https://www.nejm.org/doi/full/10.1056/nejmoa1005359>
- Kandall, S. R. (1996). *Substance and shadow: Women and addiction in the United States*. Cambridge, Mass.: Harvard University Press.
- Kasdorf, E., Laptook, A., Azzopardi, D., Jacobs, S., & Perlman, J. (2015, March). Improving infant outcome with a 10 min Apgar of 0. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/25342246/>
- Kristensen, J. H., Basit, S., Wohlfahrt, J., Damholt, M. B., & Boyd, H. A. (2019, April 29). Pre-eclampsia and risk of later kidney disease: Nationwide cohort study. Retrieved from <https://www.bmj.com/content/365/bmj.11516>
- Lee, H. C., Liu, J., Profit, J., Hintz, S. R., & Gould, J. B. (2020). Survival Without Major Morbidity Among Very Low Birth Weight Infants in California. *Pediatrics*, 146(1). doi:10.1542/peds.2019-3865
- Lykke, J. A., Langhoff-Roos, J., Sibai, B. M., Funai, E. F., Triche, E. W., & Paidas, M. J. (2009). Hypertensive Pregnancy Disorders and Subsequent Cardiovascular Morbidity and Type 2 Diabetes Mellitus in the Mother. *Hypertension*, 53(6), 944-951. doi:10.1161/hypertensionaha.109.130765

- MacDorman, M., PhD, Declercq, E., PhD, Cabral, H., PhD, & Morton, C., PhD. (2016, September). Recent Increases in the U.S. Maternal Mortality Rate:... : Obstetrics & Gynecology. Retrieved from https://journals.lww.com/greenjournal/Fulltext/2016/09000/Recent_Increases_in_the_US_Maternal_Mortality.6.aspx
- McAdams, R., MD, & Juul, S. (2016, September). Neonatal Encephalopathy: Update on Therapeutic Hypothermia and Other Novel Therapeutics. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/27524449/>
- McDonald, S., Han, Z., Walsh, M., Gerstein, H., & Devereaux, P. (2010, January 1). Kidney disease after preeclampsia: A systematic review and meta-analysis. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/20346562/>
- Mielke, M., Millic, N., Weissgerber, T., White, W., Kantarci, K., Mosley, T., . . . Garovic, V. (2016, February 01). Impaired Cognition and Brain Atrophy Decades After Hypertensive Pregnancy Disorders. Retrieved from <https://www.ahajournals.org/doi/full/10.1161/CIRCOUTCOMES.115.002461>
- Mosca, L., Benjamin, E., Berra, K., Bezanson, J., Dalor, R., Lloyd-Jones, D., . . . Et al. (2011, February 14). Effectiveness Based Guidelines for the Prevention of Cardiovascular Disease in Women- 2011.
- Natarajan, G., Shankaran, S., Lupton, A., Pappas, A., & Et AL. (2013, November). Apgar scores at 10 min and outcomes at 6-7 years following hypoxic-ischaemic encephalopathy. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/23896791/>
- Office of National Drug Control Policy. (2021, February 03). Retrieved from <https://www.whitehouse.gov/ondcp/>
- Parga-Belinkie, J., Foglia, E. E., & Flibotte, J. (2019). Caveats of Cooling: Available Evidence and Ongoing Investigations of Therapeutic Hypothermia. *NeoReviews*, 20(9). doi:10.1542/neo.20-9-e513
- Pinkham, S., Stoicescu, C., & Myers, B. (2012, October 16). Developing effective health interventions for women who inject drugs: Key areas and recommendations for program development and policy. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3501794/>
- Pritham, U., Paul, J., & Hayes, M. (2012, March). Opioid dependency in pregnancy and length of stay for neonatal abstinence syndrome. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/22375882/>
- Postma, I., Cees de Groot, J., Aukes, A., Aaronoudse, J., & Zeeman, G. (2014, April 3). Cerebral white matter lesions and perceived cognitive dysfunction: The role of pregnancy. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/24593937/>

- Ray, J., Vermeulen, M., Schull, M., & Redelmeier, D. (2005, November 19). Cardiovascular health after maternal placental syndromes (CHAMPS): Population-based retrospective cohort study. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/16298217/>
- Reesink, F. E., Lemstra, A. W., Van Dijk, K. D., Berendse, H. W., Van de Berg, W. D., Klein, M., . . . Van der Flier, W. M. (2010, January 01). CSF α -Synuclein Does Not Discriminate Dementia with Lewy Bodies from Alzheimer's Disease. Retrieved from <https://content.iospress.com/articles/journal-of-alzheimers-disease/jad100186>
- Roberts, J., MD, August, P., MD, MPH, Bakris, G., MD, Barton, J., MD, Bernstein, I., MD, Druzin, M., MD, . . . Et al. (2013, November). Hypertension in Pregnancy: Executive Summary : Obstetrics & Gynecology. Retrieved from https://journals.lww.com/greenjournal/fulltext/2013/11000/Hypertension_in_Pregnancy_Executive_Summary.36.aspx
- Sandvik, M. K., Hallan, S., Svarstad, E., & Vikse, B. E. (2013, July 03). Preeclampsia and Prevalence of Microalbuminuria 10 Years Later. Retrieved from <https://cjasn.asnjournals.org/content/8/7/1126.abstract>
- Schokker, S., Oostwaard, M. V., Melman, E., Kessel, J. V., Baharoglu, M., Roos, Y., . . . Ganzevoort, W. (2015, June 22). Cerebrovascular, cardiovascular and renal hypertensive disease after hypertensive disorders of pregnancy. Retrieved from <https://www.sciencedirect.com/science/article/abs/pii/S2210778915000355>
- Shah, P., Anvekar, A., McMichael, J., & Rao, S. (2015, November). Outcomes of infants with Apgar score of zero at 10 min: The West Australian experience. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/25877289/>
- Shankaran, S., MD, Pappas, A., MD, McDonald, S., BS, Vohr, B., MD, Hintz, S., MD, & Et Al. (2012, September 31). Childhood Outcomes after Hypothermia for Neonatal Encephalopathy: NEJM. Retrieved from <https://www.nejm.org/doi/full/10.1056/nejmoa1112066>
- Stephen, P., Schiff, D., & Committee on Substance Use and Prevention. (2017, March). A Public Health Response to Opioid Use in Pregnancy. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28219965/>
- Stepan, H., Nordmeyer, A., & Faber, R. (2006, February). Proteinuria in hypertensive pregnancy diseases is associated with a longer persistence of hypertension postpartum. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/16239899/>
- Tagin, M., Woolcott, C., Vincer, M., Whyte, R., & Stinson, D. (2012, June 1). Hypothermia for neonatal hypoxic ischemic encephalopathy: An updated systematic review and meta-analysis. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/22312166/>

- Terplan, M., Kennedy-Hendricks, A., & Chisolm, M. S. (2015, September 20). Prenatal Substance Use: Exploring Assumptions of Maternal Unfitness. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4578572/>
- The Medical Standard* (Vol. 3-4). (1888). G.P. Engelhard & Company.
- Vikse, B., MD, PhD, Irgins, L., MD, PhD, Leivestad, T., MD, PhD, Skjærven, R., PhD, & Iversen, B., MD, PhD. (2008, August 21). Preeclampsia and the Risk of End-Stage Renal Disease: NEJM. Retrieved from <https://www.nejm.org/doi/full/10.1056/NEJMoa0706790>
- Wachman EM;Hayes MJ;Brown MS;Paul J;Harvey-Wilkes K;Terrin N;Huggins GS;Aranda JV;Davis JM; E., Hayes, M., Brown, M., Paul, J., Harvey-Wilkes, K., Terrin, N., . . . Davis, J. (2013, May 1). Association of OPRM1 and COMT single-nucleotide polymorphisms with hospital length of stay and treatment of neonatal abstinence syndrome. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/23632726/>
- Wall-Wieler E;Roos LL;Bolton J;Brownell M;Nickel NC;Chateau D; E., Roos, L., Bolton, J., Brownell, M., Nickel, N., & Chateau, D. (2017, December). Maternal health and social outcomes after having a child taken into care: Population-based longitudinal cohort study using linkable administrative data. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28983064/>
- Watkins, P. L., Dagle, J. M., Bell, E. F., & Colaizy, T. T. (2020). Outcomes at 18 to 22 Months of Corrected Age for Infants Born at 22 to 25 Weeks of Gestation in a Center Practicing Active Management. *The Journal of Pediatrics*, 217. doi:10.1016/j.jpeds.2019.08.028
- Welle-Strand, G., Skurtveit, S., Jansson, L., Bakstad, B., Bjarko, L., & Ravndal, E. (2013, November). Breastfeeding reduces the need for withdrawal treatment in opioid-exposed infants. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/23909865/>
- Wiegman, M., Zeeman, G., Aukes, A., Bolte, A., Faas, M., Aaronoudse, J., & C de Groot, J. (2014, April 12). Regional distribution of cerebral white matter lesions years after preeclampsia and eclampsia. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/24785606/>
- Zhong, Y., Claveau, M., Yoon, E., Aziz, K., Singhal, N., Shah, P., . . . Canadian Neonatal Network. (2019, October). Neonates with a 10-min Apgar score of zero: Outcomes by gestational age. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/31421194/>
- Hensley, Bauer, Admon, et al. JAMA 2019 California Pregnancy-Associated Mortality Review Report from 2002-2007

References Page from the MCCPOP Conferences from Friday May 14, 2021

- 2020 Top 10 Health Technology Hazards Executive Brief. (2020). Retrieved from <https://www.ecri.org/landing-2020-top-ten-health-technology-hazards>
- Achievements in Public Health, 1900-1999: Healthier Mothers and Babies. (1999, October 1). Retrieved from <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm4838a2.htm>
- Adzick, N. S., MD, Thom, E., Spong, C., MD, Brock, J., & Et Al. (2011, March 17). A Randomized Trial of Prenatal versus Postnatal Repair of Myelomeningocele: NEJM. Retrieved from <https://www.nejm.org/doi/full/10.1056/nejmoa1014379>
- Antonacci, G., Lennox, L., Barlow, J., Evans, L., & Reed, J. (2021, April 14). Process mapping in healthcare: A systematic review. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8048073/>
- Bakrania, B., PhD, George, E., PhD, & Granger, J. (2021, March 21). Animal models of preeclampsia: Investigating pathophysiology and therapeutic targets. Retrieved from [https://www.ajog.org/article/S0002-9378\(20\)31199-6/fulltext](https://www.ajog.org/article/S0002-9378(20)31199-6/fulltext)
- Balasundaram, M., Chock, V. Y., Wu, H. Y., Blumenfeld, Y. J., & Hintz, S. R. (2018, March 23). Predictors of poor neonatal outcomes in prenatally diagnosed multicystic dysplastic kidney disease. Retrieved from <https://www.nature.com/articles/s41372-018-0093-z>
- Belfort, M., Whitehead, W., Shamshirsaz, A., Bateni, Z., Olutoye, O., & Cass, D. (2017). Fetoscopic Open Neural Tube Defect Repair: Development and Refinement of a Two-Port, Carbon Dioxide Insufflation Technique. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28277363/>
- Bienstock, J., Birsner, M., Coleman, F., & Hueppchen, N. (2014). Successful In Utero Intervention for Bilateral Renal...: Obstetrics & Gynecology. Retrieved from https://journals.lww.com/greenjournal/Abstract/2014/08001/Successful_In_Utero_intervention_f_or_Bilateral.3.aspx
- Blanch, G., Olah, K., & Walkinshaw, S. (1996). Retrieved from [https://www.ajog.org/article/S0002-9378\(96\)70405-2/fulltext](https://www.ajog.org/article/S0002-9378(96)70405-2/fulltext)
- Brat, R., Yousef, N., Klifa, R., Reynaud, S., Shankar Aguilera, S., & De Luca, D. (2015, August). Lung Ultrasonography Score to Evaluate Oxygenation and Surfactant Need in Neonates Treated With Continuous Positive Airway Pressure. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/26237465/>
- Brown, S. D., Ecker, J. L., Ward, J. R., Halpern, E. F., Sayeed, S. A., Buchmiller, T. L., . . . Donelan, K. (2012, February 14). Prenatally diagnosed fetal conditions in the age of fetal care: Does who counsels matter? Retrieved from <https://www.sciencedirect.com/science/article/abs/pii/S0002937812000579>

- Camunas-Soler, J., Lee, H., Hudgins, L., Hintz, S., Blumenfeld, Y., El-Sayed, Y., & Quake, S. (2018, February). Noninvasive Prenatal Diagnosis of Single-Gene Disorders by Use of Droplet Digital PCR. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/29097507/>
- CA-PAMR (Maternal Mortality Review). (2011). Retrieved from <https://www.cmqcc.org/research/ca-pamr-maternal-mortality-review>
- Chalas, E. (2021). Faculty Opinions recommendation of Disease Severity and Perinatal Outcomes of Pregnant Patients With Coronavirus Disease 2019 (COVID-19). *Faculty Opinions – Post-Publication Peer Review of the Biomedical Literature*. doi:10.3410/f.739524196.793584666
- Children and COVID-19: State-Level Data Report. (n.d.). Retrieved from <https://services.aap.org/en/pages/2019-novel-coronavirus-covid-19-infections/childrenand-covid-19-state-level-data-report/>
- Ciobanu, A. M., Dumitru, A. E., Gica, N., Botezatu, R., Peltecu, G., & Panaitescu, A. M. (2020, August 12). Benefits and Risks of IgG Transplacental Transfer. Retrieved from <https://www.mdpi.com/2075-4418/10/8/583>
- Cohen, R. (2013). Welcome to CAB Direct. Retrieved from <https://www.cabdirect.org/cabdirect/abstract/20133296423>
- Coley, B., Shiels III, W., & Hogan, M. (2001, June). Diagnostic and interventional ultrasonography in neonatal and infant lumbar puncture. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/11436885/>
- Committee opinion no. 501: Maternal-fetal intervention and fetal care centers. (2011, August). Retrieved from <https://pubmed.ncbi.nlm.nih.gov/21775875/>
- Conlon, T., Nishisaki, A., Singh, Y., Bhombal, S., De Luca, D., O'Kessler, D., . . . Fraga, M. (2019, October). Moving Beyond the Stethoscope: Diagnostic Point-of-Care Ultrasound in Pediatric Practice. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/31481415/>
- Daniels, K., Oakeson, A., & Hilton, G. (2014, July). Steps toward a national disaster plan for obstetrics. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/24901273/>
- Demers-Mathieu, V., Mathijssen, G., Dapra, C., Do, D. M., & Medo, E. (2020, May 20). Active free secretory component and secretory IgA in human milk: Do maternal vaccination, allergy, infection, mode of delivery, nutrition and active lifestyle change their concentrations? Retrieved from <https://www.nature.com/articles/s41390-020-0966-7>
- Dennington, D., Vali, P., Finer, N. N., & Kim, J. H. (2012, July 06). Ultrasound Confirmation of Endotracheal Tube Position in Neonates. Retrieved from <https://www.karger.com/Article/Abstract/338585>
- Epelman, M., Daneman, A., Navarro, O., Morag, I., Moore, A., Hong Kim, J., . . . Gerstle, J. (2007, April). Necrotizing enterocolitis: Review of state-of-the-art imaging findings with pathologic correlation. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/17374854/>

- Eskandar-Afshari, F., Carbine, D. N., Cohen, R. S., Cui, X., Dueñas, G. V., & Lee, H. C. (2020, May 08). California NICU disaster preparedness. Retrieved from <https://www.nature.com/articles/s41372-020-0676-3>
- Fleming, S., & Kim, J. (2011, May). Ultrasound-guided umbilical catheter insertion in neonates. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/21311495/>
- Fraga, M., Stoller, J., Glau, C., De Luca, D., Rempell, R., Wenger, J., . . . Conlon, T. (2019, November). Seeing Is Believing: Ultrasound in Pediatric Procedural Performance. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/31615954/>
- Galang, R. R., Newton, S. M., Woodworth, K. R., Griffin, I., Oduyebo, T., Sancken, C. L., . . . CDC COVID-19 Response Pregnancy and Infant Linked Outcomes Team. (2021, January 01). Risk factors for illness severity among pregnant women with confirmed SARS-CoV-2 infection – Surveillance for Emerging Threats to Mothers and Babies Network, 20 state, local, and territorial health departments, March 29, 2020 -January 8, 2021. Retrieved from <https://www.medrxiv.org/content/10.1101/2021.02.27.21252169v1>
- Girsen, A., Hintz, S., Sammour, R., Naqvi, A., El-Sayed, Y., Sherwin, K., . . . Blumenfeld, Y. (2017, March). Prediction of neonatal respiratory distress in pregnancies complicated by fetal lung masses. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28061000/>
- Gee, J., & Et Al. (2021, February 19). First Month of COVID-19 Vaccine Safety Monitoring - United States, December 14, 2020–January 13, 2021. Retrieved from <https://www.cdc.gov/mmwr/volumes/70/wr/mm7008e3.htm>
- Geller, S., Rosenberg, D., Cox, S., Brown, M., Simonson, L., Driscoll, C., & Kilpatrick, S. (2004, September). The continuum of maternal morbidity and mortality: Factors associated with severity. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/15467568/>
- Godfred-Cato, S., Bryant, B., & Et Al. (2020, August 13). COVID-19–Associated Multisystem Inflammatory Syndrome in Children - United States, March–July 2020. Retrieved from <https://www.cdc.gov/mmwr/volumes/69/wr/mm6932e2.htm>
- Gray, K. J., Bordt, E. A., Atyeo, C., Deriso, E., Akinwunmi, B., Young, N., . . . Edlow, A. G. (2021, March 26). Coronavirus disease 2019 vaccine response in pregnant and lactating women: A cohort study. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0002937821001873>
- Griffiths, P., Bradburn, M., Campbell, M., Cooper, C., Graham, R., Jarvis, D., . . . Meridian Collaborative Group, M. (2017, February 4). Use of MRI in the diagnosis of fetal brain abnormalities in utero (MERIDIAN): A multicentre, prospective cohort study. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/27988140/>
- Gu, W., Wang, F., Bakker, J., Tang, L., & Liu, J. (2014, October 20). The effect of goal-directed therapy on mortality in patients with sepsis - earlier is better: A meta-analysis of randomized controlled trials. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/25327977/>

- Ishii, S., Shime, N., Shibasaki, M., & Sawa, T. (2013, June). Ultrasound-guided radial artery catheterization in infants and small children. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/23628835/>
- Katz, J. A., Chock, V. Y., Davis, A. S., Blumenfeld, Y. J., Hahn, J. S., Barnes, P., . . . Hintz, S. R. (2018, August 29). Utility of prenatal MRI in the evaluation and management of fetal ventriculomegaly. Retrieved from <https://www.nature.com/articles/s41372-018-0208-6>
- Kecskes, Z. (2003). Large fetomaternal hemorrhage: Clinical presentation and outcome. Retrieved from <https://www.tandfonline.com/doi/abs/10.1080/jmf.13.2.128.132>
- Kotlyar, A. M., Grechukhina, O., Chen, A., Popkhadze, S., Grimshaw, A., Tal, O., . . . Tal, R. (2021, January). Vertical transmission of coronavirus disease 2019: A systematic review and meta-analysis. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7392880/>
- Labovitz, A. J., Noble, V. E., Bierig, M., Goldstein, S. A., Jones, R., Kort, S., . . . Wei, K. (2010, November 25). Focused Cardiac Ultrasound in the Emergent Setting: A Consensus Statement of the American Society of Echocardiography and American College of Emergency Physicians. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0894731710008710>
- Loureiro, E., Matinez-Biarge, M., Foti, F., Papadaki, M., Cowan, F., & Wusthoff, C. (2017, February). MRI Patterns of brain injury and neurodevelopmental outcomes in neonates with severe anaemia at birth. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28107673/>
- Lin, A., Taylor, K., & Cohen, R. S. (2018, January 31). Triage by Resource Allocation for INpatients: A Novel Disaster Triage Tool for Hospitalized Pediatric Patients: Disaster Medicine and Public Health Preparedness. Retrieved from <https://www.cambridge.org/core/journals/disaster-medicine-and-public-health-preparedness/article/triage-by-resource-allocation-for-inpatients-a-novel-disaster-triage-tool-for-hospitalized-pediatric-patients/CAB8B05CB9D619D22C598339725BFA24>
- Mascio, D. D., Greco, F., Rizzo, G., Khalil, A., Buca, D., Sorrentino, F., . . . D'Antonio, F. (2021). OBGYN. Retrieved from <https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1111/aogs.14001>
- Matrone, C., Cacho, N., Weiss, M., & Ruoss, L. (2019, August 01). Emergent Neonatal Abdominal Paracentesis: A Step-by-Step Video Simulation. Retrieved from <https://neoreviews.aappublications.org/content/20/8/e486>
- Mercaldi, C., MPH, & Lanes, S., PhD. (2013). Ultrasound guidance decreases complications and improves the cost of care among patients undergoing thoracentesis and paracentesis. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/23381318/>
- Moaddab, A., Dildy, G., Brown, H., Bateni, Z., Belfort, M., Sangi-Haghpeykar, H., & Clark, S. (2018, April). Health Care Disparity and Pregnancy-Related Mortality in the United States, 2005-2014. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/29528919/>

- Narula, J., Chandrashekar, Y., & Braunwald, E. (2018, April 1). Time to Add a Fifth Pillar to Bedside Physical Examination: Inspection, Palpation, Percussion, Auscultation, and Insonation. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/29490335/>
- Pickering, L., & Orenstein, W. (2002, July). Development of pediatric vaccine recommendations and policies. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/12199610/>
- Plaza-Verduin, M., & Lucas, J. (2016). Suprapubic Bladder Aspiration | SpringerLink. Retrieved from https://link.springer.com/chapter/10.1007/978-1-4939-2507-0_124
- Raimondi, F., Yousef, N., Migliaro, F., Capasso, L., & De Luca, D. (2018, July). Point-of-care lung ultrasound in neonatology: Classification into descriptive and functional applications. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/30127522/>
- Ruano, R., Duarte, S., Bunduki, V., Giron, A. M., Srougi, M., & Zugaib, M. (2009, December 04). OBGYN. Retrieved from <https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1002/pd.2418>
- Ruano, R., Rodo, C., Peiro, J. L., Shamshirsaz, A. A., Haeri, S., Nomura, M. L., . . . Belfort, M. A. (2013, September 02). OBGYN. Retrieved from <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/uog.12492>
- Rubod, C., Deruelle, P., Le Goueff, F., Tunez, V., Fournier, M., & Subtil, D. (2007, August). Long-term prognosis for infants after massive fetomaternal hemorrhage. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/17666598/>
- Sananes, N., Favre, R., Koh, C. J., Zaloszyc, A., Braun, M. C., Roth, D. R., . . . Ruano, R. (2015, January 27). OBGYN. Retrieved from <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/uog.13405>
- Singh, P., & Swanson, T. (2014, April 07). Acute and Chronic Fetal Anemia as a Result of Fetomaternal Hemorrhage. Retrieved from <https://www.hindawi.com/journals/criog/2014/296463/>
- Sheth, M., Jaeel, P., & Nguyen, J. (2017). Ultrasonography for Verification of Endotracheal Tube Position in Neonates and Infants. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28030872/>
- Stallings, A., & Et Al. (2020, September 1). Retrieved from <https://europepmc.org/article/MED/32873575>
- Su, E., Soni, N., Bhargava, V., Steffen, K., & Haileselassie, B. (2021, April 1). Regulating Critical Care Ultrasound, It Is All in the Interpretation. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/33060421/>
- Stroustrup, A., & Trasande, L. (2012, November). Demographics, clinical characteristics and outcomes of neonates diagnosed with fetomaternal haemorrhage. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/22375020/>

- Subramaniam, M., Enns, C., Luu, K., Weber, L. P., & Loewen, M. E. (2020, January 27). Comparison of intestinal glucose flux and electrogenic current demonstrates two absorptive pathways in pig and one in Nile tilapia and rainbow trout. Retrieved from <https://journals.physiology.org/doi/full/10.1152/ajpregu.00160.2019?af=R>
- Sugarman, J., MD,MPH, Anderson, J., MD, Baschat, A., MD, Beutler Herrerea, J., BA, Bienstock, J., MD,MPH, & Boss, R., MD,MHS. (2018, January). Ethical Considerations Concerning Amnioinfusions for... : Obstetrics & Gynecology. Retrieved from https://journals.lww.com/greenjournal/Abstract/2018/01000/Ethical_Considerations_Concerning_Amnioinfusions.18.aspx
- Thomas, A., McCullough, L., Chervenak, F., & Placencia, F. (July 26). Evidence-based, ethically justified counseling for fetal bilateral renal agenesis. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/28222038/>
- Tayal, V., & Kline, J. (2003). Emergency echocardiography to detect pericardial effusion in patients in PEA and near-PEA states. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/14659600/>
- Vinit, N., Grevent, D., Millischer-Bellaiche, A., Pandya, V. M., Sonigo, P., Delmonte, A., . . . Ville, Y. (2020, July 01). OBGYN. Retrieved from <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/uog.20297>
- Williams, K., & Galerneau, F. (2014, March 1). Intrapartum fetal heart rate patterns in the prediction of neonatal acidemia. Retrieved from [https://www.ajog.org/article/S00029378\(02\)71324-0/fulltext](https://www.ajog.org/article/S00029378(02)71324-0/fulltext)
- Yinon, Y., Ashwal, E., Weisz, B., Chayen, B., Schiff, E., & Lipitz, S. (2015). Selective reduction in complicated monochorionic twins: Prediction of obstetric outcome and comparison of techniques. *Ultrasound in Obstetrics & Gynecology*, 46(6), 670-677. doi:10.1002/uog.14879
- Young, B. K., Katz, M., & Wilson, S. J. (2016, April 25). Sinusoidal fetal heart rate: I. Clinical significance. Retrieved from <https://www.sciencedirect.com/science/article/abs/pii/S000293788091008X>