

## Conduction System Pacing Versus Biventricular Pacing: Which Is Better?

Sana M. Al-Khatib MD, MHS, FHRs

### References

- Adelstein, E. C., Tanaka, H., Soman, P., Miske, G., Haberman, S. C., Saba, S. F., & Gorcsan III, J. (2011). Impact of scar burden by single-photon emission computed tomography myocardial perfusion imaging on patient outcomes following cardiac resynchronization therapy. *European heart journal*, 32(1), 93-103.
- Arshad, A., Moss, A. J., Foster, E., Padeletti, L., Barsheshet, A., Goldenberg, I., ... & Madit-Crt Executive Committee. (2011). Cardiac resynchronization therapy is more effective in women than in men: the MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy) trial. *Journal of the American College of Cardiology*, 57(7), 813-820.
- Bristow, M. R., Saxon, L. A., Boehmer, J., Krueger, S., Kass, D. A., De Marco, T., ... & Feldman, A. M. (2004). Cardiac-resynchronization therapy with or without an implantable defibrillator in advanced chronic heart failure. *New England Journal of Medicine*, 350(21), 2140-2150.
- Cleland, J. G., Daubert, J. C., Erdmann, E., Freemantle, N., Gras, D., Kappenberger, L., & Tavazzi, L. (2005). The effect of cardiac resynchronization on morbidity and mortality in heart failure. *New England Journal of Medicine*, 352(15), 1539-1549.
- Curtis, A. B., Worley, S. J., Adamson, P. B., Chung, E. S., Niazi, I., Sherfesee, L., ... & St. John Sutton, M. (2013). Biventricular pacing for atrioventricular block and systolic dysfunction. *New England Journal of Medicine*, 368(17), 1585-1593.
- Dalgaard, F., Fudim, M., Al-Khatib, S. M., Friedman, D. J., Abraham, W. T., Cleland, J. G., ... & Sanders, G. D. (2023). Cardiac resynchronization therapy in patients with a prior history of atrial fibrillation: Insights from four major clinical trials. *Journal of cardiovascular electrophysiology*, 34(9), 1914-1924.
- Diaz, J. C., Sauer, W. H., Duque, M., Koplan, B. A., Braunstein, E. D., Marín, J. E., ... & Romero, J. E. (2023). Left bundle branch area pacing versus biventricular pacing as initial strategy for cardiac resynchronization. *Clinical Electrophysiology*, 9(8\_Part\_2), 1568-1581.
- Epstein, A. E., DiMarco, J. P., Ellenbogen, K. A., Estes III, N. M., Freedman, R. A., Gettes, L. S., ... & Sweeney, M. O. (2013). 2012 ACCF/AHA/HRS focused update incorporated into the ACCF/AHA/HRS 2008 guidelines for device-based therapy of cardiac rhythm abnormalities: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Heart Rhythm Society. *Circulation*, 127(3), e283-e352.
- Friedman, D. J., Al-Khatib, S. M., Dalgaard, F., Fudim, M., Abraham, W. T., Cleland, J. G., ... & Sanders, G. D. (2023). CRT Improves Outcomes in Patients with IVCD but not RBBB: A Patient Level Meta-Analysis of Randomized Controlled Trials. *Circulation*, 147(10), 812.
- Friedman, D. J., Bao, H., Spatz, E. S., Curtis, J. P., Daubert, J. P., & Al-Khatib, S. M. (2016). Association between a prolonged PR interval and outcomes of cardiac resynchronization therapy: a report from the National Cardiovascular Data Registry. *Circulation*, 134(21), 1617-1628.

- Friedman, D. J., Al-Khatib, S. M., Dalgaard, F., Fudim, M., Abraham, W. T., Cleland, J. G., ... & Sanders, G. D. (2023). Cardiac resynchronization therapy improves outcomes in patients with intraventricular conduction delay but not right bundle branch block: a patient-level meta-analysis of randomized controlled trials. *Circulation*, 147(10), 812-823.
- Fudim, M., Dalgaard, F., Al-Khatib, S., Friedman, D., Abraham, W., Cleland, J., ... & Sanders, G. (2023). Association Of Comorbidities With Clinical Outcomes Of Cardiac Resynchronization Therapy: A Meta-analysis Of Patient-level Data From Eight Major Clinical Trials. *Journal of Cardiac Failure*, 29(4), 595-596.
- Funck, R. C., Mueller, H. H., Lunati, M., Piorkowski, C., De Roy, L., Paul, V., ... & Blanc, J. J. (2014). Characteristics of a large sample of candidates for permanent ventricular pacing included in the Biventricular Pacing for Atrio-ventricular Block to Prevent Cardiac Desynchronization Study (BioPace). *Europace*, 16(3), 354-362.
- Herweg, B., Sharma, P. S., Cano, O., Ponnusamy, S. S., Zanon, F., Jastrzebski, M., ... & Vijayaraman, P. (2024). Arrhythmic Risk in Biventricular Pacing Compared With Left Bundle Branch Area Pacing: Results From the I-CLAS Study. *Circulation*, 149(5), 379-390.
- Home Page: Heart rhythm. (n.d.-a). <https://www.heartrhythmjournal.com/>
- Huang, W., Wu, S., Vijayaraman, P., Su, L., Chen, X., Cai, B., ... & Tung, R. (2020). Cardiac resynchronization therapy in patients with nonischemic cardiomyopathy using left bundle branch pacing. *Clinical Electrophysiology*, 6(7), 849-858.
- Kusumoto, F. M., Bailey, K. R., Chaouki, A. S., Deshmukh, A. J., Gautam, S., Kim, R. J., ... & Sorajja, D. (2018). Systematic review for the 2017 AHA/ACC/HRS guideline for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. *Circulation*, 138(13), e392-e414.
- Moss, A. J., Hall, W. J., Cannom, D. S., Klein, H., Brown, M. W., Daubert, J. P., ... & Zareba, W. (2009). Cardiac-resynchronization therapy for the prevention of heart-failure events. *New England Journal of Medicine*, 361(14), 1329-1338.
- Naqvi, T. Z., & Chao, C. J. (2023). Adverse effects of right ventricular pacing on cardiac function: prevalence, prevention and treatment with physiologic pacing. *Trends in cardiovascular medicine*, 33(2), 109-122.
- Padala, S. K., Master, V. M., Terricabras, M., Chiocchini, A., Garg, A., Kron, J., ... & Verma, A. (2020). Initial experience, safety, and feasibility of left bundle branch area pacing: a multicenter prospective study. *Clinical Electrophysiology*, 6(14), 1773-1782.
- Tang, A. S., Wells, G. A., Talajic, M., Arnold, M. O., Sheldon, R., Connolly, S., ... & Rouleau, J. L. (2010). Cardiac-resynchronization therapy for mild-to-moderate heart failure. *New England Journal of Medicine*, 363(25), 2385-2395.
- Vijayaraman, P., Sharma, P. S., Cano, Ó., Ponnusamy, S. S., Herweg, B., Zanon, F., ... & Ellenbogen, K. A. (2023). Comparison of left bundle branch area pacing and biventricular pacing in candidates for resynchronization therapy. *Journal of the American College of Cardiology*, 82(3), 228-241.

- Vijayaraman, P., Ponnusamy, S., Cano, Ó., Sharma, P. S., Naperkowski, A., Subsposh, F. A., ... & Jastrzebski, M. (2021). Left bundle branch area pacing for cardiac resynchronization therapy: results from the international LBBAP collaborative study group. *Clinical Electrophysiology*, 7(2), 135-147.
- Wang, Y., Zhu, H., Hou, X., Wang, Z., Zou, F., Qian, Z., ... & LBBP-RESYNC Investigators. (2022). Randomized trial of left bundle branch vs biventricular pacing for cardiac resynchronization therapy. *Journal of the American College of Cardiology*, 80(13), 1205-1216.
- Zareba, W., Klein, H., Cygankiewicz, I., Hall, W. J., McNitt, S., Brown, M., ... & Moss, A. J. (2011). Effectiveness of cardiac resynchronization therapy by QRS morphology in the multicenter automatic defibrillator implantation trial–cardiac resynchronization therapy (MADIT-CRT). *Circulation*, 123(10), 1061-1072.
- Zeitler, E. P., Dalgaard, F., Abraham, W. T., Cleland, J. G., Curtis, A. B., Friedman, D. J., ... & Al-Khatib, S. M. (2024). Benefit of cardiac resynchronization therapy among older patients: A patient-level meta-analysis. *American Heart Journal*, 267, 81-90.
- Zeitler, E. P., Friedman, D. J., Daubert, J. P., Al-Khatib, S. M., Solomon, S. D., Biton, Y., ... & Kutyifa, V. (2017). Multiple comorbidities and response to cardiac resynchronization therapy: MADIT-CRT long-term follow-up. *Journal of the American College of Cardiology*, 69(19), 2369-2379.