

Lessons From Pediatric Knee Dissection | Orthopaedic Surgery Grand Rounds - Kevin Shea MD

References

- Baskar, D., Stavinoha, T. J., Sanchez, M., Gupta, A., Randhawa, S. D., Rohde, M. S., Vuong, B., Tompkins, M. A., Ganley, T. J., Ellis, H. B., Jr, Wilson, P. L., Fabricant, P. D., VandenBerg, C., Green, D. W., Segovia, N. A., & Shea, K. G. (2022). Quantifying the Relationship Between the Medial Quadriceps Tendon-Femoral Ligament and Patellar Borders: A Pediatric Cadaveric Study. *The American journal of sports medicine*, 50(9), 2433–2438. <https://doi.org/10.1177/03635465221103250>
- Edmonds, E. W., Bathen, M., & Bastrom, T. P. (2015). Normal Parameters of the Skeletally Immature Knee: Developmental Changes on Magnetic Resonance Imaging. *Journal of pediatric orthopedics*, 35(7), 712–720. <https://doi.org/10.1097/BPO.0000000000000375>
- Fabricant, P. D., Camara, J. M., & Rozbruch, S. R. (2013). Femoral deformity planning: intentional placement of the apex of deformity. *Orthopedics*, 36(5), e533–e537. <https://doi.org/10.3928/01477447-20130426-11>
- Gadinsky, N. E., Lin, K. M., Klinger, C. E., Dyke, J. P., Kleeblad, L. J., Shea, K. G., Helfet, D. L., Rodeo, S. A., Green, D. W., & Lazaro, L. E. (2021). Quantitative assessment of the vascularity of the skeletally immature patella: a cadaveric study using MRI. *Journal of children's orthopaedics*, 15(2), 157–165. <https://doi.org/10.1302/1863-2548.15.200261>
- Ganaley, Theodore J. *Anterior cruciate ligament reconstruction with iliotibial (IT) band graft*. ResearchGate. https://www.researchgate.net/figure/Anterior-cruciate-ligament-reconstruction-with-iliotibial-IT-band-graft-The-graft-is_fig5_359749678.
- Harris, N. L., Smith, D. A., Lamoreaux, L., & Purnell, M. (1997). Central quadriceps tendon for anterior cruciate ligament reconstruction. Part I: Morphometric and biomechanical evaluation. *The American journal of sports medicine*, 25(1), 23–28. <https://doi.org/10.1177/036354659702500105>
- Howell, S. M., Gittins, M. E., Gottlieb, J. E., Traina, S. M., & Zoellner, T. M. (2001). The relationship between the angle of the tibial tunnel in the coronal plane and loss of flexion and anterior laxity after anterior cruciate ligament reconstruction. *The American journal of sports medicine*, 29(5), 567–574. <https://doi.org/10.1177/03635465010290050801>
- Iseki, T., Rothrauff, B. B., Kihara, S., Novaretti, J. V., Shea, K. G., Tuan, R. S., Fu, F. H., Alexander, P. G., & Musahl, V. (2021, March 1). Paediatric knee anterolateral capsule does not contain a distinct ligament: Analysis of histology, immunohistochemistry and gene expression. *Journal of ISAKOS*. [https://www.jisakos.com/article/S2059-7754\(21\)00039-0/fulltext](https://www.jisakos.com/article/S2059-7754(21)00039-0/fulltext)
- Kepler, C. K., Bogner, E. A., Hammoud, S., Malcolmson, G., Potter, H. G., & Green, D. W. (2011). Zone of injury of the medial patellofemoral ligament after acute patellar

- dislocation in children and adolescents. *The American journal of sports medicine*, 39(7), 1444–1449. <https://doi.org/10.1177/0363546510397174>
- Lin, K. M., Gadinsky, N. E., Klinger, C. E., Dyke, J. P., Rodeo, S. A., Green, D. W., Fabricant, P. D., Helfet, D. L., Shea, K. G., & Lazaro, L. E. (2020). MAGNETIC RESONANCE QUANTIFICATION OF MENISCUS VASCULARITY IN PEDIATRIC VERSUS ADULT KNEES. *Orthopaedic Journal of Sports Medicine*, 8(4 suppl3), 2325967120S00232. <https://doi.org/10.1177/2325967120S00232>
- Nawabi, D. H., Jones, K. J., Lurie, B., Potter, H. G., Green, D. W., & Cordasco, F. A. (2013). Physeal-Specific MRI Analysis of Growth Plate Disturbance Following All-Inside Anterior Cruciate Ligament Reconstruction in Skeletally Immature Patients: Does a Physeal-Sparing Technique Offer any Advantage?. *Orthopaedic Journal of Sports Medicine*, 1(4 Suppl), 2325967113S00025. <https://doi.org/10.1177/2325967113S00025>
- Nelitz, M., Dornacher, D., Dreyhaupt, J., Reichel, H., & Lippacher, S. (2011). The relation of the distal femoral physis and the medial patellofemoral ligament. *Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA*, 19(12), 2067–2071. <https://doi.org/10.1007/s00167-011-1548-3>
- Schachne, J. M., Heath, M. R., Yen, Y. M., Shea, K. G., Green, D. W., & Fabricant, P. D. (2019). The Safe Distance to the Popliteal Neurovascular Bundle in Pediatric Knee Arthroscopic Surgery: An Age-Based Magnetic Resonance Imaging Anatomic Study. *Orthopaedic journal of sports medicine*, 7(7), 2325967119855027. <https://doi.org/10.1177/2325967119855027>
- Shea, K. G., Burlile, J. F., Richmond, C. G., Ellis, H. B., Wilson, P. L., Fabricant, P. D., Mayer, S., Stavinoha, T., Troyer, S., Dingel, A. B., & Ganley, T. J. (2019). Quadriceps Tendon Graft Anatomy in the Skeletally Immature Patient. *Orthopaedic journal of sports medicine*, 7(7), 2325967119856578. <https://doi.org/10.1177/2325967119856578>
- Shea, K. G., Dingel, A. B., Styhl, A., Richmond, C. G., Cannamela, P. C., Anderson, A. F., Ganley, T. J., Hill, A., & Yen, Y. M. (2019). The Position of the Popliteal Artery and Peroneal Nerve Relative to the Menisci in Children: A Cadaveric Study. *Orthopaedic journal of sports medicine*, 7(6), 2325967119842843. <https://doi.org/10.1177/2325967119842843>
- Shea, K. G., Milewski, M. D., Cannamela, P. C., Ganley, T. J., Fabricant, P. D., Terhune, E. B., Styhl, A. C., Anderson, A. F., & Polousky, J. D. (2017). Anterolateral Ligament of the Knee Shows Variable Anatomy in Pediatric Specimens. *Clinical orthopaedics and related research*, 475(6), 1583–1591. <https://doi.org/10.1007/s11999-016-5123-6>
- Shea, K. G., Polousky, J. D., Jacobs, J. C., Jr, Ganley, T. J., Aoki, S. K., Grimm, N. L., & Parikh, S. N. (2014). The relationship of the femoral physis and the medial patellofemoral ligament in children: a cadaveric study. *Journal of pediatric orthopedics*, 34(8), 808–813. <https://doi.org/10.1097/BPO.0000000000000165>
- Shea, K. G., Styhl, A. C., Jacobs, J. C., Jr, Ganley, T. J., Milewski, M. D., Cannamela, P. C., Anderson, A. F., & Polousky, J. D. (2016). The Relationship of the Femoral Physis and

the Medial Patellofemoral Ligament in Children: A Cadaveric Study. *The American journal of sports medicine*, 44(11), 2833–2837.

<https://doi.org/10.1177/0363546516656366>

Thomas, N. D., Ayala, S., Rohde, M., Gupta, A., Sanchez, M., Ellis, H., Tompkins, M., Wilson, P., Sherman, S., Green, D., Ganley, T. J., VandenBerg, C., Yen, Y. M., & Shea, K. G. (2022). Distance to the Neurovascular Bundle for Iliotibial Band Graft Passage During Anterior Cruciate Ligament Reconstruction: A Pediatric Cadaveric Study. *Orthopaedic journal of sports medicine*, 10(8), 23259671221113832.

<https://doi.org/10.1177/23259671221113832>

Wilding, C. S. R., Cruz, C. C. A., Mannino, L. B. J., Deal, C. J. B., Wake, C. J., & Bottoni, C. R. (2020). Bone-Tendon-Autograft Anterior Cruciate Ligament Reconstruction: A New Anterior Cruciate Ligament Graft Option. *Arthroscopy techniques*, 9(10), e1525–e1530.

<https://doi.org/10.1016/j.eats.2020.06.021>

Yen, Y. M., Fabricant, P. D., Richmond, C. G., Dingel, A. B., Milewski, M. D., Ellis, H. B., Wilson, P. L., Mayer, S. W., Ganley, T. J., & Shea, K. G. (2018). Proximity of the neurovascular structures during all-inside lateral meniscal repair in children: a cadaveric study. *Journal of experimental orthopaedics*, 5(1), 50.

<https://doi.org/10.1186/s40634-018-0166-0>