

References - 2024 Suicide Focused Assessment and Treatment
Stanford University School of Medicine

Current Status of Ketamine and other Stanford Studies in Suicide Prevention - Alan F. Schatzberg, MD

Bodkin, J. A., Zornberg, G. L., Lukas, S. E., & Cole, J. O. (1995). Buprenorphine treatment of refractory depression. *Journal of clinical psychopharmacology*, 15(1), 49–57.
<https://doi.org/10.1097/00004714-199502000-00008>

Bonaventura, J., Lam, S., Carlton, M., Boehm, M. A., Gomez, J. L., Solís, O., Sánchez-Soto, M., Morris, P. J., Fredriksson, I., Thomas, C. J., Sibley, D. R., Shaham, Y., Zarate, C. A., Jr, & Michaelides, M. (2021). Pharmacological and behavioral divergence of ketamine enantiomers: implications for abuse liability. *Molecular psychiatry*, 26(11), 6704–6722. <https://doi.org/10.1038/s41380-021-01093-2>

Canuso, C. M., Singh, J. B., Fedgchin, M., Alphs, L., Lane, R., Lim, P., Pinter, C., Hough, D., Sanacora, G., Manji, H., & Drevets, W. C. (2018). Efficacy and Safety of Intranasal Esketamine for the Rapid Reduction of Symptoms of Depression and Suicidality in Patients at Imminent Risk for Suicide: Results of a Double-Blind, Randomized, Placebo-Controlled Study. *The American journal of psychiatry*, 175(7), 620–630. <https://doi.org/10.1176/appi.ajp.2018.17060720>

Di Ianni, T., Ewbank, S. N., Levinstein, M. R., Azadian, M. M., Budinich, R. C., Michaelides, M., & Airan, R. D. (2024). Sex dependence of opioid-mediated responses to subanesthetic ketamine in rats. *Nature communications*, 15(1), 893. <https://doi.org/10.1038/s41467-024-45157-7>

Fu, D. J., Ionescu, D. F., Li, X., Lane, R., Lim, P., Sanacora, G., Hough, D., Manji, H., Drevets, W. C., & Canuso, C. M. (2020). Esketamine Nasal Spray for Rapid Reduction of Major Depressive Disorder Symptoms in Patients Who Have Active Suicidal Ideation With Intent: Double-Blind, Randomized Study (ASPIRE I). *The Journal of clinical psychiatry*, 81(3), 19m13191.
<https://doi.org/10.4088/JCP.19m13191>

Jelen, L., Lythgoe, D. J., O'Daly, O., Stone, J. M., Young, A. H., & Mehta, M. A. (2023). P345. Attenuation of Ketamine-Induced Glutamatergic Activity and Antidepressant Effects by Naltrexone Pre-Treatment, Independent of Changes in Cerebral Blood Flow. In: ACNP 62nd Annual Meeting: Poster Abstracts P251-P500, King's College London, London, United Kingdom. *Neuropsychopharmacol.* 48(Suppl 1), 211-354. <https://doi.org/10.1038/s41386-023-01756-4>

Jiang, C., DiLeone, R. J., Pittenger, C., & Duman, R. S. (2024). The endogenous opioid system in the medial prefrontal cortex mediates ketamine's antidepressant-like actions. *Translational psychiatry*, 14(1), 90. <https://doi.org/10.1038/s41398-024-02796-0>

Klein, M. E., Chandra, J., Sheriff, S., & Malinow, R. (2020). Opioid system is necessary but not sufficient for antidepressive actions of ketamine in rodents. *Proceedings of the National Academy of Sciences of the United States of America*, 117(5), 2656–2662.
<https://doi.org/10.1073/pnas.1916570117>

Levinstein, M. R., Carlton, M. L., Di Ianni, T., Ventriglia, E. N., Rizzo, A., Gomez, J. L., Budinich, R. C., Shaham, Y., Airan, R. D., Zarate, C. A., Jr, Bonaventura, J., & Michaelides, M. (2023). Mu Opioid Receptor Activation Mediates (S)-ketamine Reinforcement in Rats: Implications for Abuse Liability. *Biological psychiatry*, 93(12), 1118–1126.
<https://doi.org/10.1016/j.biopsych.2022.12.019>

Murrough, J. W., Iosifescu, D. V., Chang, L. C., Al Jundi, R. K., Green, C. E., Perez, A. M., Iqbal, S., Pillemier, S., Foulkes, A., Shah, A., Charney, D. S., & Mathew, S. J. (2013). Antidepressant efficacy of ketamine in treatment-resistant major depression: a two-site randomized controlled trial. *The American journal of psychiatry*, 170(10), 1134–1142.
<https://doi.org/10.1176/appi.ajp.2013.13030392>

Williams, N. R., Heifets, B. D., Bentzley, B. S., Blasey, C., Sudheimer, K. D., Hawkins, J., Lyons, D. M., & Schatzberg, A. F. (2019). Attenuation of antidepressant and antisuicidal effects of ketamine by opioid receptor antagonism. *Molecular psychiatry*, 24(12), 1779–1786.
<https://doi.org/10.1038/s41380-019-0503-4>

Williams, N. R., Heifets, B. D., Blasey, C., Sudheimer, K., Pannu, J., Pankow, H., Hawkins, J., Birnbaum, J., Lyons, D. M., Rodriguez, C. I., & Schatzberg, A. F. (2018). Attenuation of Antidepressant Effects of Ketamine by Opioid Receptor Antagonism. *The American journal of psychiatry*, 175(12), 1205–1215. <https://doi.org/10.1176/appi.ajp.2018.18020138>

Wulf, H. A., Browne, C. A., Zarate, C. A., & Lucki, I. (2022). Mediation of the behavioral effects of ketamine and (2R,6R)-hydroxynorketamine in mice by kappa opioid receptors. *Psychopharmacology*, 239(7), 2309–2316. <https://doi.org/10.1007/s00213-022-06118-4>

Yovell, Y., Bar, G., Mashiah, M., Baruch, Y., Briskman, I., Asherov, J., Lotan, A., Rigbi, A., & Panksepp, J. (2016). Ultra-Low-Dose Buprenorphine as a Time-Limited Treatment for Severe Suicidal Ideation: A Randomized Controlled Trial. *The American journal of psychiatry*, 173(5), 491–498.
<https://doi.org/10.1176/appi.ajp.2015.15040535>

Zhang, F., Hillhouse, T. M., Anderson, P. M., Koppenhaver, P. O., Kegen, T. N., Manicka, S. G., Lane, J. T., Pottanat, E., Van Fossen, M., Rice, R., & Porter, J. H. (2021). Opioid receptor system contributes to the acute and sustained antidepressant-like effects, but not the hyperactivity motor effects of ketamine in mice. *Pharmacology, biochemistry, and behavior*, 208, 173228.
<https://doi.org/10.1016/j.pbb.2021.173228>

Dispelling Myths, Identification of Risk, and Action Steps - Douglas Jacobs, MD

American Psychiatric Association, DSM-5 Task Force. (2013). *Diagnostic and statistical manual of mental disorders: DSM-5™* (5th ed.). American Psychiatric Publishing, Inc..
<https://doi.org/10.1176/appi.books.9780890425596>

Atkins Whitmer, D., & Woods, D. L. (2013). Analysis of the cost effectiveness of a suicide barrier on the Golden Gate Bridge. *Crisis*, 34(2), 98–106. <https://doi.org/10.1027/0227-5910/a000179>

Bond, A. E., Bandel, S. L., Rodriguez, T. R., Anestis, J. C., & Anestis, M. D. (2022). Mental Health Treatment Seeking and History of Suicidal Thoughts Among Suicide Decedents by Mechanism, 2003-2018. *JAMA network open*, 5(3), e222101.
<https://doi.org/10.1001/jamanetworkopen.2022.2101>

Bostwick, J. M., Pabbati, C., Geske, J. R., & McKean, A. J. (2016). Suicide Attempt as a Risk Factor for Completed Suicide: Even More Lethal Than We Knew. *The American journal of psychiatry*, 173(11), 1094–1100. <https://doi.org/10.1176/appi.ajp.2016.15070854>

Centers for Disease Control and Prevention. (2024). Youth Risk Behavior Survey Data Summary & Trends Report: 2013-2023. *U.S. Department of Health and Human Services*.
<https://www.cdc.gov/media/releases/2024/p0806-youth-mental-health.html>

Chatterjee, R. (2023). 988 Lifeline sees boost in use and funding in first months. *NPR, Public Health*.
<https://www.npr.org/sections/health-shots/2023/01/16/1149202586/988-lifeline-sees-boost-in-use-and-funding-in-first-months>

Gould, M. S., Chowdhury, S., Lake, A. M., Galfalvy, H., Kleinman, M., Kuchuk, M., & McKeon, R. (2021). National Suicide Prevention Lifeline crisis chat interventions: Evaluation of chatters' perceptions of effectiveness. *Suicide & life-threatening behavior*, 51(6), 1126–1137.
<https://doi.org/10.1111/sltb.12795>

Gould, M. S., Cross, W., Pisani, A. R., Munfakh, J. L., & Kleinman, M. (2013). Impact of Applied Suicide Intervention Skills Training on the National Suicide Prevention Lifeline. *Suicide & life-threatening behavior*, 43(6), 676–691. <https://doi.org/10.1111/sltb.12049>

Gould, M. S., Kalafat, J., Harrismunfakh, J. L., & Kleinman, M. (2010). An evaluation of crisis hotline outcomes. Part 2: Suicidal callers. *Suicide & life-threatening behavior*, 37(3), 338–352.
<https://doi.org/10.1521/suli.2007.37.3.338>

Joiner, T. (2005). *Why people die by suicide*. Harvard University Press.

Joiner, T., Kalafat, J., Draper, J., Stokes, H., Knudson, M., Berman, A. L., & McKeon, R. (2010).

Establishing standards for the assessment of suicide risk among callers to the national suicide prevention lifeline. *Suicide & life-threatening behavior*, 37(3), 353–365.

<https://doi.org/10.1521/suli.2007.37.3.353>

National Survey on Drug Use and Health. (2024). 2021, 2022, and 2023 Companion Infographic Report. Substance Abuse and Mental Health Services Administration.

<https://www.samhsa.gov/data/report/2021-2022-2023-nsduh-infographic>

Rosen D. H. (1975). Suicide survivors. A follow-up study of persons who survived jumping from the Golden Gate and San Francisco-Oakland Bay Bridges. *The Western journal of medicine*, 122(4), 289–294.

Seiden R. H. (1978). Where are they now? A follow-up study of suicide attempters from the Golden Gate Bridge. *Suicide & life-threatening behavior*, 8(4), 203–216.

Stanley, I. H., Flarity, K. M., & April, M. D. (2023). Suicide Ideation, Plans, and Attempts Attributed to the COVID-19 Pandemic Among US Veterans. *JAMA network open*, 6(6), e2320193.

<https://doi.org/10.1001/jamanetworkopen.2023.20193>

Biology of Suicide: Current Status - John Mann, MD

Boldrini, M., Hen, R., Underwood, M. D., Rosoklja, G. B., Dwork, A. J., Mann, J. J., & Arango, V. (2012). Hippocampal angiogenesis and progenitor cell proliferation are increased with antidepressant use in major depression. *Biological psychiatry*, 72(7), 562–571.

<https://doi.org/10.1016/j.biopsych.2012.04.024>

Dranovsky, A., & Hen, R. (2006). Hippocampal neurogenesis: regulation by stress and antidepressants. *Biological psychiatry*, 59(12), 1136–1143. <https://doi.org/10.1016/j.biopsych.2006.03.082>

Jollant, F., Bellivier, F., Leboyer, M., Astruc, B., Torres, S., Verdier, R., Castelnau, D., Malafosse, A., & Courtet, P. (2005). Impaired decision making in suicide attempters. *The American journal of psychiatry*, 162(2), 304–310. <https://doi.org/10.1176/appi.ajp.162.2.304>

Jollant, F., Lawrence, N. S., Giampietro, V., Brammer, M. J., Fullana, M. A., Drapier, D., Courtet, P., & Phillips, M. L. (2008). Orbitofrontal cortex response to angry faces in men with histories of suicide attempts. *The American journal of psychiatry*, 165(6), 740–748. <https://doi.org/10.1176/appi.ajp.2008.07081239>

Mann, J. J., Ellis, S. P., Currier, D., Zelazny, J., Birmaher, B., Oquendo, M. A., Kolko, D. J., Stanley, B., Melhem, N., Burke, A. K., & Brent, D. A. (2016). Self-Rated Depression Severity Relative to Clinician-Rated Depression Severity: Trait Stability and Potential Role in Familial Transmission of

Suicidal Behavior. *Archives of suicide research : official journal of the International Academy for Suicide Research*, 20(3), 412–425. <https://doi.org/10.1080/13811118.2015.1033504>

Mann, J. J., & Rizk, M. M. (2020). A Brain-Centric Model of Suicidal Behavior. *The American journal of psychiatry*, 177(10), 902–916. <https://doi.org/10.1176/appi.ajp.2020.20081224>

Milak, M. S., Keilp, J., Parsey, R. V., Oquendo, M. A., Malone, K. M., & Mann, J. J. (2010). Regional brain metabolic correlates of self-reported depression severity contrasted with clinician ratings. *Journal of affective disorders*, 126(1-2), 113–124. <https://doi.org/10.1016/j.jad.2010.03.002>

Nock, M. K., Joiner, T. E., Jr, Gordon, K. H., Lloyd-Richardson, E., & Prinstein, M. J. (2006). Non-suicidal self-injury among adolescents: diagnostic correlates and relation to suicide attempts. *Psychiatry research*, 144(1), 65–72. <https://doi.org/10.1016/j.psychres.2006.05.010>

Oquendo, M. A., Perez-Rodriguez, M. M., Poh, E., Sullivan, G., Burke, A. K., Sublette, M. E., Mann, J. J., & Galfalvy, H. (2014). Life events: a complex role in the timing of suicidal behavior among depressed patients. *Molecular psychiatry*, 19(8), 902–909. <https://doi.org/10.1038/mp.2013.128>

Sheline, Y. I., Wang, P. W., Gado, M. H., Csernansky, J. G., & Vannier, M. W. (1996). Hippocampal atrophy in recurrent major depression. *Proceedings of the National Academy of Sciences of the United States of America*, 93(9), 3908–3913. <https://doi.org/10.1073/pnas.93.9.3908>

Willeumier, K., Taylor, D. V., & Amen, D. G. (2011). Decreased cerebral blood flow in the limbic and prefrontal cortex using SPECT imaging in a cohort of completed suicides. *Translational psychiatry*, 1(8), e28. <https://doi.org/10.1038/tp.2011.28>

Moving Beyond Fear and Defensive Practice with the Suicidal Patient - Stacey Freedenthal, PhD, LCSW

Finn, S. E., & Tonsager, M. E. (2002). How Therapeutic Assessment became humanistic. *The Humanistic Psychologist*, 30(1-2), 10–22. <https://doi.org/10.1080/08873267.2002.9977019>

Freedenthal, S. (2007). Challenges in assessing intent to die: can suicide attempters be trusted?. *Omega*, 55(1), 57–70. <https://doi.org/10.2190/5867-6510-3388-3517>

Freedenthal, S. (2018). *Helping the suicidal person: Tips and techniques for professionals*. Routledge/Taylor & Francis Group.

Jahn, D. R., Quinnett, P., & Ries, R. (2016). The influence of training and experience on mental health practitioners' comfort working with suicidal individuals. *Professional Psychology: Research and Practice*, 47(2), 130–138. <https://doi.org/10.1037/pro0000070>

Jobes, D. A. (2023). *Managing suicidal risk: A collaborative approach* (3rd ed.). New York: Guilford Press.

Koerner, K. (2011). *Doing dialectical behavior therapy: A practical guide*. New York: Guilford Press.

Linehan, M. M., Korslund, K. E., Harned, M. S., Gallop, R. J., Lungu, A., Neacsu, A. D., McDavid, J., Comtois, K. A., & Murray-Gregory, A. M. (2015). Dialectical behavior therapy for high suicide risk in individuals with borderline personality disorder: a randomized clinical trial and component analysis. *JAMA psychiatry*, 72(5), 475–482. <https://doi.org/10.1001/jamapsychiatry.2014.3039>

Michel, K., & Jobes, D. A. (Eds.). (2011). *Building a therapeutic alliance with the suicidal patient*. American Psychological Association. <https://doi.org/10.1037/12303-000>

Mullen, R., Admiraal, A., & Trevena, J. (2008). Defensive practice in mental health. *The New Zealand medical journal*, 121(1286), 85–91.

Needleman, L. D. (2006). Case conceptualization in preventing and responding to therapeutic difficulties. In R. L. Leahy (Ed.). *Roadblocks in cognitive-behavioral therapy*. New York: Guilford Press.

Paris, J. (2007). *Half in love with death: Managing the chronically suicidal patient*. Lawrence Erlbaum Associates Publishers.

Shea, S. C. (2011). *The Practical Art of Suicide Assessment: A Guide for Mental Health Professionals and Substance Abuse Counselors* (Illustrated edition). Mental Health Presses.

Wenzel, A., Brown, G. K., & Beck, A. T. (2009). *Cognitive therapy for suicidal patients: Scientific and clinical applications*. American Psychological Association. <https://doi.org/10.1037/11862-000>

Assessment and Therapeutic Value of Interpersonal Theory of Suicide - Thomas Joiner, PhD

Anestis, M. D., Joiner, T., Hanson, J. E., & Gutierrez, P. M. (2014). The modal suicide decedent did not consume alcohol just prior to the time of death: An analysis with implications for understanding suicidal behavior. *Journal of abnormal psychology*, 123(4), 835–840. <https://doi.org/10.1037/a0037480>

Chu, C., Buchman-Schmitt, J. M., Stanley, I. H., Hom, M. A., Tucker, R. P., Hagan, C. R., Rogers, M. L., Podlogar, M. C., Chiurliza, B., Ringer, F. B., Michaels, M. S., Patros, C. H. G., & Joiner, T. E. (2017). The interpersonal theory of suicide: A systematic review and meta-analysis of a decade of cross-national research. *Psychological bulletin*, 143(12), 1313–1345. <https://doi.org/10.1037/bul0000123>

Karlsson T. (1998). Homicidal and suicidal sharp force fatalities in Stockholm, Sweden. Orientation of entrance wounds in stabs gives information in the classification. *Forensic science international*, 93(1), 21–32. [https://doi.org/10.1016/s0379-0738\(98\)00025-5](https://doi.org/10.1016/s0379-0738(98)00025-5)

New Directions in Suicide Safety Planning - Marianne Goodman, MD

Andrilla, C. H. A., Patterson, D. G., Garberson, L. A., Coulthard, C., & Larson, E. H. (2018). Geographic Variation in the Supply of Selected Behavioral Health Providers. *American journal of preventive medicine*, 54(6 Suppl 3), S199–S207. <https://doi.org/10.1016/j.amepre.2018.01.004>

Ferguson, M., Rhodes, K., Loughhead, M., McIntyre, H., & Procter, N. (2022). The Effectiveness of the Safety Planning Intervention for Adults Experiencing Suicide-Related Distress: A Systematic Review. *Archives of suicide research : official journal of the International Academy for Suicide Research*, 26(3), 1022–1045. <https://doi.org/10.1080/13811118.2021.1915217>

Goodman, M., Brown, G. K., Galfalvy, H. C., Spears, A. P., Sullivan, S. R., Kapil-Pair, K. N., Jager-Hyman, S., Dixon, L., Thase, M. E., & Stanley, B. (2020). Group ("Project Life Force") versus individual suicide safety planning: A randomized clinical trial. *Contemporary clinical trials communications*, 17, 100520. <https://doi.org/10.1016/j.conc.2020.100520>

Goodman, M., Sullivan, S. R., Spears, A. P., Dixon, L., Sokol, Y., Kapil-Pair, K. N., Galfalvy, H. C., Hazlett, E. A., & Stanley, B. (2021). An Open Trial of a Suicide Safety Planning Group Treatment: "Project Life Force". *Archives of suicide research : official journal of the International Academy for Suicide Research*, 25(3), 690–703. <https://doi.org/10.1080/13811118.2020.1746940>

Hirsch, J. K., & Cukrowicz, K. C. (2014). Suicide in rural areas: An updated review of the literature. *Journal of Rural Mental Health*, 38(2), 65–78. <https://doi.org/10.1037/rmh0000018>

Jacobs, J. C., Blonigen, D. M., Kimerling, R., Slightam, C., Gregory, A. J., Gurmessa, T., & Zulman, D. M. (2019). Increasing Mental Health Care Access, Continuity, and Efficiency for Veterans Through Telehealth With Video Tablets. *Psychiatric services (Washington, D.C.)*, 70(11), 976–982. <https://doi.org/10.1176/appi.ps.201900104>

Office of Mental Health and Suicide Prevention. (2023). 2023 National Veteran Suicide Prevention Annual Report. *U.S. Department of Veterans Affairs*. <https://www.mentalhealth.va.gov/docs/data-sheets/2023/2023-National-Veteran-Suicide-Prevention-Annual-Report-FINAL-508.pdf>

Patel, M. R., Rosenlund, K., Miller, S. E., Andersen, A. S., & Miles, A. (2023). Using an intensive interdisciplinary telehealth model to treat pediatric feeding disorders. *Journal of applied behavior analysis*, 56(2), 400–415. <https://doi.org/10.1002/jaba.976>

Raciborski, R. A., Hamerling-Potts, K. K., Mitchell, E. L., Sullivan, S. R., Kapil-Pair, N., Landes, S. J., Jager-Hyman, S., & Goodman, M. (2023). Cost comparison of in-person and telehealth modalities for a suicide safety planning group intervention: interim results from the "Project Life Force" randomized clinical trial. *Frontiers in psychiatry*, 14, 1215247.

<https://doi.org/10.3389/fpsyg.2023.1215247>

Sullivan, S. R., Monahan, M. F., Mitchell, E. L., Spears, A. P., Walsh, S., Szyszko, J. R., Gromatsky, M., Stanley, B., & Goodman, M. (2021). Group treatments for individuals at risk for suicide: A PRISMA scoping review (ScR). *Psychiatry research*, 304, 114108.

<https://doi.org/10.1016/j.psychres.2021.114108>

Population-Based Interventions to Prevent Suicidal Behavior - Gregory Simon, MD

Ahmedani, B. K., Simon, G. E., Stewart, C., Beck, A., Waitzfelder, B. E., Rossom, R., Lynch, F., Owen-Smith, A., Hunkeler, E. M., Whiteside, U., Operksalski, B. H., Coffey, M. J., & Solberg, L. I. (2014). Health care contacts in the year before suicide death. *Journal of general internal medicine*, 29(6), 870–877. <https://doi.org/10.1007/s11606-014-2767-3>

Angerhofer Richards, J., Cruz, M., Stewart, C., Lee, A. K., Ryan, T. C., Ahmedani, B. K., & Simon, G. E. (2024). Effectiveness of Integrating Suicide Care in Primary Care : Secondary Analysis of a Stepped-Wedge, Cluster Randomized Implementation Trial. *Annals of internal medicine*, 177(11), 1471–1481. <https://doi.org/10.7326/M24-0024>

van Ballegooijen, W., Rawee, J., Palantza, C., Miguel, C., Harrer, M., Cristea, I., de Winter, R., Gilissen, R., Eikelenboom, M., Beekman, A., & Cuijpers, P. (2024). Suicidal Ideation and Suicide Attempts After Direct or Indirect Psychotherapy: A Systematic Review and Meta-Analysis. *JAMA psychiatry*, e242854. Advance online publication.
<https://doi.org/10.1001/jamapsychiatry.2024.2854>

Boudreaux, E. D., Larkin, C., Vallejo Sefair, A., Ma, Y., Li, Y. F., Ibrahim, A. F., Zeger, W., Brown, G. K., Pelletier, L., Miller, I., & ED-SAFE 2 Investigators (2023). Effect of an Emergency Department Process Improvement Package on Suicide Prevention: The ED-SAFE 2 Cluster Randomized Clinical Trial. *JAMA psychiatry*, 80(7), 665–674.
<https://doi.org/10.1001/jamapsychiatry.2023.1304>

Brown, G. K., Ten Have, T., Henriques, G. R., Xie, S. X., Hollander, J. E., & Beck, A. T. (2005). Cognitive therapy for the prevention of suicide attempts: a randomized controlled trial. *JAMA*, 294(5), 563–570. <https://doi.org/10.1001/jama.294.5.563>

Carter, G. L., Clover, K., Whyte, I. M., Dawson, A. H., & D'Este, C. (2007). Postcards from the EDge:

24-month outcomes of a randomised controlled trial for hospital-treated self-poisoning. *The British journal of psychiatry : the journal of mental science*, 191, 548–553.
<https://doi.org/10.1192/bjp.bp.107.038406>

Cipriani, A., Hawton, K., Stockton, S., & Geddes, J. R. (2013). Lithium in the prevention of suicide in mood disorders: updated systematic review and meta-analysis. *BMJ (Clinical research ed.)*, 346, f3646. <https://doi.org/10.1136/bmj.f3646>

Comtois, K. A., Kerbrat, A. H., DeCou, C. R., Atkins, D. C., Majeres, J. J., Baker, J. C., & Ries, R. K. (2019). Effect of Augmenting Standard Care for Military Personnel With Brief Caring Text Messages for Suicide Prevention: A Randomized Clinical Trial. *JAMA psychiatry*, 76(5), 474–483.
<https://doi.org/10.1001/jamapsychiatry.2018.4530>

Crifasi, C. K., Meyers, J. S., Vernick, J. S., & Webster, D. W. (2015). Effects of changes in permit-to-purchase handgun laws in Connecticut and Missouri on suicide rates. *Preventive Medicine: An International Journal Devoted to Practice and Theory*, 79, 43–49.
<https://doi.org/10.1016/j.ypmed.2015.07.013>

DeCou, C. R., Comtois, K. A., & Landes, S. J. (2019). Dialectical Behavior Therapy Is Effective for the Treatment of Suicidal Behavior: A Meta-Analysis. *Behavior therapy*, 50(1), 60–72.
<https://doi.org/10.1016/j.beth.2018.03.009>

Dwyer, J., Spittal, M. J., Scurrah, K., Pirkis, J., Bugeja, L., & Clapperton, A. (2023). Structural intervention at one bridge decreases the overall jumping suicide rate in Victoria, Australia. *Epidemiology and psychiatric sciences*, 32, e58. <https://doi.org/10.1017/S2045796023000720>

Hawton K. (2002). United Kingdom legislation on pack sizes of analgesics: background, rationale, and effects on suicide and deliberate self-harm. *Suicide & life-threatening behavior*, 32(3), 223–229.
<https://doi.org/10.1521/suli.32.3.223.22169>

McCarthy, J. F., Cooper, S. A., Dent, K. R., Eagan, A. E., Matarazzo, B. B., Hannemann, C. M., Reger, M. A., Landes, S. J., Trafton, J. A., Schoenbaum, M., & Katz, I. R. (2021). Evaluation of the Recovery Engagement and Coordination for Health-Veterans Enhanced Treatment Suicide Risk Modeling Clinical Program in the Veterans Health Administration. *JAMA network open*, 4(10), e2129900.
<https://doi.org/10.1001/jamanetworkopen.2021.29900>

Meltzer, H. Y., Alphs, L., Green, A. I., Altamura, A. C., Anand, R., Bertoldi, A., Bourgeois, M., Chouinard, G., Islam, M. Z., Kane, J., Krishnan, R., Lindenmayer, J. P., Potkin, S., & International Suicide Prevention Trial Study Group (2003). Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT). *Archives of general psychiatry*, 60(1), 82–91.
<https://doi.org/10.1001/archpsyc.60.1.82>

Simon, G. E., Coleman, K. J., Rossom, R. C., Beck, A., Oliver, M., Johnson, E., Whiteside, U., Operskalski, B., Penfold, R. B., Shortreed, S. M., & Rutter, C. (2016). Risk of suicide attempt and suicide death following completion of the Patient Health Questionnaire depression module in community practice. *The Journal of clinical psychiatry*, 77(2), 221–227.

<https://doi.org/10.4088/JCP.15m09776>

Simon, G. E., Johnson, E., Lawrence, J. M., Rossom, R. C., Ahmedani, B., Lynch, F. L., Beck, A., Waitzfelder, B., Ziebell, R., Penfold, R. B., & Shortreed, S. M. (2018). Predicting Suicide Attempts and Suicide Deaths Following Outpatient Visits Using Electronic Health Records. *The American journal of psychiatry*, 175(10), 951–960. <https://doi.org/10.1176/appi.ajp.2018.17101167>

Simon, G. E., Shortreed, S. M., Rossom, R. C., Beck, A., Clarke, G. N., Whiteside, U., Richards, J. E., Penfold, R. B., Boggs, J. M., & Smith, J. (2022). Effect of Offering Care Management or Online Dialectical Behavior Therapy Skills Training vs Usual Care on Self-harm Among Adult Outpatients With Suicidal Ideation: A Randomized Clinical Trial. *JAMA*, 327(7), 630–638.

<https://doi.org/10.1001/jama.2022.0423>

Witt, K., Potts, J., Hubers, A., Grunebaum, M. F., Murrough, J. W., Loo, C., Cipriani, A., & Hawton, K. (2020). Ketamine for suicidal ideation in adults with psychiatric disorders: A systematic review and meta-analysis of treatment trials. *The Australian and New Zealand journal of psychiatry*, 54(1), 29–45. <https://doi.org/10.1177/0004867419883341>

Moving Beyond Fear and Defensive Practice with the Suicidal Patient - Nolan Ryan Williams, MD

Alexander W. (2012). Pharmacotherapy for Post-traumatic Stress Disorder In Combat Veterans: Focus on Antidepressants and Atypical Antipsychotic Agents. *P & T : a peer-reviewed journal for formulary management*, 37(1), 32–38.

Baxter, L. R., Jr, Schwartz, J. M., Phelps, M. E., Mazziotta, J. C., Guze, B. H., Selin, C. E., Gerner, R. H., & Sumida, R. M. (1989). Reduction of prefrontal cortex glucose metabolism common to three types of depression. *Archives of general psychiatry*, 46(3), 243–250.

<https://doi.org/10.1001/archpsyc.1989.01810030049007>

Blumberger, D. M., Vila-Rodriguez, F., Thorpe, K. E., Feffer, K., Noda, Y., Giacobbe, P., Knyahnytska, Y., Kennedy, S. H., Lam, R. W., Daskalakis, Z. J., & Downar, J. (2018). Effectiveness of theta burst versus high-frequency repetitive transcranial magnetic stimulation in patients with depression (THREE-D): a randomised non-inferiority trial. *Lancet (London, England)*, 391(10131), 1683–1692. [https://doi.org/10.1016/S0140-6736\(18\)30295-2](https://doi.org/10.1016/S0140-6736(18)30295-2)

Cameron, L. P., Tombari, R. J., Lu, J., Pell, A. J., Hurley, Z. Q., Ehinger, Y., Vargas, M. V., McCarroll, M. N.,

Taylor, J. C., Myers-Turnbull, D., Liu, T., Yaghoobi, B., Laskowski, L. J., Anderson, E. I., Zhang, G., Viswanathan, J., Brown, B. M., Tjia, M., Dunlap, L. E., Rabow, Z. T., ... Olson, D. E. (2021). A non-hallucinogenic psychedelic analogue with therapeutic potential. *Nature*, 589(7842), 474–479. <https://doi.org/10.1038/s41586-020-3008-z>

Carlson, K. F., Kehle, S. M., Meis, L. A., Greer, N., Macdonald, R., Rutks, I., Sayer, N. A., Dobscha, S. K., & Wilt, T. J. (2011). Prevalence, assessment, and treatment of mild traumatic brain injury and posttraumatic stress disorder: a systematic review of the evidence. *The Journal of head trauma rehabilitation*, 26(2), 103–115. <https://doi.org/10.1097/HTR.0b013e3181e50ef1>

Cole, E. J., Stimpson, K. H., Bentzley, B. S., Gulser, M., Cherian, K., Tischler, C., Nejad, R., Pankow, H., Choi, E., Aaron, H., Espil, F. M., Pannu, J., Xiao, X., Duvio, D., Solvason, H. B., Hawkins, J., Guerra, A., Jo, B., Raj, K. S., Phillips, A. L., ... Williams, N. R. (2020). Stanford Accelerated Intelligent Neuromodulation Therapy for Treatment-Resistant Depression. *The American journal of psychiatry*, 177(8), 716–726. <https://doi.org/10.1176/appi.ajp.2019.19070720>

Drevets, W. C., Price, J. L., Simpson, J. R., Jr, Todd, R. D., Reich, T., Vannier, M., & Raichle, M. E. (1997). Subgenual prefrontal cortex abnormalities in mood disorders. *Nature*, 386(6627), 824–827. <https://doi.org/10.1038/386824a0>

Garcia, A., Miles, S. R., Reljic, T., Silva, M. A., Dams-O'Connor, K., Belanger, H. G., Bajor, L., & Richardson, R. (2022). Neurobehavioral Symptoms in U.S. Special Operations Forces in Rehabilitation After Traumatic Brain Injury: A TBI Model Systems Study. *Military medicine*, 187(11-12), 1412–1421. <https://doi.org/10.1093/milmed/usab347>

Gaynes, B. N., Warden, D., Trivedi, M. H., Wisniewski, S. R., Fava, M., & Rush, A. J. (2009). What did STAR*D teach us? Results from a large-scale, practical, clinical trial for patients with depression. *Psychiatric services (Washington, D.C.)*, 60(11), 1439–1445. <https://doi.org/10.1176/ps.2009.60.11.1439>

George, M. S., Robertson, M. M., Costa, D. C., Ell, P. J., Trimble, M. R., Pilowsky, L., & Verhoeff, N. P. L. G. (1994). Dopamine receptor availability in Tourette's syndrome. *Psych Res Neuroimaging*, 55(4), 193-203. [https://doi.org/10.1016/0925-4927\(94\)90014-0](https://doi.org/10.1016/0925-4927(94)90014-0)

George, M. S., Wassermann, E. M., Williams, W. A., Callahan, A., Ketter, T. A., Basser, P., Hallett, M., & Post, R. M. (1995). Daily repetitive transcranial magnetic stimulation (rTMS) improves mood in depression. *Neuroreport*, 6(14), 1853–1856. <https://doi.org/10.1097/00001756-199510020-00008>

Glue, P., Winter, H., Garbe, K., Jakobi, H., Lyudin, A., Lenagh-Glue, Z., & Hung, C. T. (2015). Influence of

CYP2D6 activity on the pharmacokinetics and pharmacodynamics of a single 20 mg dose of ibogaine in healthy volunteers. *Journal of clinical pharmacology*, 55(6), 680–687.

<https://doi.org/10.1002/jcph.471>

He, D. Y., McGough, N. N., Ravindranathan, A., Jeanblanc, J., Logrip, M. L., Phamluong, K., Janak, P. H., & Ron, D. (2005). Glial cell line-derived neurotrophic factor mediates the desirable actions of the anti-addiction drug ibogaine against alcohol consumption. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 25(3), 619–628.

<https://doi.org/10.1523/JNEUROSCI.3959-04.2005>

Hing, M., Cabrera, J., Barstow, C., & Forsten, R. D. (2012). Special operations forces and incidence of post-traumatic stress disorder symptoms. *Journal of special operations medicine : a peer reviewed journal for SOF medical professionals*, 12(3), 23–35. <https://doi.org/10.55460/663M-6L7P>

Huang, Y. Z., Edwards, M. J., Rounis, E., Bhatia, K. P., & Rothwell, J. C. (2005). Theta burst stimulation of the human motor cortex. *Neuron*, 45(2), 201–206.

<https://doi.org/10.1016/j.neuron.2004.12.033>

Kramár, E. A., Babayan, A. H., Gavin, C. F., Cox, C. D., Jafari, M., Gall, C. M., Rumbaugh, G., & Lynch, G. (2012). Synaptic evidence for the efficacy of spaced learning. *Proceedings of the National Academy of Sciences of the United States of America*, 109(13), 5121–5126.

<https://doi.org/10.1073/pnas.1120700109>

Li, C. T., Chen, M. H., Juan, C. H., Liu, R. S., Lin, W. C., Bai, Y. M., & Su, T. P. (2018). Effects of prefrontal theta-burst stimulation on brain function in treatment-resistant depression: A randomized sham-controlled neuroimaging study. *Brain stimulation*, 11(5), 1054–1062.

<https://doi.org/10.1016/j.brs.2018.04.014>

Li, J. M., Zhang, Y., Su, W. J., Liu, L. L., Gong, H., Peng, W., & Jiang, C. L. (2018). Cognitive behavioral therapy for treatment-resistant depression: A systematic review and meta-analysis. *Psychiatry research*, 268, 243–250. <https://doi.org/10.1016/j.psychres.2018.07.020>

Liston, C., Chen, A. C., Zebley, B. D., Drysdale, A. T., Gordon, R., Leuchter, B., Voss, H. U., Casey, B. J., Etkin, A., & Dubin, M. J. (2014). Default mode network mechanisms of transcranial magnetic stimulation in depression. *Biological psychiatry*, 76(7), 517–526.

<https://doi.org/10.1016/j.biopsych.2014.01.023>

Litjens, R. P., & Brunt, T. M. (2016). How toxic is ibogaine?. *Clinical toxicology (Philadelphia, Pa.)*, 54(4), 297–302. <https://doi.org/10.3109/15563650.2016.1138226>

Ly, C., Greb, A. C., Cameron, L. P., Wong, J. M., Barragan, E. V., Wilson, P. C., Burbach, K. F., Soltanzadeh

Zarandi, S., Sood, A., Paddy, M. R., Duim, W. C., Dennis, M. Y., McAllister, A. K., Ori-McKenney, K. M., Gray, J. A., & Olson, D. E. (2018). Psychedelics Promote Structural and Functional Neural Plasticity. *Cell reports*, 23(11), 3170–3182. <https://doi.org/10.1016/j.celrep.2018.05.022>

Lynch, G., Kramár, E. A., Babayan, A. H., Rumbaugh, G., & Gall, C. M. (2013). Differences between synaptic plasticity thresholds result in new timing rules for maximizing long-term potentiation. *Neuropharmacology*, 64(1), 27–36. <https://doi.org/10.1016/j.neuropharm.2012.07.006>

Marr, A. (2020). Study Reveals SOF Suicides Highest in Military. *Special Operations Association of America*. <https://soaa.org/study-sof-suicides-military/>

Marton, S., González, B., Rodríguez-Botero, S., Miquel, E., Martínez-Palma, L., Pazos, M., Prieto, J. P., Rodríguez, P., Sames, D., Seoane, G., Scorza, C., Cassina, P., & Carrera, I. (2019). Ibogaine Administration Modifies GDNF and BDNF Expression in Brain Regions Involved in Mesocorticolimbic and Nigral Dopaminergic Circuits. *Frontiers in pharmacology*, 10, 193. <https://doi.org/10.3389/fphar.2019.00193>

Mash, D. C., Kovera, C. A., Pablo, J., Tyndale, R., Ervin, F. R., Kamlet, J. D., & Hearn, W. L. (2001). Ibogaine in the treatment of heroin withdrawal. *The Alkaloids. Chemistry and biology*, 56, 155–171. [https://doi.org/10.1016/s0099-9598\(01\)56012-5](https://doi.org/10.1016/s0099-9598(01)56012-5)

Moore, M. J., Shawler, E., Jordan, C. H., & Jackson, C. A. (2023). Veteran and Military Mental Health Issues. In *StatPearls*. StatPearls Publishing.

Morissette, S. B., Woodward, M., Kimbrel, N. A., Meyer, E. C., Kruse, M. I., Dolan, S., & Gulliver, S. B. (2011). Deployment-related TBI, persistent postconcussive symptoms, PTSD, and depression in OEF/OIF veterans. *Rehabilitation psychology*, 56(4), 340–350. <https://doi.org/10.1037/a0025462>

Nettekoven, C., Volz, L. J., Kutschka, M., Pool, E. M., Rehme, A. K., Eickhoff, S. B., Fink, G. R., & Grefkes, C. (2014). Dose-dependent effects of theta burst rTMS on cortical excitability and resting-state connectivity of the human motor system. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 34(20), 6849–6859. <https://doi.org/10.1523/JNEUROSCI.4993-13.2014>

Nidich, S., Mills, P. J., Rainforth, M., Heppner, P., Schneider, R. H., Rosenthal, N. E., Salerno, J., Gaylord-King, C., & Rutledge, T. (2018). Non-trauma-focused meditation versus exposure therapy in veterans with post-traumatic stress disorder: a randomised controlled trial. *The lancet. Psychiatry*, 5(12), 975–986. [https://doi.org/10.1016/S2215-0366\(18\)30384-5](https://doi.org/10.1016/S2215-0366(18)30384-5)

Pascual-Leone, A., Grafman, J., & Hallett, M. (1994). Modulation of cortical motor output maps during development of implicit and explicit knowledge. *Science (New York, N.Y.)*, 263(5151), 1287–1289. <https://doi.org/10.1126/science.8122113>

Reiff, C. M., Richman, E. E., Nemeroff, C. B., Carpenter, L. L., Widge, A. S., Rodriguez, C. I., Kalin, N. H., McDonald, W. M., & the Work Group on Biomarkers and Novel Treatments, a Division of the American Psychiatric Association Council of Research (2020). Psychedelics and Psychedelic-Assisted Psychotherapy. *The American journal of psychiatry*, 177(5), 391–410.
<https://doi.org/10.1176/appi.ajp.2019.19010035>

Reisman M. (2016). PTSD Treatment for Veterans: What's Working, What's New, and What's Next. *P & T : a peer-reviewed journal for formulary management*, 41(10), 623–634.

Rodríguez, P., Urbanavicius, J., Prieto, J. P., Fabius, S., Reyes, A. L., Havel, V., Sames, D., Scorza, C., & Carrera, I. (2020). A Single Administration of the Atypical Psychedelic Ibogaine or Its Metabolite Noribogaine Induces an Antidepressant-Like Effect in Rats. *ACS chemical neuroscience*, 11(11), 1661–1672. <https://doi.org/10.1021/acschemneuro.0c00152>

Steenkamp, M. M., Litz, B. T., Hoge, C. W., & Marmar, C. R. (2015). Psychotherapy for Military-Related PTSD: A Review of Randomized Clinical Trials. *JAMA*, 314(5), 489–500.
<https://doi.org/10.1001/jama.2015.8370>

Vanderploeg, R. D., Belanger, H. G., Duchnick, J. D., & Curtiss, G. (2007). Awareness problems following moderate to severe traumatic brain injury: Prevalence, assessment methods, and injury correlates. *Journal of rehabilitation research and development*, 44(7), 937–950.
<https://doi.org/10.1682/jrrd.2006.12.0163>

Wasko, M. J., Witt-Enderby, P. A., & Surratt, C. K. (2018). DARK Classics in Chemical Neuroscience: Ibogaine. *ACS chemical neuroscience*, 9(10), 2475–2483.
<https://doi.org/10.1021/acschemneuro.8b00294>

Weigand, A., Horn, A., Caballero, R., Cooke, D., Stern, A. P., Taylor, S. F., Press, D., Pascual-Leone, A., & Fox, M. D. (2018). Prospective Validation That Subgenual Connectivity Predicts Antidepressant Efficacy of Transcranial Magnetic Stimulation Sites. *Biological psychiatry*, 84(1), 28–37.
<https://doi.org/10.1016/j.biopsych.2017.10.028>

Wisco, B. E., Marx, B. P., Holowka, D. W., Vasterling, J. J., Han, S. C., Chen, M. S., Gradus, J. L., Nock, M. K., Rosen, R. C., & Keane, T. M. (2014). Traumatic brain injury, PTSD, and current suicidal ideation among Iraq and Afghanistan U.S. veterans. *Journal of traumatic stress*, 27(2), 244–248.
<https://doi.org/10.1002/jts.21900>

Yip, A. G., George, M. S., Tendler, A., Roth, Y., Zangen, A., & Carpenter, L. L. (2017). 61% of unmedicated treatment resistant depression patients who did not respond to acute TMS treatment responded after four weeks of twice weekly deep TMS in the Brainsway pivotal trial. *Brain stimulation*, 10(4), 847–849. <https://doi.org/10.1016/j.brs.2017.02.013>

Suicide Risk in Diverse Populations - Dorian A. Lamis, PhD

Alvarez, K., Polanco-Roman, L., Samuel Breslow, A., & Molock, S. (2022). Structural Racism and Suicide Prevention for Ethnoracially Minoritized Youth: A Conceptual Framework and Illustration Across Systems. *The American journal of psychiatry*, 179(6), 422–433.
<https://doi.org/10.1176/appi.ajp.21101001>

Centers for Disease Control and Prevention. (2024). Suicide Data and Statistics. *Centers for Disease Control and Prevention*. <https://www.cdc.gov/suicide/facts/data.html>

CDC Wonder Database. (2024). Black Adolescent Suicide Increased From 2018-2022. *Centers for Disease Control and Prevention, Wonder Database*.

Chu, J., Floyd, R., Diep, H., Pardo, S., Goldblum, P., & Bongar, B. (2013). A tool for the culturally competent assessment of suicide: The Cultural Assessment of Risk for Suicide (CARS) Measure. *Psychological Assessment*, 25(2), 424–434. <https://doi.org/10.1037/a0031264>

Chu, J., Goldblum, P., Floyd, R., & Bongar, B. (2010). The cultural theory and model of suicide. *Applied Preventive Psych*, 14(1-4), 25-40. <https://doi.org/10.1016/j.appsy.2011.11.001>

Chu, J., Maruyama, B., Batchelder, H., Goldblum, P., Bongar, B., & Wickham, R. E. (2020). Cultural pathways for suicidal ideation and behaviors. *Cultural diversity & ethnic minority psychology*, 26(3), 367–377. <https://doi.org/10.1037/cdp0000307>

Gardenswartz, L., & Rowe, A. (2003). *Diverse teams at work: Capitalizing on the power of diversity*. Society for Human Resource Management.

Kaczkowski, W., Kegler, S. R., Chen, M. S., Zwald, M. L., Stone, D. M., & Sumner, S. A. (2023). Notes from the Field: Firearm Suicide Rates, by Race and Ethnicity - United States, 2019-2022. *MMWR. Morbidity and mortality weekly report*, 72(48), 1307–1308.
<https://doi.org/10.15585/mmwr.mm7248a3>

Knapp, S., & Logan, J. (2023). Adding cultural variables to improve assessments and interventions with suicidal persons of color. *Practice Innovations*, 8(4), 329–339.
<https://doi.org/10.1037/pri0000225>

Loden, M., & Rosener, J. B. (1991). *Workforce America! Managing employee diversity as a vital resource*. Business One Irwin.

Molock, S. D., Boyd, R. C., Alvarez, K., Cha, C., Denton, E. G., Glenn, C. R., Katz, C. C., Mueller, A. S.,

Meca, A., Meza, J. I., Miranda, R., Ortin-Peralta, A., Polanco-Roman, L., Singer, J. B., Zullo, L., & Miller, A. B. (2023). Culturally responsive assessment of suicidal thoughts and behaviors in youth of color. *The American psychologist*, 78(7), 842–855. <https://doi.org/10.1037/amp0001140>

National Survey on Drug Use and Health. (2024). 2021-2023 Companion Report On Race/Ethnicity. *Substance Abuse and Mental Health Services Administration*.
<https://www.samhsa.gov/data/report/2021-2023-nsduh-race-ethnicity-infographic>

Therapeutic Approaches to Asian Suicidal Youth - Rona Jane Hu, MD

Choi, J. L., Rogers, J. R., & Werth, J. L., Jr. (2009). Suicide risk assessment with Asian American college students: A culturally informed perspective. *The Counseling Psychologist*, 37(2), 186–218.
<https://doi.org/10.1177/0011000006292256>

Gregersen, A. T., Nebeker, R. S., Seely, K. L., & Lambert, M. J. (2004). Social validation of the Outcome Questionnaire-45: An assessment of Asian and Pacific Islander College students. *Journal of Multicultural Counseling and Development*, 32(4), 194–205. <https://doi.org/10.1002/j.2161-1912.2004.tb00627.x>

Ji, J., Kleinman, A., & Becker, A. E. (2001). Suicide in contemporary China: a review of China's distinctive suicide demographics in their sociocultural context. *Harvard review of psychiatry*, 9(1), 1–12.

Kisch, J., Leino, E. V., & Silverman, M. M. (2005). Aspects of suicidal behavior, depression, and treatment in college students: results from the spring 2000 national college health assessment survey. *Suicide & life-threatening behavior*, 35(1), 3–13.
<https://doi.org/10.1521/suli.35.1.3.59263>

Leong, F. T., Leach, M. M., Yeh, C., & Chou, E. (2007). Suicide among Asian Americans: what do we know? What do we need to know?. *Death studies*, 31(5), 417–434.
<https://doi.org/10.1080/07481180701244561>