

**The Stanford Center for Precision Mental Health and Wellness 3rd Annual Symposium:  
*Precision Psychiatry, Personalized Neuroscience & the Future of Mental Health Treatment*  
(Recordings)**

**Stanford University School of Medicine**

**References**

*The Evolution of Imaging Biomarkers to Guide Major Depression Treatment:*

- Alagapan, S., Choi, K. S., Heisig, S., Riva-Posse, P., Crowell, A., Tiruvadi, V., Obatusin, M., Veerakumar, A., Waters, A. C., Gross, R. E., Quinn, S., Denison, L., O'Shaughnessy, M., Connor, M., Canal, G., Cha, J., Hershenberg, R., Nauvel, T., Isbaine, F., Afzal, M. F., ... Rozell, C. J. (2023). Cingulate dynamics track depression recovery with deep brain stimulation. *Nature*, 622(7981), 130–138. <https://doi.org/10.1038/s41586-023-06541-3>
- Alexander, G. E., DeLong, M. R., & Strick, P. L. (1986). Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annual review of neuroscience*, 9, 357–381. <https://doi.org/10.1146/annurev.ne.09.030186.002041>
- Berman G. J. (2018). Measuring behavior across scales. *BMC biology*, 16(1), 23. <https://doi.org/10.1186/s12915-018-0494-7>
- Broadway, J. M., Holtzheimer, P. E., Hilimire, M. R., Parks, N. A., Devylder, J. E., Mayberg, H. S., & Corballis, P. M. (2012). Frontal theta cordance predicts 6-month antidepressant response to subcallosal cingulate deep brain stimulation for treatment-resistant depression: a pilot study. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*, 37(7), 1764–1772. <https://doi.org/10.1038/npp.2012.23>
- Choi, K. S., Riva-Posse, P., Gross, R. E., & Mayberg, H. S. (2015). Mapping the "Depression Switch" During Intraoperative Testing of Subcallosal Cingulate Deep Brain Stimulation. *JAMA neurology*, 72(11), 1252–1260. <https://doi.org/10.1001/jamaneurol.2015.2564>

- Coenen, V. A., Bewernick, B. H., Kayser, S., Kilian, H., Boström, J., Greschus, S., Hurlmann, R., Klein, M. E., Spanier, S., Sajonz, B., Urbach, H., & Schlaepfer, T. E. (2019). Superolateral medial forebrain bundle deep brain stimulation in major depression: a gateway trial. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*, 44(7), 1224–1232. <https://doi.org/10.1038/s41386-019-0369-9>
- Dennis, E. J., El Hady, A., Michael, A., Clemens, A., Tervo, D. R. G., Voigts, J., & Datta, S. R. (2021). Systems Neuroscience of Natural Behaviors in Rodents. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 41(5), 911–919. <https://doi.org/10.1523/JNEUROSCI.1877-20.2020>
- Dobbs, D. (2006). A Depression Switch?. *The New York Times*. <https://www.nytimes.com/2006/04/02/magazine/a-depression-switch.html>
- Dougherty, D. D., Rezai, A. R., Carpenter, L. L., Howland, R. H., Bhati, M. T., O'Reardon, J. P., Eskandar, E. N., Baltuch, G. H., Machado, A. D., Kondziolka, D., Cusin, C., Evans, K. C., Price, L. H., Jacobs, K., Pandya, M., Denko, T., Tyrka, A. R., Brelje, T., Deckersbach, T., Kubu, C., ... Malone, D. A., Jr (2015). A Randomized Sham-Controlled Trial of Deep Brain Stimulation of the Ventral Capsule/Ventral Striatum for Chronic Treatment-Resistant Depression. *Biological psychiatry*, 78(4), 240–248. <https://doi.org/10.1016/j.biopsych.2014.11.023>
- Dum, R. P., Levinthal, D. J., & Strick, P. L. (2019). The mind-body problem: Circuits that link the cerebral cortex to the adrenal medulla. *Proceedings of the National Academy of Sciences of the United States of America*, 116(52), 26321–26328. <https://doi.org/10.1073/pnas.1902297116>
- Drysdale, A. T., Grosenick, L., Downar, J., Dunlop, K., Mansouri, F., Meng, Y., Fetcho, R. N., Zebley, B., Oathes, D. J., Etkin, A., Schatzberg, A. F., Sudheimer, K., Keller, J., Mayberg, H. S., Gunning, F. M., Alexopoulos, G. S., Fox, M. D., Pascual-Leone, A., Voss, H. U., Casey, B. J., ... Liston, C. (2017). Resting-state connectivity biomarkers define neurophysiological subtypes of depression. *Nature medicine*, 23(1), 28–38. <https://doi.org/10.1038/nm.4246>
- Dunlop, B. W., Cha, J., Choi, K. S., Rajendra, J. K., Nemeroff, C. B., Craighead, W. E., & Mayberg, H. S. (2023). Shared and Unique Changes in Brain Connectivity Among

Depressed Patients After Remission With Pharmacotherapy Versus Psychotherapy. *The American journal of psychiatry*, 180(3), 218–229.

<https://doi.org/10.1176/appi.ajp.21070727>

- Dunlop, B. W., Rajendra, J. K., Craighead, W. E., Kelley, M. E., McGrath, C. L., Choi, K. S., Kinkead, B., Nemeroff, C. B., & Mayberg, H. S. (2017). Functional Connectivity of the Subcallosal Cingulate Cortex And Differential Outcomes to Treatment With Cognitive-Behavioral Therapy or Antidepressant Medication for Major Depressive Disorder. *The American journal of psychiatry*, 174(6), 533–545.  
<https://doi.org/10.1176/appi.ajp.2016.16050518>
- Gibson, E. M., Purger, D., Mount, C. W., Goldstein, A. K., Lin, G. L., Wood, L. S., Inema, I., Miller, S. E., Bieri, G., Zuchero, J. B., Barres, B. A., Woo, P. J., Vogel, H., & Monje, M. (2014). Neuronal activity promotes oligodendrogenesis and adaptive myelination in the mammalian brain. *Science (New York, N.Y.)*, 344(6183), 1252304.  
<https://doi.org/10.1126/science.1252304>
- Gordon, E. M., Chauvin, R. J., Van, A. N., Rajesh, A., Nielsen, A., Newbold, D. J., Lynch, C. J., Seider, N. A., Krimmel, S. R., Scheidter, K. M., Monk, J., Miller, R. L., Metoki, A., Montez, D. F., Zheng, A., Elbau, I., Madison, T., Nishino, T., Myers, M. J., Kaplan, S., ... Dosenbach, N. U. F. (2023). A somato-cognitive action network alternates with effector regions in motor cortex. *Nature*, 617(7960), 351–359.  
<https://doi.org/10.1038/s41586-023-05964-2>
- Gordon, E. M., Laumann, T. O., Adeyemo, B., Huckins, J. F., Kelley, W. M., & Petersen, S. E. (2016). Generation and Evaluation of a Cortical Area Parcellation from Resting-State Correlations. *Cerebral cortex (New York, N.Y. : 1991)*, 26(1), 288–303.  
<https://doi.org/10.1093/cercor/bhu239>
- Gothard K. M. (2014). The amygdalo-motor pathways and the control of facial expressions. *Frontiers in neuroscience*, 8, 43. <https://doi.org/10.3389/fnins.2014.00043>
- Haber, S. N., Fudge, J. L., & McFarland, N. R. (2000). Striatonigrostriatal pathways in primates form an ascending spiral from the shell to the dorsolateral striatum. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 20(6), 2369–2382.  
<https://doi.org/10.1523/JNEUROSCI.20-06-02369.2000>

- Holtzheimer, P. E., Husain, M. M., Lisanby, S. H., Taylor, S. F., Whitworth, L. A., McClintock, S., Slavin, K. V., Berman, J., McKhann, G. M., Patil, P. G., Rittberg, B. R., Abosch, A., Pandurangi, A. K., Holloway, K. L., Lam, R. W., Honey, C. R., Neimat, J. S., Henderson, J. M., DeBattista, C., Rothschild, A. J., ... Mayberg, H. S. (2017). Subcallosal cingulate deep brain stimulation for treatment-resistant depression: a multisite, randomised, sham-controlled trial. *The lancet. Psychiatry*, 4(11), 839–849. [https://doi.org/10.1016/S2215-0366\(17\)30371-1](https://doi.org/10.1016/S2215-0366(17)30371-1)
- Holtzheimer, P. E., Kelley, M. E., Gross, R. E., Filkowski, M. M., Garlow, S. J., Barrocas, A., Wint, D., Craighead, M. C., Kozarsky, J., Chismar, R., Moreines, J. L., Mewes, K., Posse, P. R., Gutman, D. A., & Mayberg, H. S. (2012). Subcallosal cingulate deep brain stimulation for treatment-resistant unipolar and bipolar depression. *Archives of general psychiatry*, 69(2), 150–158. <https://doi.org/10.1001/archgenpsychiatry.2011.1456>
- Kennedy, S. H., Giacobbe, P., Rizvi, S. J., Placenza, F. M., Nishikawa, Y., Mayberg, H. S., & Lozano, A. M. (2011). Deep brain stimulation for treatment-resistant depression: follow-up after 3 to 6 years. *The American journal of psychiatry*, 168(5), 502–510. <https://doi.org/10.1176/appi.ajp.2010.10081187>
- Kleckner, I. R., Zhang, J., Touroutoglou, A., Chanes, L., Xia, C., Simmons, W. K., Quigley, K. S., Dickerson, B. C., & Barrett, L. F. (2017). Evidence for a Large-Scale Brain System Supporting Allostasis and Interoception in Humans. *Nature human behaviour*, 1, 0069. <https://doi.org/10.1038/s41562-017-0069>
- Lujan, J. L., Chaturvedi, A., Choi, K. S., Holtzheimer, P. E., Gross, R. E., Mayberg, H. S., & McIntyre, C. C. (2013). Tractography-activation models applied to subcallosal cingulate deep brain stimulation. *Brain stimulation*, 6(5), 737–739. <https://doi.org/10.1016/j.brs.2013.03.008>
- Mayberg H. S. (1994). Frontal lobe dysfunction in secondary depression. *The Journal of neuropsychiatry and clinical neurosciences*, 6(4), 428–442. <https://doi.org/10.1176/jnp.6.4.428>
- Mayberg H. S. (1997). Limbic-cortical dysregulation: a proposed model of depression. *The Journal of neuropsychiatry and clinical neurosciences*, 9(3), 471–481. <https://doi.org/10.1176/jnp.9.3.471>

- Mayberg H. S. (2009). Targeted electrode-based modulation of neural circuits for depression. *The Journal of clinical investigation*, 119(4), 717–725.  
<https://doi.org/10.1172/JCI38454>
- Mayberg, H. S., Lozano, A. M., Voon, V., McNeely, H. E., Seminowicz, D., Hamani, C., Schwalb, J. M., & Kennedy, S. H. (2005). Deep brain stimulation for treatment-resistant depression. *Neuron*, 45(5), 651–660. <https://doi.org/10.1016/j.neuron.2005.02.014>
- Ramirez-Mahaluf, J. P., Roxin, A., Mayberg, H. S., & Compte, A. (2015). A Computational Model of Major Depression: the Role of Glutamate Dysfunction on Cingulo-Frontal Network Dynamics. *Cerebral cortex (New York, N.Y. : 1991)*, 27(1), 660–679. <https://doi.org/10.1093/cercor/bhv249>
- Riva-Posse, P., Choi, K. S., Holtzheimer, P. E., Crowell, A. L., Garlow, S. J., Rajendra, J. K., McIntyre, C. C., Gross, R. E., & Mayberg, H. S. (2018). A connectomic approach for subcallosal cingulate deep brain stimulation surgery: prospective targeting in treatment-resistant depression. *Molecular psychiatry*, 23(4), 843–849.  
<https://doi.org/10.1038/mp.2017.59>
- Riva-Posse, P., Choi, K. S., Holtzheimer, P. E., McIntyre, C. C., Gross, R. E., Chaturvedi, A., Crowell, A. L., Garlow, S. J., Rajendra, J. K., & Mayberg, H. S. (2014). Defining critical white matter pathways mediating successful subcallosal cingulate deep brain stimulation for treatment-resistant depression. *Biological psychiatry*, 76(12), 963–969. <https://doi.org/10.1016/j.biopsych.2014.03.029>
- Riva-Posse, P., Crowell, A. L., Wright, K., Waters, A. C., Choi, K., Garlow, S. J., Holtzheimer, P. E., Gross, R. E., & Mayberg, H. S. (2020). Rapid Antidepressant Effects of Deep Brain Stimulation and Their Relation to Surgical Protocol. *Biological psychiatry*, 88(8), e37–e39. <https://doi.org/10.1016/j.biopsych.2020.03.017>
- Riva-Posse, P., Inman, C. S., Choi, K. S., Crowell, A. L., Gross, R. E., Hamann, S., & Mayberg, H. S. (2019). Autonomic arousal elicited by subcallosal cingulate stimulation is explained by white matter connectivity. *Brain stimulation*, 12(3), 743–751.  
<https://doi.org/10.1016/j.brs.2019.01.015>
- Robinson, R. G., Kubos, K. L., Starr, L. B., Rao, K., & Price, T. R. (1983). Mood changes in stroke patients: relationship to lesion location. *Comprehensive psychiatry*, 24(6), 555–566. [https://doi.org/10.1016/0010-440x\(83\)90024-x](https://doi.org/10.1016/0010-440x(83)90024-x)

- Sendi, M. S. E., Waters, A. C., Tiruvadi, V., Riva-Posse, P., Crowell, A., Isbaine, F., Gale, J. T., Choi, K. S., Gross, R. E., S Mayberg, H., & Mahmoudi, B. (2021). Intraoperative neural signals predict rapid antidepressant effects of deep brain stimulation. *Translational psychiatry*, *11*(1), 551. <https://doi.org/10.1038/s41398-021-01669-0>
- Smith, E. E., Choi, K. S., Veerakumar, A., Obatusin, M., Howell, B., Smith, A. H., Tiruvadi, V., Crowell, A. L., Riva-Posse, P., Alagapan, S., Rozell, C. J., Mayberg, H. S., & Waters, A. C. (2022). Time-frequency signatures evoked by single-pulse deep brain stimulation to the subcallosal cingulate. *Frontiers in human neuroscience*, *16*, 939258. <https://doi.org/10.3389/fnhum.2022.939258>
- van den Heuvel, M. P., & Sporns, O. (2013). Network hubs in the human brain. *Trends in cognitive sciences*, *17*(12), 683–696. <https://doi.org/10.1016/j.tics.2013.09.012>
- Waters, A. C., Veerakumar, A., Choi, K. S., Howell, B., Tiruvadi, V., Bijanki, K. R., Crowell, A., Riva-Posse, P., & Mayberg, H. S. (2018). Test-retest reliability of a stimulation-locked evoked response to deep brain stimulation in subcallosal cingulate for treatment resistant depression. *Human brain mapping*, *39*(12), 4844–4856. <https://doi.org/10.1002/hbm.24327>
- Williams L. M. (2016). Precision psychiatry: a neural circuit taxonomy for depression and anxiety. *The lancet. Psychiatry*, *3*(5), 472–480. [https://doi.org/10.1016/S2215-0366\(15\)00579-9](https://doi.org/10.1016/S2215-0366(15)00579-9)
- Wüthrich, F., Nabb, C. B., Mittal, V. A., Shankman, S. A., & Walther, S. (2022). Actigraphically measured psychomotor slowing in depression: systematic review and meta-analysis. *Psychological medicine*, *52*(7), 1208–1221. <https://doi.org/10.1017/S0033291722000903>
- Yeo, B. T., Krienen, F. M., Sepulcre, J., Sabuncu, M. R., Lashkari, D., Hollinshead, M., Roffman, J. L., Smoller, J. W., Zöllei, L., Polimeni, J. R., Fischl, B., Liu, H., & Buckner, R. L. (2011). The organization of the human cerebral cortex estimated by intrinsic functional connectivity. *Journal of neurophysiology*, *106*(3), 1125–1165. <https://doi.org/10.1152/jn.00338.2011>

*Future of Translational Therapeutics: Novel Mechanisms:*

- Bloch, M. H., Wasylink, S., Landeros-Weisenberger, A., Panza, K. E., Billingslea, E., Leckman, J. F., Krystal, J. H., Bhagwagar, Z., Sanacora, G., & Pittenger, C. (2012). Effects of ketamine in treatment-refractory obsessive-compulsive disorder. *Biological psychiatry*, 72(11), 964–970. <https://doi.org/10.1016/j.biopsych.2012.05.028>
- Collins, F. (2021). The Amazing Brain: Deep Brain Stimulation for OCD. *The National Institutes of Health, Director's Blog*. <https://directorsblog.nih.gov/2021/08/05/the-amazing-brain-deep-brain-stimulation-for-ocd/>
- Davis, G. L., Minerva, A. R., Lario, A., Simmler, L. D., Rodriguez, C. I., & Gunaydin, L. A. (2021). Ketamine increases activity of a fronto-striatal projection that regulates compulsive behavior in SAPAP3 knockout mice. *Nature Communications*, 12(6040). <https://doi.org/10.1038/s41467-021-26247-2>
- Heifets, B. D., Salgado, J. S., Taylor, M. D., Hoerbelt, P., Cardozo Pinto, D. F., Steinberg, E. E., Walsh, J. J., Sze, J. Y., & Malenka, R. C. (2019). Distinct neural mechanisms for the prosocial and rewarding properties of MDMA. *Science translational medicine*, 11(522), eaaw6435. <https://doi.org/10.1126/scitranslmed.aaw6435>
- Koran, L. M., Hanna, G. L., Hollander, E., Nestadt, G., Simpson, H. B., & American Psychiatric Association (2007). Practice guideline for the treatment of patients with obsessive-compulsive disorder. *The American journal of psychiatry*, 164(7 Suppl), 5–53.
- Koran, L. M., & Simpson, H. B. (2013). Guideline Watch (March 2013): Practice Guideline for the Treatment of Patients with Obsessive-Compulsive Disorder. *Arlington, VA: American Psychiatric Association*.
- Leonard, H. L., & Rapoport, J. L. (1987). Relief of obsessive-compulsive symptoms by LSD and psilocin. *The American journal of psychiatry*, 144(9), 1239–1240. <https://doi.org/10.1176/ajp.144.9.1239b>
- Mitchell, J. M., Bogenschutz, M., Lilienstein, A., Harrison, C., Kleiman, S., Parker-Guilbert, K., Ot'alora G, M., Garas, W., Paleos, C., Gorman, I., Nicholas, C., Mithoefer, M., Carlin, S., Poulter, B., Mithoefer, A., Quevedo, S., Wells, G., Klaire, S. S., van der Kolk, B., Tzarfaty, K., ... Doblin, R. (2021). MDMA-assisted therapy for severe PTSD: a randomized, double-blind, placebo-controlled phase 3 study. *Nature medicine*, 27(6), 1025–1033. <https://doi.org/10.1038/s41591-021-01336-3>



- Mitchell, J. M., Ot'alora G, M., van der Kolk, B., Shannon, S., Bogenschutz, M., Gelfand, Y., Paleos, C., Nicholas, C. R., Quevedo, S., Balliett, B., Hamilton, S., Mithoefer, M., Kleiman, S., Parker-Guilbert, K., Tzarfaty, K., Harrison, C., de Boer, A., Doblin, R., Yazar-Klosinski, B., & MAPP2 Study Collaborator Group (2023). MDMA-assisted therapy for moderate to severe PTSD: a randomized, placebo-controlled phase 3 trial. *Nature medicine*, 29(10), 2473–2480. <https://doi.org/10.1038/s41591-023-02565-4>
- Mithoefer, M. C., Mithoefer, A. T., Feduccia, A. A., Jerome, L., Wagner, M., Wymer, J., Holland, J., Hamilton, S., Yazar-Klosinski, B., Emerson, A., & Doblin, R. (2018). 3,4-methylenedioxymethamphetamine (MDMA)-assisted psychotherapy for post-traumatic stress disorder in military veterans, firefighters, and police officers: a randomised, double-blind, dose-response, phase 2 clinical trial. *The lancet. Psychiatry*, 5(6), 486–497. [https://doi.org/10.1016/S2215-0366\(18\)30135-4](https://doi.org/10.1016/S2215-0366(18)30135-4)
- Mithoefer, M. C., Wagner, M. T., Mithoefer, A. T., Jerome, L., & Doblin, R. (2011). The safety and efficacy of {+/-}3,4-methylenedioxymethamphetamine-assisted psychotherapy in subjects with chronic, treatment-resistant posttraumatic stress disorder: the first randomized controlled pilot study. *Journal of psychopharmacology (Oxford, England)*, 25(4), 439–452. <https://doi.org/10.1177/0269881110378371>
- Mithoefer, M. C., Wagner, M. T., Mithoefer, A. T., Jerome, L., Martin, S. F., Yazar-Klosinski, B., Michel, Y., Brewerton, T. D., & Doblin, R. (2013). Durability of improvement in post-traumatic stress disorder symptoms and absence of harmful effects or drug dependency after 3,4-methylenedioxymethamphetamine-assisted psychotherapy: a prospective long-term follow-up study. *Journal of psychopharmacology (Oxford, England)*, 27(1), 28–39. <https://doi.org/10.1177/0269881112456611>
- Moreno, F. A., Wiegand, C. B., Taitano, E. K., & Delgado, P. L. (2006). Safety, tolerability, and efficacy of psilocybin in 9 patients with obsessive-compulsive disorder. *The Journal of clinical psychiatry*, 67(11), 1735–1740. <https://doi.org/10.4088/jcp.v67n1110>
- Newport, D. J., Carpenter, L. L., McDonald, W. M., Potash, J. B., Tohen, M., Nemeroff, C. B., & APA Council of Research Task Force on Novel Biomarkers and Treatments (2015). Ketamine and Other NMDA Antagonists: Early Clinical Trials and Possible



Mechanisms in Depression. *The American journal of psychiatry*, 172(10), 950–966.

<https://doi.org/10.1176/appi.ajp.2015.15040465>

- Rodriguez, C. I., Kegeles, L. S., Flood, P., & Simpson, H. B. (2011). Rapid resolution of obsessions after an infusion of intravenous ketamine in a patient with treatment-resistant obsessive-compulsive disorder. *The Journal of clinical psychiatry*, 72(4), 567–569. <https://doi.org/10.4088/JCP.10106653>
- Rodriguez, C. I., Kegeles, L. S., Levinson, A., Feng, T., Marcus, S. M., Vermes, D., Flood, P., & Simpson, H. B. (2013). Randomized controlled crossover trial of ketamine in obsessive-compulsive disorder: proof-of-concept. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*, 38(12), 2475–2483. <https://doi.org/10.1038/npp.2013.150>
- Sanacora, G., Frye, M. A., McDonald, W., Mathew, S. J., Turner, M. S., Schatzberg, A. F., Summergrad, P., Nemeroff, C. B., & American Psychiatric Association (APA) Council of Research Task Force on Novel Biomarkers and Treatments (2017). A Consensus Statement on the Use of Ketamine in the Treatment of Mood Disorders. *JAMA psychiatry*, 74(4), 399–405. <https://doi.org/10.1001/jamapsychiatry.2017.0080>

#### *Personalized Imaging with Novel Therapeutics:*

- Avram, M., Müller, F., Rogg, H., Korda, A., Andreou, C., Holze, F., Vizeli, P., Ley, L., Liechti, M. E., & Borgwardt, S. (2022). Characterizing Thalamocortical (Dys)connectivity Following D-Amphetamine, LSD, and MDMA Administration. *Biological psychiatry. Cognitive neuroscience and neuroimaging*, 7(9), 885–894. <https://doi.org/10.1016/j.bpsc.2022.04.003>
- Carhart-Harris, R. L., Murphy, K., Leech, R., Erritzoe, D., Wall, M. B., Ferguson, B., Williams, L. T., Roseman, L., Brugger, S., De Meer, I., Tanner, M., Tyacke, R., Wolff, K., Sethi, A., Bloomfield, M. A., Williams, T. M., Bolstridge, M., Stewart, L., Morgan, C., Newbould, R. D., ... Nutt, D. J. (2015). The Effects of Acutely Administered 3,4-Methylenedioxymethamphetamine on Spontaneous Brain Function in Healthy Volunteers Measured with Arterial Spin Labeling and Blood Oxygen Level-Dependent Resting State

Functional Connectivity. *Biological psychiatry*, 78(8), 554–562.

<https://doi.org/10.1016/j.biopsych.2013.12.015>

- Ding, S. L., Royall, J. J., Sunkin, S. M., Ng, L., Facer, B. A., Lesnar, P., Guillozet-Bongaarts, A., McMurray, B., Szafer, A., Dolbeare, T. A., Stevens, A., Tirrell, L., Benner, T., Caldejon, S., Dalley, R. A., Dee, N., Lau, C., Nyhus, J., Reding, M., Riley, Z. L., ... Lein, E. S. (2016). Comprehensive cellular-resolution atlas of the adult human brain. *The Journal of comparative neurology*, 524(16), 3127–3481.  
<https://doi.org/10.1002/cne.24080>
- Fan, L., Li, H., Zhuo, J., Zhang, Y., Wang, J., Chen, L., Yang, Z., Chu, C., Xie, S., Laird, A. R., Fox, P. T., Eickhoff, S. B., Yu, C., & Jiang, T. (2016). The Human Brainnetome Atlas: A New Brain Atlas Based on Connectional Architecture. *Cerebral cortex (New York, N.Y. : 1991)*, 26(8), 3508–3526. <https://doi.org/10.1093/cercor/bhw157>
- Hack, L. M., Zhang, X., Heifets, B. D., Suppes, T., van Roessel, P. J., Yesavage, J. A., Gray, N. J., Hilton, R., Bertrand, C., Rodriguez, C. I., Deisseroth, K., Knutson, B., & Williams, L. M. (2023). Ketamine's acute effects on negative brain states are mediated through distinct altered states of consciousness in humans. *Nature communications*, 14(1), 6631. <https://doi.org/10.1038/s41467-023-42141-5>
- Hansen, J. Y., Shafiei, G., Markello, R. D., Smart, K., Cox, S. M. L., Nørgaard, M., Beliveau, V., Wu, Y., Gallezot, J. D., Aumont, É., Servaes, S., Scala, S. G., DuBois, J. M., Wainstein, G., Bezgin, G., Funck, T., Schmitz, T. W., Spreng, R. N., Galovic, M., Koepp, M. J., ... Masic, B. (2022). Mapping neurotransmitter systems to the structural and functional organization of the human neocortex. *Nature neuroscience*, 25(11), 1569–1581. <https://doi.org/10.1038/s41593-022-01186-3>
- Mitchell, J. M., Bogenschutz, M., Lilienstein, A., Harrison, C., Kleiman, S., Parker-Guilbert, K., Ot'alora G, M., Garas, W., Paleos, C., Gorman, I., Nicholas, C., Mithoefer, M., Carlin, S., Poulter, B., Mithoefer, A., Quevedo, S., Wells, G., Klaire, S. S., van der Kolk, B., Tzarfaty, K., ... Doblin, R. (2021). MDMA-assisted therapy for severe PTSD: a randomized, double-blind, placebo-controlled phase 3 study. *Nature medicine*, 27(6), 1025–1033. <https://doi.org/10.1038/s41591-021-01336-3>
- Mitchell, J. M., Ot'alora G, M., van der Kolk, B., Shannon, S., Bogenschutz, M., Gelfand, Y., Paleos, C., Nicholas, C. R., Quevedo, S., Balliett, B., Hamilton, S., Mithoefer, M.,

Kleiman, S., Parker-Guilbert, K., Tzarfaty, K., Harrison, C., de Boer, A., Doblin, R., Yazar-Klosinski, B., & MAPP2 Study Collaborator Group (2023). MDMA-assisted therapy for moderate to severe PTSD: a randomized, placebo-controlled phase 3 trial. *Nature medicine*, 29(10), 2473–2480. <https://doi.org/10.1038/s41591-023-02565-4>

- Ouhaz, Z., Fleming, H., & Mitchell, A. S. (2018). Cognitive Functions and Neurodevelopmental Disorders Involving the Prefrontal Cortex and Mediodorsal Thalamus. *Frontiers in neuroscience*, 12, 33. <https://doi.org/10.3389/fnins.2018.00033>
- Stoliker, D., Egan, G. F., Friston, K. J., & Razi, A. (2022). Neural Mechanisms and Psychology of Psychedelic Ego Dissolution. *Pharmacological reviews*, 74(4), 876–917. <https://doi.org/10.1124/pharmrev.121.000508>
- Yaden, D. B., Potash, J. B., & Griffiths, R. R. (2022). Preparing for the Bursting of the Psychedelic Hype Bubble. *JAMA psychiatry*, 79(10), 943–944. <https://doi.org/10.1001/jamapsychiatry.2022.2546>
- Yeo, B. T., Krienen, F. M., Sepulcre, J., Sabuncu, M. R., Lashkari, D., Hollinshead, M., Roffman, J. L., Smoller, J. W., Zöllei, L., Polimeni, J. R., Fischl, B., Liu, H., & Buckner, R. L. (2011). The organization of the human cerebral cortex estimated by intrinsic functional connectivity. *Journal of neurophysiology*, 106(3), 1125–1165. <https://doi.org/10.1152/jn.00338.2011>
- Zang, Y. F., He, Y., Zhu, C. Z., Cao, Q. J., Sui, M. Q., Liang, M., Tian, L. X., Jiang, T. Z., & Wang, Y. F. (2007). Altered baseline brain activity in children with ADHD revealed by resting-state functional MRI. *Brain & development*, 29(2), 83–91. <https://doi.org/10.1016/j.braindev.2006.07.002>

*Personalized Brain Circuit Scores Linking Biotypes, Symptoms, Behavior and Treatment Outcomes:*

- Goldstein-Piekarski, A. N., Ball, T. M., Samara, Z., Staveland, B. R., Keller, A. S., Fleming, S. L., Grisanzio, K. A., Holt-Gosselin, B., Stetz, P., Ma, J., & Williams, L. M. (2022). Mapping Neural Circuit Biotypes to Symptoms and Behavioral Dimensions of Depression and Anxiety. *Biological psychiatry*, 91(6), 561–571. <https://doi.org/10.1016/j.biopsych.2021.06.024>

- Insel, T. R., & Cuthbert, B. N. (2015). Medicine. Brain disorders? Precisely. *Science (New York, N.Y.)*, 348(6234), 499–500. <https://doi.org/10.1126/science.aab2358>
- Korgaonkar, M. S., Grieve, S. M., Etkin, A., Koslow, S. H., & Williams, L. M. (2013). Using standardized fMRI protocols to identify patterns of prefrontal circuit dysregulation that are common and specific to cognitive and emotional tasks in major depressive disorder: first wave results from the iSPOT-D study. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*, 38(5), 863–871. <https://doi.org/10.1038/npp.2012.252>
- Tozzi, L., Staveland, B., Holt-Gosselin, B., Chesnut, M., Chang, S. E., Choi, D., Shiner, M., Wu, H., Lerma-Usabiaga, G., Sporns, O., Barch, D. M., Gotlib, I. H., Hastie, T. J., Kerr, A. B., Poldrack, R. A., Wandell, B. A., Wintermark, M., & Williams, L. M. (2020). The human connectome project for disordered emotional states: Protocol and rationale for a research domain criteria study of brain connectivity in young adult anxiety and depression. *NeuroImage*, 214, 116715. <https://doi.org/10.1016/j.neuroimage.2020.116715>
- Williams, L. M., Goldstein-Piekarski, A. N., Chowdhry, N., Grisanzio, K. A., Haug, N. A., Samara, Z., Etkin, A., O'Hara, R., Schatzberg, A. F., Suppes, T., & Yesavage, J. (2016). Developing a clinical translational neuroscience taxonomy for anxiety and mood disorder: protocol for the baseline-follow up Research domain criteria Anxiety and Depression ("RAD") project. *BMC psychiatry*, 16, 68. <https://doi.org/10.1186/s12888-016-0771-3>
- Williams, L. M., Pines, A., Goldstein-Piekarski, A. N., Rosas, L. G., Kullar, M., Sacchet, M. D., Gevaert, O., Bailenson, J., Lavori, P. W., Dagum, P., Wandell, B., Correa, C., Greenleaf, W., Suppes, T., Perry, L. M., Smyth, J. M., Lewis, M. A., Venditti, E. M., Snowden, M., Simmons, J. M., ... Ma, J. (2018). The ENGAGE study: Integrating neuroimaging, virtual reality and smartphone sensing to understand self-regulation for managing depression and obesity in a precision medicine model. *Behaviour research and therapy*, 101, 58–70. <https://doi.org/10.1016/j.brat.2017.09.012>

- Agusala, K. (2022). Advances in cardiac imaging open big window into the heart. *UT Southwestern Medical Center*. <https://utswmed.org/medblog/heart-tests-cardiovascular-imaging/>
- Fernandes, B. S., Williams, L. M., Steiner, J., Leboyer, M., Carvalho, A. F., & Berk, M. (2017). The new field of 'precision psychiatry'. *BMC medicine*, 15(1), 80. <https://doi.org/10.1186/s12916-017-0849-x>
- Fox, M. D., & Greicius, M. (2010). Clinical applications of resting state functional connectivity. *Frontiers in systems neuroscience*, 4, 19. <https://doi.org/10.3389/fnsys.2010.00019>
- Goldstein-Piekarski, A. N., Ball, T. M., Samara, Z., Staveland, B. R., Keller, A. S., Fleming, S. L., Grisanzio, K. A., Holt-Gosselin, B., Stetz, P., Ma, J., & Williams, L. M. (2022). Mapping Neural Circuit Biotypes to Symptoms and Behavioral Dimensions of Depression and Anxiety. *Biological psychiatry*, 91(6), 561–571. <https://doi.org/10.1016/j.biopsych.2021.06.024>
- Hack, L. M., Tozzi, L., Zenteno, S., Olmsted, A. M., Hilton, R., Jubeir, J., Korgaonkar, M. S., Schatzberg, A. F., Yesavage, J. A., O'Hara, R., & Williams, L. M. (2023). A Cognitive Biotype of Depression and Symptoms, Behavior Measures, Neural Circuits, and Differential Treatment Outcomes: A Prespecified Secondary Analysis of a Randomized Clinical Trial. *JAMA network open*, 6(6), e2318411. <https://doi.org/10.1001/jamanetworkopen.2023.18411>
- Institute for Health Metrics and Evaluation, The. (2023). Global Burden of Disease (GBD). *The Institute for Health Metrics and Evaluation*. <https://www.healthdata.org/research-analysis/gbd>
- Leboyer, M., Swieboda, P., Eyre, H. A., & Briquet-Laugier, V. (2023). Precision Psychiatry Is the Future. Europe Can Lead the Way. *Baker Institute*. <https://www.bakerinstitute.org/research/precision-psychiatry-future-europe-can-lead-way#:~:text=A%20precision%20psychiatry%20initiative%20in,or%20transdiagnostic%20dimensions%3B%20working%20with>
- Llorca, P. M. (2023). PROPSY: a new strategy to implement precision psychiatry in France. *Eur Psychiatry*, 66(Suppl 1): S4. <https://doi.org/10.1192/j.eurpsy.2023.31>

- Precision Mental Health at Stanford. (2021). *Launching the Stanford Center for Precision Mental Health and Wellness* [Video]. Youtube.  
<https://www.youtube.com/watch?v=ys9I8hax-To>
- Schüssler-Fiorenza Rose, S. M., Contrepois, K., Moneghetti, K. J., Zhou, W., Mishra, T., Mataraso, S., Dagan-Rosenfeld, O., Ganz, A. B., Dunn, J., Hornburg, D., Rego, S., Perelman, D., Ahadi, S., Sailani, M. R., Zhou, Y., Leopold, S. R., Chen, J., Ashland, M., Christle, J. W., Avina, M., ... Snyder, M. P. (2019). A longitudinal big data approach for precision health. *Nature medicine*, 25(5), 792–804. <https://doi.org/10.1038/s41591-019-0414-6>
- Stanford Center for Precision Mental Health and Wellness. (2023). Datasets. *Stanford Center for Precision Mental Health*. <https://www.stanfordpmhw.com/datasets>
- White House. (2023). White House Report on Mental Health Research Priorities. Washington, D.C., White House. <https://www.whitehouse.gov/wp-content/uploads/2023/02/White-House-Report-on-Mental-Health-Research-Priorities.pdf>
- Williams L. M. (2016). Precision psychiatry: a neural circuit taxonomy for depression and anxiety. *The lancet. Psychiatry*, 3(5), 472–480. [https://doi.org/10.1016/S2215-0366\(15\)00579-9](https://doi.org/10.1016/S2215-0366(15)00579-9)
- Williams, L. M., & Hack, L. M. (eds). (2022). *Precision Psychiatry: Using Neuroscience Insights to Inform Personally Tailored, Measurement-Based Care*. American Psychiatric Association Publishing, ISBN 978-1-61537-158-7.