

**Stanford University 4th Annual Spinal Muscular Atrophy Conference:
Clinical Complexities and Gaps of Care in the Genetic Treatment Era – Lessons Learned
Treating SMA (Recorded Sessions)**

References/Bibliography

SMA Treatment Landscape and Beyond

- Baranello, G., Darras, B. T., Day, J. W., Deconinck, N., Klein, A., Masson, R., Mercuri, E., Rose, K., El-Khairi, M., Gerber, M., Gorni, K., Khwaja, O., Kletzl, H., Scalco, R. S., Seabrook, T., Fontoura, P., Servais, L., & FIREFISH Working Group (2021). Risdiplam in Type 1 Spinal Muscular Atrophy. *The New England journal of medicine*, 384(10), 915–923. <https://doi.org/10.1056/NEJMoa2009965>
- Biogen. (2015-2021). A Study for Participants With Spinal Muscular Atrophy (SMA) Who Previously Participated in Nusinersen (ISIS 396443) Investigational Studies (SHINE). Identifier 02594124. <https://www.clinicaltrials.gov/ct2/show/NCT02594124>
- Biogen. (2015-2021). A Study of Multiple Doses of Nusinersen (ISIS 396443) Delivered to Infants With Genetically Diagnosed and Presymptomatic Spinal Muscular Atrophy (NURTURE). Identifier 02386553.
<https://www.clinicaltrials.gov/ct2/show/NCT02386553?term=NCT02386553&draw=2&rank=1>
- Biogen. (2018-2022). A Study of Risdiplam in Infants With Genetically Diagnosed and Presymptomatic Spinal Muscular Atrophy (Rainbowfish). Identifier 03779334.
<https://www.clinicaltrials.gov/ct2/show/NCT03779334?term=NCT03779334&draw=2&rank=1>
- Biogen. (2014-2021). A Study to Assess the Efficacy and Safety of Nusinersen (ISIS 396443) in Infants With Spinal Muscular Atrophy (ENDEAR). Identifier NCT02193074.
<https://www.clinicaltrials.gov/ct2/show/NCT02193074>
- Biogen. (2017-2022). Gene Replacement Therapy Clinical Trial for Participants With Spinal Muscular Atrophy Type 1 (STR1VE). Identifier NCT03306277.
<https://www.clinicaltrials.gov/ct2/show/NCT03306277>
- Biogen. (2016-2022). Investigate Safety, Tolerability, PK, PD and Efficacy of Risdiplam (RO7034067) in Infants With Type1 Spinal Muscular Atrophy (FIREFISH). Identifier NCT02913482. <https://www.clinicaltrials.gov/ct2/show/NCT02913482>
- Biogen. (2019-2022). Long-term Follow-up Study of Patients Receiving Onasemnogene Abeparvovecxiioi. Identifier NCT04042025.
<https://www.clinicaltrials.gov/ct2/show/NCT04042025>
- Biogen. (2018-2022). Pre-Symptomatic Study of Intravenous Onasemnogene Abeparvovec-xioi in Spinal Muscular Atrophy (SMA) for Patients With Multiple Copies of SMN2 (SPR1NT). Identifier 03505099.

<https://www.clinicaltrials.gov/ct2/show/NCT03505099?term=NCT03505099&draw=2&r ank=1>

- Biogen. (2018-2022). Single-Dose Gene Replacement Therapy Clinical Trial for Participants With Spinal Muscular Atrophy Type 1 (STRIVE-EU). Identifier NCT03461289. <https://www.clinicaltrials.gov/ct2/show/NCT03461289>
- Crawford, T. O., Kirschner, J., Ryan, M. M., et al. (2022). Nusinersen effect in infants in the presymptomatic stage of SMA: 4.9-year interim of the NURTURE study. *Poster presented at: 2022 Muscular Dystrophy Association Clinical & Scientific Conference*, Poster 71.
- Day, J. W., Finkel, R. S., Chiriboga, C. A., Connolly, A. M., Crawford, T. O., Darras, B. T., Iannaccone, S. T., Kuntz, N. L., Peña, L. D. M., Shieh, P. B., Smith, E. C., Kwon, J. M., Zaidman, C. M., Schultz, M., Feltner, D. E., Tauscher-Wisniewski, S., Ouyang, H., Chand, D. H., Sproule, D. M., Macek, T. A., ... Mendell, J. R. (2021). Onasemnogene abeparvovec gene therapy for symptomatic infantile-onset spinal muscular atrophy in patients with two copies of SMN2 (STR1VE): an open-label, single-arm, multicentre, phase 3 trial. *The Lancet. Neurology*, 20(4), 284–293. [https://doi.org/10.1016/S1474-4422\(21\)00001-6](https://doi.org/10.1016/S1474-4422(21)00001-6)
- European Medicines Agency. (2021). Assessment Report: EVRYSDI. *European Medicines Agency*. https://www.ema.europa.eu/en/documents/assessment-report/evrysd epar-public-assessment-report_en.pdf
- EVRYSDI. (2022). Product Monograph Including Patient Medication Information: EVRYSDI- Risdiplam Powder for Oral Solution. https://pdf.hres.ca/dpd_pm/00060735.PDF
- Finkel, R. S., & Benatar, M. (2022). Pre-symptomatic spinal muscular atrophy: a proposed nosology. *Brain : a journal of neurology*, 145(7), 2247–2249. <https://doi.org/10.1093/brain/awac125>
- Fletcher, E. V., Simon, C. M., Pagiazitis, J. G., Chalif, J. I., Vukojicic, A., Drobac, E., Wang, X., & Mentis, G. Z. (2017). Reduced sensory synaptic excitation impairs motor neuron function via Kv2.1 in spinal muscular atrophy. *Nature neuroscience*, 20(7), 905–916. <https://doi.org/10.1038/nn.4561>
- Food and Drug Administration. (2022). Full Prescribing Information: EVRYSDI. Reference ID: 4990340. https://www.accessdata.fda.gov/drugsatfda_docs/label/2022/213535s003s005lbl.pdf
- Gamble, H. J., & Breathnach, A. S. (1965). An electron-microscope study of human foetal peripheral nerves. *Journal of anatomy*, 99(Pt 3), 573–584.
- García, A., Calleja, J., Antolín, F. M., & Berciano, J. (2000). Peripheral motor and sensory nerve conduction studies in normal infants and children. *Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology*, 111(3), 513–520. [https://doi.org/10.1016/s1388-2457\(99\)00279-5](https://doi.org/10.1016/s1388-2457(99)00279-5)

- Jacobsen, A. B., Bostock, H., & Tankisi, H. (2018). CMAP Scan MUNE (MScan) - A Novel Motor Unit Number Estimation (MUNE) Method. *Journal of visualized experiments : JoVE*, (136), 56805. <https://doi.org/10.3791/56805>
- Kariyawasam, D., D'Silva, A., Howells, J., Herbert, K., Geelan-Small, P., Lin, C. S., & Farrar, M. A. (2020). Motor unit changes in children with symptomatic spinal muscular atrophy treated with nusinersen. *Journal of neurology, neurosurgery, and psychiatry*, 92(1), 78–85. Advance online publication. <https://doi.org/10.1136/jnnp-2020-324254>
- Kong, L., Valdivia, D. O., Simon, C. M., Hassinan, C. W., Delestree, N., Ramos, D. M., Park, J. H., Pilato, C. M., Xu, X., Crowder, M., Grzyb, C. C., King, Z. A., Petrillo, M., Swoboda, K. J., Davis, C., Lutz, C. M., Stephan, A. H., Zhao, X., Weetall, M., Naryshkin, N. A., ... Sumner, C. J. (2021). Impaired prenatal motor axon development necessitates early therapeutic intervention in severe SMA. *Science translational medicine*, 13(578), eabb6871. <https://doi.org/10.1126/scitranslmed.abb6871>
- Mentis, G. Z., Blivis, D., Liu, W., Drobac, E., Crowder, M. E., Kong, L., Alvarez, F. J., Sumner, C. J., & O'Donovan, M. J. (2011). Early functional impairment of sensory-motor connectivity in a mouse model of spinal muscular atrophy. *Neuron*, 69(3), 453–467. <https://doi.org/10.1016/j.neuron.2010.12.032>
- Mercuri, E., Muntoni, F., Baranello, G., Masson, R., Boespflug-Tanguy, O., Bruno, C., Corti, S., Daron, A., Deconinck, N., Servais, L., Straub, V., Ouyang, H., Chand, D., Tauscher-Wisniewski, S., Mendonca, N., Lavrov, A., & STR1VE-EU study group (2021). Onasemnogene abeparvovec gene therapy for symptomatic infantile-onset spinal muscular atrophy type 1 (STR1VE-EU): an open-label, single-arm, multicentre, phase 3 trial. *The Lancet. Neurology*, 20(10), 832–841. [https://doi.org/10.1016/S1474-4422\(21\)00251-9](https://doi.org/10.1016/S1474-4422(21)00251-9)
- Ramos, D. M., d'Ydewalle, C., Gabbeta, V., Dakka, A., Klein, S. K., Norris, D. A., Matson, J., Taylor, S. J., Zaworski, P. G., Prior, T. W., Snyder, P. J., Valdivia, D., Hatem, C. L., Waters, I., Gupte, N., Swoboda, K. J., Rigo, F., Bennett, C. F., Naryshkin, N., Paushkin, S., ... Sumner, C. J. (2019). Age-dependent SMN expression in disease-relevant tissue and implications for SMA treatment. *The Journal of clinical investigation*, 129(11), 4817–4831. <https://doi.org/10.1172/JCI124120>
- Sumner, C. J., & Crawford, T. O. (2018). Two breakthrough gene-targeted treatments for spinal muscular atrophy: challenges remain. *The Journal of clinical investigation*, 128(8), 3219–3227. <https://doi.org/10.1172/JCI121658>
- Swoboda, K. J., Prior, T. W., Scott, C. B., McNaught, T. P., Wride, M. C., Reyna, S. P., & Bromberg, M. B. (2005). Natural history of denervation in SMA: relation to age, SMN2 copy number, and function. *Annals of neurology*, 57(5), 704–712. <https://doi.org/10.1002/ana.20473>
- Thomsen, G., Burghes, A. H. M., Hsieh, C., Do, J., Chu, B. T. T., Perry, S., Barkho, B., Kaufmann, P., Sproule, D. M., Feltner, D. E., Chung, W. K., McGovern, V. L., Hevner, R. F., Conces, M., Pierson, C. R., Scoto, M., Muntoni, F., Mendell, J. R., & Foust, K. D.

(2021). Biodistribution of onasemnogene abeparvovec DNA, mRNA and SMN protein in human tissue. *Nature medicine*, 27(10), 1701–1711. <https://doi.org/10.1038/s41591-021-01483-7>

- Walters, J., & Baborie, A. (2020). Muscle biopsy: what and why and when?. *Practical neurology*, 20(5), 385–395. <https://doi.org/10.1136/practneurol-2019-002465>
- WHO Multicentre Growth Reference Study Group (2006). WHO Motor Development Study: windows of achievement for six gross motor development milestones. *Acta paediatrica (Oslo, Norway : 1992). Supplement*, 450, 86–95. <https://doi.org/10.1111/j.1651-2227.2006.tb02379.x>

Long-term Outcomes, Re-evaluation, and Monitoring

- Ball, L. J., Chavez, S., Perez, G., Bharucha-Goebel, D., Smart, K., Kundrat, K., Carruthers, L., Brady, C., Leach, M., & Evans, S. (2021). Communication skills among children with spinal muscular atrophy type 1: A parent survey. *Assistive technology : the official journal of RESNA*, 33(1), 38–48. <https://doi.org/10.1080/10400435.2019.1586788>
- Coratti, G., Cutrona, C., Pera, M. C., Bovis, F., Ponzano, M., Chieppa, F., Antonaci, L., Sansone, V., Finkel, R., Pane, M., & Mercuri, E. (2021). Motor function in type 2 and 3 SMA patients treated with Nusinersen: a critical review and meta-analysis. *Orphanet journal of rare diseases*, 16(1), 430. <https://doi.org/10.1186/s13023-021-02065-z>
- Darras, B. T., Crawford, T. O., Finkel, R. S., Mercuri, E., De Vivo, D. C., Oskoui, M., Tizzano, E. F., Ryan, M. M., Muntoni, F., Zhao, G., Staropoli, J., McCampbell, A., Petrillo, M., Stebbins, C., Fradette, S., Farwell, W., & Sumner, C. J. (2019). Neurofilament as a potential biomarker for spinal muscular atrophy. *Annals of clinical and translational neurology*, 6(5), 932–944. <https://doi.org/10.1002/acn3.779>
- Duong, T., Staunton, H., Braid, J., Barriere, A., Trzaskoma, B., Gao, L., Willgoss, T., Cruz, R., Gusset, N., Gorni, K., Randhawa, S., Yang, L., & Vuillerot, C. (2022). A Patient-Centered Evaluation of Meaningful Change on the 32-Item Motor Function Measure in Spinal Muscular Atrophy Using Qualitative and Quantitative Data. *Frontiers in neurology*, 12, 770423. <https://doi.org/10.3389/fneur.2021.770423>
- Fainmesser, Y., Drory, V. E., Ben-Shushan, S., Lavon, A., Spector, L., Abramovich, B., & Abraham, A. (2022). Longer-term follow-up of nusinersen efficacy and safety in adult patients with spinal muscular atrophy types 2 and 3. *Neuromuscular disorders : NMD*, 32(6), 451–459. <https://doi.org/10.1016/j.nmd.2022.04.003>
- Gavriilaki, E., Dalampira, D., Theodorakakou, F., Liacos, C. I., Kanellias, N., Eleutherakis-Papaiakovou, E., Terpos, E., Gavriatopoulou, M., Verrou, E., Triantafyllou, T., Sevestoudi, A., Koravou, E. E., Touloudenidou, T., Varelas, C., Papalexandri, A., Sakellari, I., Dimopoulos, M. A., Kastritis, E., & Katodritou, E. (2022). Genetic and Functional Evidence of Complement Dysregulation in Multiple Myeloma Patients with

Carfilzomib-Induced Thrombotic Microangiopathy Compared to Controls. *Journal of clinical medicine*, 11(12), 3355. <https://doi.org/10.3390/jcm11123355>

- Kariyawasam, D. S. T., D'Silva, A., Lin, C., Ryan, M. M., & Farrar, M. A. (2019). Biomarkers and the Development of a Personalized Medicine Approach in Spinal Muscular Atrophy. *Frontiers in neurology*, 10, 898. <https://doi.org/10.3389/fneur.2019.00898>
- Krosschell, K. J., Dunaway Young, S., Peterson, I., Curry, M., Mazzella, A., Jarecki, J., & Cruz, R. (2022). Clinical and Research Readiness for Spinal Muscular Atrophy: The Time Is Now for Knowledge Translation. *Physical therapy*, 102(10), pzac108. <https://doi.org/10.1093/ptj/pzac108>
- Lefevre, C., Brisset, M., Sarlon, M., Petit, N., Orlikowski, D., Clair, B., Thiry, T., Carlier, R. Y., Prigent, H., Nicolas, G., Annane, D., Laforet, P., & Pouplin, S. (2022). Nusinersen treatment in adults with severe spinal muscular atrophy: A real-life retrospective observational cohort study. *Revue neurologique*, 178(3), 234–240. <https://doi.org/10.1016/j.neurol.2021.10.010>
- Lefevre, C., Salmona, M., Bondeelle, L., Houdouin, V., Feghoul, L., Jacquier, H., Mercier-Delarue, S., Bergeron, A., & LeGoff, J. (2021). Frequent lower respiratory tract disease in hematological patients with parainfluenza virus type 3 infection. *Journal of medical virology*, 93(11), 6371–6376. <https://doi.org/10.1002/jmv.27243>
- Michalec, D. (2011). Bayley Scales of Infant Development: Third Edition. In: Goldstein, S., Naglieri, J. A. (eds) Encyclopedia of Child Behavior and Development. Springer, Boston, MA. https://doi.org/10.1007/978-0-387-79061-9_295
- Pera, M. C., Coratti, G., Bovis, F., Pane, M., Pasternak, A., Montes, J., Sansone, V. A., Dunaway Young, S., Duong, T., Messina, S., Mizzoni, I., D'Amico, A., Civitello, M., Glanzman, A. M., Bruno, C., Salmin, F., Morando, S., De Sanctis, R., Sframeli, M., Antonaci, L., ... iSMAC group (2021). Nusinersen in pediatric and adult patients with type III spinal muscular atrophy. *Annals of clinical and translational neurology*, 8(8), 1622–1634. <https://doi.org/10.1002/acn3.51411>
- Salbach, N. M., O'Brien, K., Brooks, D., Irvin, E., Martino, R., Takhar, P., Chan, S., & Howe, J. A. (2014). Speed and distance requirements for community ambulation: a systematic review. *Archives of physical medicine and rehabilitation*, 95(1), 117–128.e11. <https://doi.org/10.1016/j.apmr.2013.06.017>
- Sieratzki, J. S. & Woll, B. (2002). Toddling into language: precocious language development in motor-impaired children with spinal muscular atrophy. *Elsevier*, 112(6), 423-433. [https://doi.org/10.1016/S0024-3841\(01\)00054-7](https://doi.org/10.1016/S0024-3841(01)00054-7)
- Zappa, G., LoMauro, A., Baranello, G., Cavallo, E., Corti, P., Mastella, C., & Costantino, M. A. (2021). Intellectual abilities, language comprehension, speech, and motor function in children with spinal muscular atrophy type 1. *Journal of neurodevelopmental disorders*, 13(1), 9. <https://doi.org/10.1186/s11689-021-09355-4>

Prenatal Diagnostics: Optimization for Best Outcomes

- American College of Obstetricians and Gynecologists, The. (2017). Committee Opinion No. 691: Carrier Screening for Genetic Conditions. *Obstetrics and gynecology*, 129(3), e41–e55. <https://doi.org/10.1097/AOG.0000000000001952>
- Cohen, J. L., Chakraborty, P., Fung-Kee-Fung, K., Schwab, M. E., Bali, D., Young, S. P., Gelb, M. H., Khaledi, H., DiBattista, A., Smallshaw, S., Moretti, F., Wong, D., Lacroix, C., El Demellawy, D., Strickland, K. C., Lougheed, J., Moon-Grady, A., Lianoglou, B. R., Harmatz, P., Kishnani, P. S., ... MacKenzie, T. C. (2022). In Utero Enzyme-Replacement Therapy for Infantile-Onset Pompe's Disease. *The New England journal of medicine*, 387(23), 2150–2158. <https://doi.org/10.1056/NEJMoa2200587>
- Herzeg, A., Almeida-Porada, G., Charo, R. A., David, A. L., Gonzalez-Velez, J., Gupta, N., Lapteva, L., Lianoglou, B., Peranteau, W., Porada, C., Sanders, S. J., Sparks, T. N., Stitelman, D. H., Struble, E., Sumner, C. J., & MacKenzie, T. C. (2022). Prenatal Somatic Cell Gene Therapies: Charting a Path Toward Clinical Applications (Proceedings of the CERSI-FDA Meeting). *Journal of clinical pharmacology*, 62 Suppl 1(Suppl 1), S36–S52. <https://doi.org/10.1002/jcph.2127>
- Kong, L., Valdivia, D. O., Simon, C. M., Hassinan, C. W., Delestree, N., Ramos, D. M., Park, J. H., Pilato, C. M., Xu, X., Crowder, M., Grzyb, C. C., King, Z. A., Petrillo, M., Swoboda, K. J., Davis, C., Lutz, C. M., Stephan, A. H., Zhao, X., Weetall, M., Naryshkin, N. A., ... Sumner, C. J. (2021). Impaired prenatal motor axon development necessitates early therapeutic intervention in severe SMA. *Science translational medicine*, 13(578), eabb6871. <https://doi.org/10.1126/scitranslmed.abb6871>
- Palanki, R., Peranteau, W. H., & Mitchell, M. J. (2021). Delivery technologies for in utero gene therapy. *Advanced drug delivery reviews*, 169, 51–62. <https://doi.org/10.1016/j.addr.2020.11.002>
- Rashnonejad, A., Amini Chermahini, G., Gündüz, C., Onay, H., Aykut, A., Durmaz, B., Baka, M., Su, Q., Gao, G., & Özkinay, F. (2019). Fetal Gene Therapy Using a Single Injection of Recombinant AAV9 Rescued SMA Phenotype in Mice. *Molecular therapy : the journal of the American Society of Gene Therapy*, 27(12), 2123–2133. <https://doi.org/10.1016/j.ymthe.2019.08.017>
- Schwab, M. E., Shao, S., Zhang, L., Lianoglou, B., Belter, L., Jarecki, J., Schroth, M., Sumner, C. J., & MacKenzie, T. (2022). Investigating attitudes toward prenatal diagnosis and fetal therapy for spinal muscular atrophy. *Prenatal diagnosis*, 42(11), 1409–1419. <https://doi.org/10.1002/pd.6228>

Newborn Screening: Optimization for Best Outcomes (multi-disciplinary perspective)

- American College of Medical Genetics and Genomics (2013). Incidental findings in clinical genomics: a clarification. *Genetics in medicine : official journal of the American College of Medical Genetics*, 15(8), 664–666. <https://doi.org/10.1038/gim.2013.82>
- Campbell, S. K., Swanlund, A., Smith, E., Liao, P. J., & Zawacki, L. (2008). Validity of the TIMPSI for estimating concurrent performance on the test of infant motor performance. *Pediatric physical therapy : the official publication of the Section on Pediatrics of the American Physical Therapy Association*, 20(1), 3–10. <https://doi.org/10.1097/PEP.0b013e31815f66a6>
- Crawford, T. O., Kirschner, J., Ryan, M. M., et al. (2022). Nusinersen effect in infants in the presymptomatic stage of SMA: 4.9-year interim of the NURTURE study. *Poster presented at: 2022 Muscular Dystrophy Association Clinical & Scientific Conference*, Poster 71.
- Choi, Y. A., Suh, D. I., Chae, J. H., & Shin, H. I. (2020). Trajectory of change in the swallowing status in spinal muscular atrophy type I. *International journal of pediatric otorhinolaryngology*, 130, 109818. <https://doi.org/10.1016/j.ijporl.2019.109818>
- De Vivo, D. C., Bertini, E., Swoboda, K. J., Hwu, W. L., Crawford, T. O., Finkel, R. S., Kirschner, J., Kuntz, N. L., Parsons, J. A., Ryan, M. M., Butterfield, R. J., Topaloglu, H., Ben-Omran, T., Sansone, V. A., Jong, Y. J., Shu, F., Staropoli, J. F., Kerr, D., Sandrock, A. W., Stebbins, C., ... NURTURE Study Group (2019). Nusinersen initiated in infants during the presymptomatic stage of spinal muscular atrophy: Interim efficacy and safety results from the Phase 2 NURTURE study. *Neuromuscular disorders : NMD*, 29(11), 842–856. <https://doi.org/10.1016/j.nmd.2019.09.007>
- Finkel, R. S., & Benatar, M. (2022). Pre-symptomatic spinal muscular atrophy: a proposed nosology. *Brain : a journal of neurology*, 145(7), 2247–2249. <https://doi.org/10.1093/brain/awac125>
- Finkel, R. S., Mercuri, E., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., ... SMA Care group (2018). Diagnosis and management of spinal muscular atrophy: Part 2: Pulmonary and acute care; medications, supplements and immunizations; other organ systems; and ethics. *Neuromuscular disorders : NMD*, 28(3), 197–207. <https://doi.org/10.1016/j.nmd.2017.11.004>
- Glanzman, A. M., Mazzone, E., Main, M., Pelliccioni, M., Wood, J., Swoboda, K. J., Scott, C., Pane, M., Messina, S., Bertini, E., Mercuri, E., & Finkel, R. S. (2010). The Children's Hospital of Philadelphia Infant Test of Neuromuscular Disorders (CHOP INTEND): test development and reliability. *Neuromuscular disorders : NMD*, 20(3), 155–161. <https://doi.org/10.1016/j.nmd.2009.11.014>

- Hale, J. E., Darras, B. T., Swoboda, K. J., Estrella, E., Chen, J. Y. H., Abbott, M. A., Hay, B. N., Kumar, B., Counihan, A. M., Gerstel-Thompson, J., Sahai, I., Eaton, R. B., & Comeau, A. M. (2021). Massachusetts' Findings from Statewide Newborn Screening for Spinal Muscular Atrophy. *International journal of neonatal screening*, 7(2), 26. <https://doi.org/10.3390/ijns7020026>
- Hoffman, K., Weigel, C., Krosschell, K. J., DiDonato, C., Kuntz, N., Rao, V. K., & Brown, L. (2019). Implementation of a Physical Therapy and Rehabilitation Standard of Care Pamphlet for Spinal Muscular Atrophy Within an MDA Clinic. Cure SMA Clinical Care Meeting, Anaheim, CA.
- Kariyawasam, D. S. T., Russell, J. S., Wiley, V., Alexander, I. E., & Farrar, M. A. (2020). The implementation of newborn screening for spinal muscular atrophy: the Australian experience. *Genetics in medicine : official journal of the American College of Medical Genetics*, 22(3), 557–565. <https://doi.org/10.1038/s41436-019-0673-0>
- Kolb, S. J., Coffey, C. S., Yankey, J. W., Krosschell, K., Arnold, W. D., Rutkove, S. B., Swoboda, K. J., Reyna, S. P., Sakonju, A., Darras, B. T., Shell, R., Kuntz, N., Castro, D., Parsons, J., Connolly, A. M., Chiriboga, C. A., McDonald, C., Burnette, W. B., Werner, K., Thangarajh, M., ... NeuroNEXT Clinical Trial Network on behalf of the NN101 SMA Biomarker Investigators (2017). Natural history of infantile-onset spinal muscular atrophy. *Annals of neurology*, 82(6), 883–891. <https://doi.org/10.1002/ana.25101>
- Kraszewski, J. N., Kay, D. M., Stevens, C. F., Koval, C., Haser, B., Ortiz, V., Albertorio, A., Cohen, L. L., Jain, R., Andrew, S. P., Young, S. D., LaMarca, N. M., De Vivo, D. C., Caggana, M., & Chung, W. K. (2018). Pilot study of population-based newborn screening for spinal muscular atrophy in New York state. *Genetics in medicine : official journal of the American College of Medical Genetics*, 20(6), 608–613. <https://doi.org/10.1038/gim.2017.152>
- Krosschell, K. J., Dunaway Young, S., Peterson, I., Curry, M., Mazzella, A., Jarecki, J., & Cruz, R. (2022). Clinical and Research Readiness for Spinal Muscular Atrophy: The Time Is Now for Knowledge Translation. *Physical therapy*, 102(10), pzac108. <https://doi.org/10.1093/ptj/pzac108>
- Krosschell, K. J., Maczek, E., Young, S. D. (2022). Best Practice Outcome Assessment in SMA: Newborn Screening and Presymptomatic Population. Internal Spinal Muscular Atrophy Research and Clinical Care Meeting, Anaheim, CA.
- Lee, B. H., Deng, S., Chiriboga, C. A., Kay, D. M., Irumudomon, O., Laureta, E., Delfiner, L., Treidler, S. O., Anziska, Y., Sakonju, A., Kois, C., Farooq, O., Engelstad, K., Laurenzano, A., Hogan, K., Caggana, M., Saavedra-Matiz, C. A., Stevens, C. F., & Ciafaloni, E. (2022). Newborn Screening for Spinal Muscular Atrophy in New York State: Clinical Outcomes From the First 3 Years. *Neurology*, 99(14), e1527–e1537. Advance online publication. <https://doi.org/10.1212/WNL.0000000000200986>
- McGrattan, K. E., Graham, R. J., DiDonato, C. J., & Darras, B. T. (2021). Dysphagia Phenotypes in Spinal Muscular Atrophy: The Past, Present, and Promise for the Future.

American journal of speech-language pathology, 30(3), 1008–1022.

https://doi.org/10.1044/2021_AJSLP-20-00217

- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., ... SMA Care Group (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for diagnosis, rehabilitation, orthopedic and nutritional care. *Neuromuscular disorders : NMD*, 28(2), 103–115.
<https://doi.org/10.1016/j.nmd.2017.11.005>
- Muntoni, F., Strauss, K., Farrar, M., et al. (2022). Onasemnogene abeparvovec for presymptomatic infants with spinal muscular atrophy and two copies of SMN2. International Scientific Congress on Spinal Muscular Atrophy, Barcelona.
- Muntoni, F., Strauss, K., Farrar, M., et al. (2022). Onasemnogene abeparvovec in presymptomatic spinal muscular atrophy: SPRINT study update in children with 3 copies of SMN2. International Scientific Congress on Spinal Muscular Atrophy, Barcelona.
- Ramsey, D., Scoto, M., Mayhew, A., Main, M., Mazzone, E. S., Montes, J., de Sanctis, R., Dunaway Young, S., Salazar, R., Glanzman, A. M., Pasternak, A., Quigley, J., Mirek, E., Duong, T., Gee, R., Civitello, M., Tennekoon, G., Pane, M., Pera, M. C., Bushby, K., ... Muntoni, F. (2017). Revised Hammersmith Scale for spinal muscular atrophy: A SMA specific clinical outcome assessment tool. *PloS one*, 12(2), e0172346.
<https://doi.org/10.1371/journal.pone.0172346>
- Russell, D. J., Rivard, L. M., Walter, S. D., Rosenbaum, P. L., Roxborough, L., Cameron, D., Darrah, J., Bartlett, D. J., Hanna, S. E., & Avery, L. M. (2010). Using Knowledge Brokers to Facilitate the Uptake of Pediatric Measurement Tools into Clinical Practice: A Before-after Intervention Study. *Western Health Sciences*, 5(92).
<http://dx.doi.org/10.1186/1748-5908-5-92>
- Swoboda, K. J., Prior, T. W., Scott, C. B., McNaught, T. P., Wride, M. C., Reyna, S. P., & Bromberg, M. B. (2005). Natural history of denervation in SMA: relation to age, SMN2 copy number, and function. *Annals of neurology*, 57(5), 704–712.
<https://doi.org/10.1002/ana.20473>
- Syrengelas, D., Nikaina, E., Kleisiouni, P., & Siananidou, T. (2022). Alberta Infant Motor Scale (AIMS) Performance of Early-Term Greek Infants: The Impact of Shorter Gestation on Gross Motor Development among "Term-Born" Infants. *Children (Basel, Switzerland)*, 9(2), 270. <https://doi.org/10.3390/children9020270>
- Timmerberg, J. F., Krosschell, K. J., Dunaway Young, S., Uher, D., Yun, C., & Montes, J. (2021). Essential competencies for physical therapist managing individuals with spinal muscular atrophy: A delphi study. *PloS one*, 16(4), e0249279.
<https://doi.org/10.1371/journal.pone.0249279>
- Trenkle, J., Brugman, J., Peterson, A., Roback, K., & Krosschell, K. J. (2021). Filling the gaps in knowledge translation: Physical therapy recommendations for individuals with

spinal muscular atrophy compared to standard of care guidelines. *Neuromuscular disorders : NMD*, 31(5), 397–408. <https://doi.org/10.1016/j.nmd.2021.02.011>

- van den Engel-Hoek, L., Erasmus, C. E., van Bruggen, H. W., de Swart, B. J., Sie, L. T., Steenks, M. H., & de Groot, I. J. (2009). Dysphagia in spinal muscular atrophy type II: more than a bulbar problem?. *Neurology*, 73(21), 1787–1791.
<https://doi.org/10.1212/WNL.0b013e3181c34aa6>
- van der Heul, A. M. B., Cuppen, I., Wadman, R. I., Asselman, F., Schoenmakers, M. A. G. C., van de Woude, D. R., Gerrits, E., van der Pol, W. L., & van den Engel-Hoek, L. (2020). Feeding and Swallowing Problems in Infants with Spinal Muscular Atrophy Type 1: an Observational Study. *Journal of neuromuscular diseases*, 7(3), 323–330.
<https://doi.org/10.3233/JND-190465>
- van der Heul, A. M. B., Wijngaarde, C. A., Wadman, R. I., Asselman, F., van den Aardweg, M. T. A., Bartels, B., Cuppen, I., Gerrits, E., van den Berg, L. H., van der Pol, W. L., & van den Engel-Hoek, L. (2019). Bulbar Problems Self-Reported by Children and Adults with Spinal Muscular Atrophy. *Journal of neuromuscular diseases*, 6(3), 361–368. <https://doi.org/10.3233/JND-190379>
- Vill, K., Kölbel, H., Schwartz, O., Blaschek, A., Olgemöller, B., Harms, E., Burggraf, S., Röschinger, W., Durner, J., Gläser, D., Nennstiel, U., Wirth, B., Schara, U., Jensen, B., Becker, M., Hohenfellner, K., & Müller-Felber, W. (2019). One Year of Newborn Screening for SMA - Results of a German Pilot Project. *Journal of neuromuscular diseases*, 6(4), 503–515. <https://doi.org/10.3233/JND-190428>
- Vill, K., Schwartz, O., Blaschek, A., Glaser, D., et al. (2020). Newborn Screening for SMA- Results After Two Years of Large Pilot Project. <https://doi.org/10.21203/rs.3.rs-53392/v1>
- Wang, C. H., Finkel, R. S., Bertini, E. S., Schroth, M., Simonds, A., Wong, B., Aloysius, A., Morrison, L., Main, M., Crawford, T. O., Trella, A., & Participants of the International Conference on SMA Standard of Care (2007). Consensus statement for standard of care in spinal muscular atrophy. *Journal of child neurology*, 22(8), 1027–1049.
<https://doi.org/10.1177/0883073807305788>
- Whitmire, S., Belter, L., Glascock, J., et al. (2022). Understanding outcomes of individuals with spinal muscular atrophy identified via newborn screening in the U.S. International Scientific Congress on Spinal Muscular Atrophy, Barcelona.

Orthopedic Management: An Evidence Based Review

- Al Amrani, F., Amin, R., Chiang, J., Xiao, L., Boyd, J., Law, E., Nigro, E., Weinstock, L., Stosic, A., & Gonorazky, H. D. (2022). Scoliosis in Spinal Muscular Atrophy Type 1 in the Nusinersen Era. *Neurology. Clinical practice*, 12(4), 279–287.
<https://doi.org/10.1212/CPJ.0000000000001179>

- Alhammoud, A., Othman, Y., El-Hawary, R., Mackenzie, W. G., & Howard, J. J. (2021). The impact of scoliosis surgery on pulmonary function in spinal muscular atrophy: a systematic review. *Spine deformity*, 9(4), 913–921. <https://doi.org/10.1007/s43390-021-00302-w>
- Angeli, M., Alpantaki, K., Pandis, N., Koutserimpas, C., & Hadjipavlou, A. (2022). The effect of scoliosis surgery on pulmonary function in spinal muscular atrophy patients: review of the literature and a meta-analysis. *European spine journal : official publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 31(9), 2279–2286. <https://doi.org/10.1007/s00586-022-07182-2>
- Baranello, G., Vai, S., Broggi, F., Masson, R., Arnoldi, M. T., Zanin, R., Mastella, C., & Bianchi, M. L. (2019). Evolution of bone mineral density, bone metabolism and fragility fractures in Spinal Muscular Atrophy (SMA) types 2 and 3. *Neuromuscular disorders : NMD*, 29(7), 525–532. <https://doi.org/10.1016/j.nmd.2019.06.001>
- Bernatz, J. T., Anderson, P. A., & Halanski, M. A. (2020). Cervical Kyphosis in Spinal Muscular Atrophy: A Case Report. *JBJS case connector*, 10(2), e1900341. <https://doi.org/10.2106/JBJS.CC.19.00341>
- Catteruccia, M., Vuillerot, C., Vaugier, I., Leclair, D., Azzi, V., Viollet, L., Estournet, B., Bertini, E., & Quijano-Roy, S. (2015). Orthopedic Management of Scoliosis by Garches Brace and Spinal Fusion in SMA Type 2 Children. *Journal of neuromuscular diseases*, 2(4), 453–462. <https://doi.org/10.3233/JND-150084>
- Chng, S. Y., Wong, Y. Q., Hui, J. H., Wong, H. K., Ong, H. T., & Goh, D. Y. (2003). Pulmonary function and scoliosis in children with spinal muscular atrophy types II and III. *Journal of paediatrics and child health*, 39(9), 673–676. <https://doi.org/10.1046/j.1440-1754.2003.00266.x>
- Coratti, G., Pera, M. C., D'Amico, A., Bruno, C., Bovis, F., Gullì, C., Brolatti, N., Pedemonte, M., Apicella, M., Antonaci, L., Ricci, M., Capasso, A., Cicala, G., Cutrona, C., de Sanctis, R., Carnicella, S., Forcina, N., Catteruccia, M., Damasio, M. B., Labianca, L., ... Mercuri, E. (2022). Long term follow-up of scoliosis progression in type II SMA patients. *Neuromuscular disorders : NMD*, 32(11-12), 879–885. <https://doi.org/10.1016/j.nmd.2022.11.004>
- Davies, N. R., Galaretto, E., Piantoni, L., Remondino, R. G., Francheri Wilson, I. A., Monges, M. S., Frank, S., Bersusky, E. S., Tello, C. A., & Noel, M. A. (2020). Scoliosis in spinal muscular atrophy: is the preoperative magnetic resonance imaging necessary?. *Spine deformity*, 8(5), 1089–1091. <https://doi.org/10.1007/s43390-020-00134-0>
- de Groot, I. J., & de Witte, L. P. (2005). Physical complaints in ageing persons with spinal muscular atrophy. *Journal of rehabilitation medicine*, 37(4), 258–262. <https://doi.org/10.1080/16501970510030156>
- Di Pede, C., Salamon, E., Motta, M., Agosto, C., Benini, F., & Ferrari, A. (2019). Spinal bracing and lung function in type-2 spinal muscular atrophy. *European journal of*

physical and rehabilitation medicine, 55(4), 505–509. <https://doi.org/10.23736/S1973-9087.18.05046-3>

- Dunaway Young, S., Montes, J., Salazar, R., Glanzman, A. M., Pasternak, A., Mirek, E., Martens, W., Finkel, R. S., Darras, B. T., & De Vivo, D. C. (2020). Scoliosis Surgery Significantly Impacts Motor Abilities in Higher-functioning Individuals with Spinal Muscular Atrophy1. *Journal of neuromuscular diseases*, 7(2), 183–192.
<https://doi.org/10.3233/JND-190462>
- Farber, H. J., Phillips, W. A., Kocab, K. L., Hanson, D. S., Heydemann, J. A., Dahl, B. T., Spoede, E. T., & Jefferson, L. S. (2020). Impact of scoliosis surgery on pulmonary function in patients with muscular dystrophies and spinal muscular atrophy. *Pediatric pulmonology*, 55(4), 1037–1042. <https://doi.org/10.1002/ppul.24664>
- Fujak, A., Kopschina, C., Forst, R., Mueller, L. A., & Forst, J. (2011). Use of orthoses and orthopaedic technical devices in proximal spinal muscular atrophy. Results of survey in 194 SMA patients. *Disability and rehabilitation. Assistive technology*, 6(4), 305–311.
<https://doi.org/10.3109/17483107.2010.525292>
- Fujak, A., Kopschina, C., Gras, F., Forst, R., & Forst, J. (2010). Contractures of the upper extremities in spinal muscular atrophy type II. Descriptive clinical study with retrospective data collection. *Ortopedia, traumatologia, rehabilitacja*, 12(5), 410–419.
- Fujak, A., Raab, W., Schuh, A., Richter, S., Forst, R., & Forst, J. (2013). Natural course of scoliosis in proximal spinal muscular atrophy type II and IIIa: descriptive clinical study with retrospective data collection of 126 patients. *BMC musculoskeletal disorders*, 14, 283. <https://doi.org/10.1186/1471-2474-14-283>
- Fujak, A., Kopschina, C., Forst, R., Gras, F., Mueller, L. A., & Forst, J. (2010). Fractures in proximal spinal muscular atrophy. *Archives of orthopaedic and trauma surgery*, 130(6), 775–780. <https://doi.org/10.1007/s00402-010-1096-1>
- Fujak, A., Ingenhorst, A., Heuser, K., Forst, R., & Forst, J. (2005). Treatment of scoliosis in intermediate spinal muscular atrophy (SMA type II) in childhood. *Ortopedia, traumatologia, rehabilitacja*, 7(2), 175–179.
- Granata, C., Magni, E., Merlini, L., & Cervellati, S. (1990). Hip dislocation in spinal muscular atrophy. *La Chirurgia degli organi di movimento*, 75(2), 177–184.
- Granata, C., Merlini, L., Magni, E., Marini, M. L., & Stagni, S. B. (1989). Spinal muscular atrophy: natural history and orthopaedic treatment of scoliosis. *Spine*, 14(7), 760–762. <https://doi.org/10.1097/00007632-198907000-00019>
- Haaker, G., & Fujak, A. (2013). Proximal spinal muscular atrophy: current orthopedic perspective. *The application of clinical genetics*, 6(11), 113–120.
<https://doi.org/10.2147/TACG.S53615>
- Hanna, R. B., Nahm, N., Bent, M. A., Sund, S., Patterson, K., Schroth, M. K., & Halanski, M. A. (2022). Hip Pain in Nonambulatory Children with Type-I or II Spinal Muscular Atrophy. *JB & JS open access*, 7(3), e22.00011.
<https://doi.org/10.2106/JBJS.OA.22.00011>

- Hell, A. K., Braunschweig, L., Tsaknakis, K., von Deimling, U., Lüders, K. A., Hecker, M., & Lorenz, H. M. (2020). Children With Spinal Muscular Atrophy With Prior Growth-Friendly Spinal Implants Have Better Results After Definite Spinal Fusion in Comparison to Untreated Patients. *Neurosurgery*, 87(5), 910–917.
<https://doi.org/10.1093/neuros/nyaa053>
- Hensel, N., Brickwedde, H., Tsaknakis, K., Grages, A., Braunschweig, L., Lüders, K. A., Lorenz, H. M., Lippross, S., Walter, L. M., Tavassol, F., Lienenklaus, S., Neunaber, C., Claus, P., & Hell, A. K. (2020). Altered bone development with impaired cartilage formation precedes neuromuscular symptoms in spinal muscular atrophy. *Human molecular genetics*, 29(16), 2662–2673. <https://doi.org/10.1093/hmg/ddaa145>
- Kruse, T., Lehmann, H. C., Braumann, B., Fink, G. R., & Wunderlich, G. (2020). The Maximum Bite Force for Treatment Evaluation in Severely Affected Adult SMA Patients-Protocol for a Longitudinal Study. *Frontiers in neurology*, 11, 139.
<https://doi.org/10.3389/fneur.2020.00139>
- Labianca, L., & Weinstein, S. L. (2019). Scoliosis and spinal muscular atrophy in the new world of medical therapy: providing lumbar access for intrathecal treatment in patients previously treated or undergoing spinal instrumentation and fusion. *Journal of pediatric orthopedics. Part B*, 28(4), 393–396.
<https://doi.org/10.1097/BPB.0000000000000632>
- Larson, J. E., Snyder, B., Snyder, J., Troy, M., & Whitaker, A. T. (2019). Short-term Clinical Outcomes of Hip Reconstructive Surgery in Patients with Spinal Muscular Atrophy. *Pediatrics*, 144(2 Meeting Abstract): 761.
<https://doi.org/10.1542/peds.144.2MA8.761>
- Luc, M., Bensoussan, L., Viton, J. M., de Bovis, V. M., Collado, H., Pouget, J., & Delarque, A. (2007). Gait recovery in a distal spinal muscular atrophy patient wearing a patellar tendon-bearing orthosis and orthopaedic shoes. *Journal of rehabilitation medicine*, 39(2), 181–184. <https://doi.org/10.2340/16501977-0025>
- Matsumoto, H., Mueller, J., Konigsberg, M., Ball, J., St Hilaire, T., Pawelek, J., Roye, D. P., Cahill, P., Sturm, P., Smith, J., Thompson, G., Sponseller, P., Skaggs, D., & Vitale, M. G. (2021). Improvement of Pulmonary Function Measured by Patient-reported Outcomes in Patients With Spinal Muscular Atrophy After Growth-friendly Instrumentation. *Journal of pediatric orthopedics*, 41(1), 1–5.
<https://doi.org/10.1097/BPO.0000000000001656>
- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., ... SMA Care Group (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for diagnosis, rehabilitation, orthopedic and nutritional care. *Neuromuscular disorders : NMD*, 28(2), 103–115.
<https://doi.org/10.1016/j.nmd.2017.11.005>

- Mercuri, E., Lucibello, S., Pera, M. C., Carnicella, S., Coratti, G., de Sanctis, R., Messina, S., Mazzone, E., Forcina, N., Fanelli, L., Norcia, G., Antonaci, L., Frongia, A. L., & Pane, M. (2019). Long-term progression in type II spinal muscular atrophy: A retrospective observational study. *Neurology*, 93(13), e1241–e1247.
<https://doi.org/10.1212/WNL.0000000000008166>
- Nasomyont, N., Hornung, L. N., & Wasserman, H. (2020). Intravenous bisphosphonate therapy in children with spinal muscular atrophy. *Osteoporosis international : a journal established as result of cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA*, 31(5), 995–1000.
<https://doi.org/10.1007/s00198-019-05227-9>
- Ness, K., & Apkon, S. D. (2014). Bone health in children with neuromuscular disorders. *Journal of pediatric rehabilitation medicine*, 7(2), 133–142.
<https://doi.org/10.3233/PRM-140282>
- Rodillo, E., Marini, M. L., Heckmatt, J. Z., & Dubowitz, V. (1989). Scoliosis in spinal muscular atrophy: review of 63 cases. *Journal of child neurology*, 4(2), 118–123.
<https://doi.org/10.1177/088307388900400208>
- Salazar, R., Montes, J., Dunaway Young, S., McDermott, M. P., Martens, W., Pasternak, A., Quigley, J., Mirek, E., Glanzman, A. M., Civitello, M., Gee, R., Duong, T., Mazzone, E. S., Main, M., Mayhew, A., Ramsey, D., Muni Lofra, R., Coratti, G., Fanelli, L., De Sanctis, R., ... De Vivo, D. C. (2018). Quantitative Evaluation of Lower Extremity Joint Contractures in Spinal Muscular Atrophy: Implications for Motor Function. *Pediatric physical therapy : the official publication of the Section on Pediatrics of the American Physical Therapy Association*, 30(3), 209–215.
<https://doi.org/10.1097/PEP.0000000000000515>
- Shen, P. C., Lu, C. C., Liang, W. C., Tien, Y. C., Jong, Y. J., Lu, Y. M., Liu, Z. M., Shih, C. L., & Chou, S. H. (2020). Predictors for Deformity Progression in a Spinal Muscular Atrophy Cohort After Scoliosis Correction Surgery. *Clinical spine surgery*, 33(8), E407–E414. <https://doi.org/10.1097/BSD.0000000000000989>
- Skalsky, A. J., & McDonald, C. M. (2012). Prevention and management of limb contractures in neuromuscular diseases. *Physical medicine and rehabilitation clinics of North America*, 23(3), 675–687. <https://doi.org/10.1016/j.pmr.2012.06.009>
- Sporer, S. M., & Smith, B. G. (2003). Hip dislocation in patients with spinal muscular atrophy. *Journal of pediatric orthopedics*, 23(1), 10–14.
- Sproule, D. M., Montes, J., Dunaway, S., Montgomery, M., Battista, V., Koenigsberger, D., Martens, B., Shen, W., Punyanitya, M., Benton, M., Butler, H., Caracciolo, J., Mercuri, E., Finkel, R., Darras, B., De Vivo, D. C., & Kaufmann, P. (2010). Adiposity is increased among high-functioning, non-ambulatory patients with spinal muscular atrophy. *Neuromuscular disorders : NMD*, 20(7), 448–452.
<https://doi.org/10.1016/j.nmd.2010.05.013>

- Stępień, A., Jędrzejowska, M., Guzek, K., Rekowski, W., & Stębowska, J. (2019). Reliability of four tests to assess body posture and the range of selected movements in individuals with spinal muscular atrophy. *BMC musculoskeletal disorders*, 20(1), 54. <https://doi.org/10.1186/s12891-018-2389-8>
- Stępień, A., Mazurkiewicz, Ł., Maślanko, K., Rekowski, W., & Jędrzejowska, M. (2020). Cervical rotation, chest deformity and pelvic obliquity in patients with spinal muscular atrophy. *BMC musculoskeletal disorders*, 21(1), 726. <https://doi.org/10.1186/s12891-020-03710-7>
- Stępień, A., Gajewska, E., & Rekowski, W. (2021). Motor Function of Children with SMA1 and SMA2 Depends on the Neck and Trunk Muscle Strength, Deformation of the Spine, and the Range of Motion in the Limb Joints. *International journal of environmental research and public health*, 18(17), 9134. <https://doi.org/10.3390/ijerph18179134>
- Swarup, I., MacAlpine, E. M., Mayer, O. H., Lark, R. K., Smith, J. T., Vitale, M. G., Flynn, J. M., Anari, J. B., Pediatric Spine Study Group, & Cahill, P. J. (2021). Impact of growth friendly interventions on spine and pulmonary outcomes of patients with spinal muscular atrophy. *European spine journal : official publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 30(3), 768–774. <https://doi.org/10.1007/s00586-020-06564-8>
- Thacker, M., Hui, J. H., Wong, H. K., Chatterjee, A., & Lee, E. H. (2002). Spinal fusion and instrumentation for paediatric neuromuscular scoliosis: retrospective review. *Journal of orthopaedic surgery (Hong Kong)*, 10(2), 144–151. <https://doi.org/10.1177/230949900201000207>
- Thompson, C. E., & Larsen, L. J. (1990). Recurrent hip dislocation in intermediate spinal atrophy. *Journal of pediatric orthopedics*, 10(5), 638–641. <https://doi.org/10.1097/01241398-199009000-00013>
- Townsend, E. L., Simeone, S. D., Krosschell, K. J., Zhang, R. Z., Swoboda, K. J., & Project Cure SMA Investigator's Network (2020). Stander Use in Spinal Muscular Atrophy: Results From a Large Natural History Database. *Pediatric physical therapy : the official publication of the Section on Pediatrics of the American Physical Therapy Association*, 32(3), 235–241. <https://doi.org/10.1097/PEP.0000000000000713>
- Ulusaloglu, A. C., Asma, A., Rogers, K. J., Shrader, M. W., Graham, H. K., & Howard, J. J. (2022). The influence of tone on proximal femoral and acetabular geometry in neuromuscular hip displacement: A comparison of cerebral palsy and spinal muscular atrophy. *Journal of children's orthopaedics*, 16(2), 121–127. <https://doi.org/10.1177/18632521221084184>
- Vai, S., Bianchi, M. L., Moroni, I., Mastella, C., Broggi, F., Morandi, L., Arnoldi, M. T., Bussolino, C., & Baranello, G. (2015). Bone and Spinal Muscular Atrophy. *Bone*, 79, 116–120. <https://doi.org/10.1016/j.bone.2015.05.039>

- Wang, H. Y., Ju, Y. H., Chen, S. M., Lo, S. K., & Jong, Y. J. (2004). Joint range of motion limitations in children and young adults with spinal muscular atrophy. *Archives of physical medicine and rehabilitation*, 85(10), 1689–1693.
<https://doi.org/10.1016/j.apmr.2004.01.043>
- Wasserman, H. M., Hornung, L. N., Stenger, P. J., Rutter, M. M., Wong, B. L., Rybalsky, I., Khouri, J. C., & Kalkwarf, H. J. (2017). Low bone mineral density and fractures are highly prevalent in pediatric patients with spinal muscular atrophy regardless of disease severity. *Neuromuscular disorders : NMD*, 27(4), 331–337.
<https://doi.org/10.1016/j.nmd.2017.01.019>
- Willig, T. N., Bach, J. R., Rouffet, M. J., Krivickas, L. S., & Maquet, C. (1995). Correlation of flexion contractures with upper extremity function and pain for spinal muscular atrophy and congenital myopathy patients. *American journal of physical medicine & rehabilitation*, 74(1), 33–38. <https://doi.org/10.1097/00002060-199501000-00006>
- Wijngaarde, C. A., Brink, R. C., de Kort, F. A. S., Stam, M., Otto, L. A. M., Asselman, F. L., Bartels, B., van Eijk, R. P. A., Sombroek, J., Cuppen, I., Verhoef, M., van den Berg, L. H., Wadman, R. I., Castelein, R. M., & van der Pol, W. L. (2019). Natural course of scoliosis and lifetime risk of scoliosis surgery in spinal muscular atrophy. *Neurology*, 93(2), e149–e158. <https://doi.org/10.1212/WNL.0000000000007742>
- Xu, A. L., Crawford, T. O., & Sponseller, P. D. (2022). Hip Pain in Patients With Spinal Muscular Atrophy: Prevalence, Intensity, Interference, and Factors Associated With Moderate to Severe Pain. *Journal of pediatric orthopedics*, 42(5), 273–279.
<https://doi.org/10.1097/BPO.0000000000002091>
- Zenios, M., Sampath, J., Cole, C., Khan, T., & Galasko, C. S. (2005). Operative treatment for hip subluxation in spinal muscular atrophy. *The Journal of bone and joint surgery. British volume*, 87(11), 1541–1544. <https://doi.org/10.1302/0301-620X.87B11.16216>

Obtaining Approvals Post Disease-Modifying Therapies- Payer Expectations (Roundtable Discussion)

- Aetna. (2022). Nusinersen (Spinraza) Medical Policy.
http://www.aetna.com/cpb/medical/data/900_999/0915.html
- Anthem. (2022). Medical Drug Clinical Criteria.
<https://www.anthem.com/ms/pharmacyinformation/clinicalcriteria/Spinraza.pdf>
- Cigna. (2022). Drug and Biologic Coverage Policy.
https://static.cigna.com/assets/chcp/pdf/coveragePolicies/pharmacy/ip_0182_coveragepositioncriteria_nusinersen.pdf
- Coratti, G., Cutrona, C., Pera, M. C., Bovis, F., Ponzano, M., Chieppa, F., Antonaci, L., Sansone, V., Finkel, R., Pane, M., & Mercuri, E. (2021). Motor function in type 2 and 3

SMA patients treated with Nusinersen: a critical review and meta-analysis. *Orphanet journal of rare diseases*, 16(1), 430. <https://doi.org/10.1186/s13023-021-02065-z>

- Coratti, G., Messina, S., Lucibello, S., Pera, M. C., Montes, J., Pasternak, A., Bovis, F., Exposito Escudero, J., Mazzone, E. S., Mayhew, A., Glanzman, A. M., Young, S. D., Salazar, R., Duong, T., Muni Lofra, R., De Sanctis, R., Carnicella, S., Milev, E., Civitello, M., Pane, M., ... Mercuri, E. (2020). Clinical Variability in Spinal Muscular Atrophy Type III. *Annals of neurology*, 88(6), 1109–1117.
<https://doi.org/10.1002/ana.25900>
- De Wel, B., Goosens, V., Sobota, A., Van Camp, E., Geukens, E., Van Kerschaver, G., Jagut, M., Claes, K., & Claeys, K. G. (2021). Nusinersen treatment significantly improves hand grip strength, hand motor function and MRC sum scores in adult patients with spinal muscular atrophy types 3 and 4. *Journal of neurology*, 268(3), 923–935.
<https://doi.org/10.1007/s00415-020-10223-9>
- Duong, T., Wolford, C., McDermott, M. P., Macpherson, C. E., Pasternak, A., Glanzman, A. M., Martens, W. B., Kichula, E., Darras, B. T., De Vivo, D. C., Zolkipli-Cunningham, Z., Finkel, R. S., Zeineh, M., Wintermark, M., Sampson, J., Hagerman, K. A., Young, S. D., & Day, J. W. (2021). Nusinersen Treatment in Adults With Spinal Muscular Atrophy. *Neurology. Clinical practice*, 11(3), e317–e327.
<https://doi.org/10.1212/CPJ.0000000000001033>
- Hagenacker, T., Wurster, C. D., Günther, R., Schreiber-Katz, O., Osmanovic, A., Petri, S., Weiler, M., Ziegler, A., Kuttler, J., Koch, J. C., Schneider, I., Wunderlich, G., Schloss, N., Lehmann, H. C., Cordts, I., Deschauer, M., Lingor, P., Kamm, C., Stolte, B., Pietruck, L., ... Kleinschnitz, C. (2020). Nusinersen in adults with 5q spinal muscular atrophy: a non-interventional, multicentre, observational cohort study. *The Lancet. Neurology*, 19(4), 317–325. [https://doi.org/10.1016/S1474-4422\(20\)30037-5](https://doi.org/10.1016/S1474-4422(20)30037-5)
- Humana. (2022). Spinraza (nusinersen) injection Pharmacy Coverage Policy.
<https://dctm.humana.com/Mentor/Web/v.aspx?objectID=09000929850fb517>
- Jochmann, E., Steinbach, R., Jochmann, T., Chung, H. Y., Rödiger, A., Neumann, R., Mayer, T. E., Kirchhof, K., Loudovici-Krug, D., Smolenski, U. C., Witte, O. W., & Grosskreutz, J. (2020). Experiences from treating seven adult 5q spinal muscular atrophy patients with Nusinersen. *Therapeutic advances in neurological disorders*, 13, 1756286420907803. <https://doi.org/10.1177/1756286420907803>
- Kessler, T., Latzer, P., Schmid, D., Warnken, U., Saffari, A., Ziegler, A., Kollmer, J., Möhlenbruch, M., Ulfert, C., Herweh, C., Wildemann, B., Wick, W., & Weiler, M. (2020). Cerebrospinal fluid proteomic profiling in nusinersen-treated patients with spinal muscular atrophy. *Journal of neurochemistry*, 153(5), 650–661.
<https://doi.org/10.1111/jnc.14953>
- Maggi, L., Bello, L., Bonanno, S., Govoni, A., Caponnetto, C., Passamano, L., Grandis, M., Trojsi, F., Cerri, F., Ferraro, M., Bozzoni, V., Caumo, L., Piras, R., Tanel, R., Saccani, E., Meneri, M., Vacchiano, V., Ricci, G., Soraru', G., D'Errico, E., ... Pegoraro,

- E. (2020). Nusinersen safety and effects on motor function in adult spinal muscular atrophy type 2 and 3. *Journal of neurology, neurosurgery, and psychiatry*, 91(11), 1166–1174. <https://doi.org/10.1136/jnnp-2020-323822>
- Mendonça, R. H., Polido, G. J., Matsui, C., Silva, A. M. S., Solla, D. J. F., Reed, U. C., & Zanoteli, E. (2021). Real-World Data from Nusinersen Treatment for Patients with Later-Onset Spinal Muscular Atrophy: A Single Center Experience. *Journal of neuromuscular diseases*, 8(1), 101–108. <https://doi.org/10.3233/JND-200551>
 - Osmanovic, A., Ranxha, G., Kumpe, M., Müschen, L., Binz, C., Wiegler, F., Paracka, L., Körner, S., Kollewe, K., Petri, S., & Schreiber-Katz, O. (2020). Treatment expectations and patient-reported outcomes of nusinersen therapy in adult spinal muscular atrophy. *Journal of neurology*, 267(8), 2398–2407. <https://doi.org/10.1007/s00415-020-09847-8>
 - Pera, M. C., Coratti, G., Bovis, F., Pane, M., Pasternak, A., Montes, J., Sansone, V. A., Dunaway Young, S., Duong, T., Messina, S., Mizzoni, I., D'Amico, A., Civitello, M., Glanzman, A. M., Bruno, C., Salmin, F., Morando, S., De Sanctis, R., Sframeli, M., Antonaci, L., ... iSMAC group (2021). Nusinersen in pediatric and adult patients with type III spinal muscular atrophy. *Annals of clinical and translational neurology*, 8(8), 1622–1634. <https://doi.org/10.1002/acn3.51411>
 - United Healthcare. (2022). Spinraza (Nusinersen) Medical Benefit Drug Policy. <https://www.uhcprovider.com/content/dam/provider/docs/public/policies/comm-medical-drug/spinraza-nusinersen.pdf>
 - Wadman, R. I., Wijngaarde, C. A., Stam, M., Bartels, B., Otto, L. A. M., Lemmink, H. H., Schoenmakers, M. A. G. C., Cuppen, I., van den Berg, L. H., & van der Pol, W. L. (2018). Muscle strength and motor function throughout life in a cross-sectional cohort of 180 patients with spinal muscular atrophy types 1c-4. *European journal of neurology*, 25(3), 512–518. <https://doi.org/10.1111/ene.13534>
 - Walter, M. C., Wenninger, S., Thiele, S., Stauber, J., Hiebeler, M., Greckl, E., Stahl, K., Pechmann, A., Lochmüller, H., Kirschner, J., & Schoser, B. (2019). Safety and Treatment Effects of Nusinersen in Longstanding Adult 5q-SMA Type 3 - A Prospective Observational Study. *Journal of neuromuscular diseases*, 6(4), 453–465. <https://doi.org/10.3233/JND-190416>
 - Wijngaarde, C. A., Stam, M., Otto, L. A. M., Bartels, B., Asselman, F. L., van Eijk, R. P. A., van den Berg, L. H., Goedee, H. S., Wadman, R. I., & van der Pol, W. L. (2020). Muscle strength and motor function in adolescents and adults with spinal muscular atrophy. *Neurology*, 95(14), e1988–e1998. <https://doi.org/10.1212/WNL.0000000000010540>
 - Yeo, C. J. J., Simeone, S. D., Townsend, E. L., Zhang, R. Z., & Swoboda, K. J. (2020). Prospective Cohort Study of Nusinersen Treatment in Adults with Spinal Muscular Atrophy. *Journal of neuromuscular diseases*, 7(3), 257–268. <https://doi.org/10.3233/JND-190453>

Respiratory Management

- Bach, J. R., Mahajan, K., Lipa, B., Saporito, L., Goncalves, M., & Komaroff, E. (2008). Lung insufflation capacity in neuromuscular disease. *American journal of physical medicine & rehabilitation*, 87(9), 720–725.
<https://doi.org/10.1097/PHM.0b013e31817fb26f>
- Kang, S. W., & Bach, J. R. (2000). Maximum insufflation capacity. *Chest*, 118(1), 61–65. <https://doi.org/10.1378/chest.118.1.61>
- Katz, S. L., Barrowman, N., Monsour, A., Su, S., Hoey, L., & McKim, D. (2016). Long-Term Effects of Lung Volume Recruitment on Maximal Inspiratory Capacity and Vital Capacity in Duchenne Muscular Dystrophy. *Annals of the American Thoracic Society*, 13(2), 217–222. <https://doi.org/10.1513/AnnalsATS.201507-475BC>
- McCool F. D. (2006). Global physiology and pathophysiology of cough: ACCP evidence-based clinical practice guidelines. *Chest*, 129(1 Suppl), 48S–53S.
https://doi.org/10.1378/chest.129.1_suppl.48S
- Sinha, R., & Bergofsky, E. H. (1972). Prolonged alteration of lung mechanics in kyphoscoliosis by positive pressure hyperinflation. *The American review of respiratory disease*, 106(1), 47–57. <https://doi.org/10.1164/arrd.1972.106.1.47>
- Takaso, M., Nakazawa, T., Imura, T., Okada, T., Fukushima, K., Ueno, M., Takahira, N., Takahashi, K., Yamazaki, M., Ohtori, S., Okamoto, H., Okutomi, T., Okamoto, M., Masaki, T., Uchinuma, E., & Sakagami, H. (2010). Surgical management of severe scoliosis with high risk pulmonary dysfunction in Duchenne muscular dystrophy: patient function, quality of life and satisfaction. *International orthopaedics*, 34(5), 695–702.
<https://doi.org/10.1007/s00264-010-0957-0>
- Toussaint, M., Boitano, L. J., Gathot, V., Steens, M., & Soudon, P. (2009). Limits of effective cough-augmentation techniques in patients with neuromuscular disease. *Respiratory care*, 54(3), 359–366.

Nutritional Considerations

- Bruce, A. K., Jacobsen, E., Dossing, H., & Kondrup, J. (1995). Hypoglycaemia in spinal muscular atrophy. *Lancet (London, England)*, 346(8975), 609–610.
[https://doi.org/10.1016/s0140-6736\(95\)91439-0](https://doi.org/10.1016/s0140-6736(95)91439-0)
- Crawford, T. O., Sladky, J. T., Hurko, O., Besner-Johnston, A., & Kelley, R. I. (1999). Abnormal fatty acid metabolism in childhood spinal muscular atrophy. *Annals of neurology*, 45(3), 337–343. [https://doi.org/10.1002/1531-8249\(199903\)45:3<337::aid-ana9>3.0.co;2-u](https://doi.org/10.1002/1531-8249(199903)45:3<337::aid-ana9>3.0.co;2-u)
- Davis, R. H., Miller, E. A., Zhang, R. Z., & Swoboda, K. J. (2015). Responses to Fasting and Glucose Loading in a Cohort of Well Children with Spinal Muscular Atrophy Type

II. *The Journal of pediatrics*, 167(6), 1362–8.e1.

<https://doi.org/10.1016/j.jpeds.2015.09.023>

- Deguise, M. O., Baranello, G., Mastella, C., Beauvais, A., Michaud, J., Leone, A., De Amicis, R., Battezzati, A., Dunham, C., Selby, K., Warman Chardon, J., McMillan, H. J., Huang, Y. T., Courtney, N. L., Mole, A. J., Kubinski, S., Claus, P., Murray, L. M., Bowerman, M., Gillingwater, T. H., ... Kothary, R. (2019). Abnormal fatty acid metabolism is a core component of spinal muscular atrophy. *Annals of clinical and translational neurology*, 6(8), 1519–1532. <https://doi.org/10.1002/acn3.50855>
- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., ... SMA Care Group (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for diagnosis, rehabilitation, orthopedic and nutritional care. *Neuromuscular disorders : NMD*, 28(2), 103–115. <https://doi.org/10.1016/j.nmd.2017.11.005>
- Ørnsgreen, M. C., Zacho, M., Hebert, A., Laub, M., & Vissing, J. (2003). Patients with severe muscle wasting are prone to develop hypoglycemia during fasting. *Neurology*, 61(7), 997–1000. <https://doi.org/10.1212/01.wnl.0000086813.59722.72>

Women's Health and Reproductive Considerations

- Awate, C., Zerres, K., & Rudnik-Schöneborn, S. (2012). Pregnancy course and outcome in women with hereditary neuromuscular disorders: comparison of obstetric risks in 178 patients. *European journal of obstetrics, gynecology, and reproductive biology*, 162(2), 153–159. <https://doi.org/10.1016/j.ejogrb.2012.02.020>
- Elsharkawy H. (2017). Quadratus Lumborum Blocks. *Advances in anesthesia*, 35(1), 145–157. <https://doi.org/10.1016/j.aan.2017.07.007>
- Hentzen, C., Musco, S., Amarenco, G., Del Popolo, G., & Panicker, J. N. (2022). Approach and management to patients with neurological disorders reporting sexual dysfunction. *Lancet: Neurology*, 21(6), 551-562. [https://doi.org/10.1016/S1474-4422\(22\)00036-9](https://doi.org/10.1016/S1474-4422(22)00036-9)
- Kaufmann, P., McDermott, M. P., Darras, B. T., Finkel, R., Kang, P., Oskoui, M., Constantinescu, A., Sproule, D. M., Foley, A. R., Yang, M., Tawil, R., Chung, W., Martens, B., Montes, J., O'Hagen, J., Dunaway, S., Flickinger, J. M., Quigley, J., Riley, S., Glanzman, A. M., ... Pediatric Neuromuscular Clinical Research Network for Spinal Muscular Atrophy (2011). Observational study of spinal muscular atrophy type 2 and 3: functional outcomes over 1 year. *Archives of neurology*, 68(6), 779–786. <https://doi.org/10.1001/archneurol.2010.373>

- Khosla, S., & Monroe, D. G. (2018). Regulation of Bone Metabolism by Sex Steroids. *Cold Spring Harbor perspectives in medicine*, 8(1), a031211. <https://doi.org/10.1101/cshperspect.a031211>
- Mercuri, E., Finkel, R., Montes, J., Mazzone, E. S., Sormani, M. P., Main, M., Ramsey, D., Mayhew, A., Glanzman, A. M., Dunaway, S., Salazar, R., Pasternak, A., Quigley, J., Pane, M., Pera, M. C., Scoto, M., Messina, S., Sframeli, M., Vita, G. L., D'Amico, A., ... De Vivo, D. C. (2016). Patterns of disease progression in type 2 and 3 SMA: Implications for clinical trials. *Neuromuscular disorders : NMD*, 26(2), 126–131. <https://doi.org/10.1016/j.nmd.2015.10.006>
- Mernone, L., Fiacco, S., & Ehlert, U. (2019). Psychobiological Factors of Sexual Functioning in Aging Women - Findings From the Women 40+ Healthy Aging Study. *Frontiers in psychology*, 10, 546. <https://doi.org/10.3389/fpsyg.2019.00546>
- Office of the Surgeon General (US). (2004). *Bone Health and Osteoporosis: A Report of the Surgeon General*. Office of the Surgeon General (US).
- Singh, N. N., Hoffman, S., Reddi, P. P., & Singh, R. N. (2021). Spinal muscular atrophy: Broad disease spectrum and sex-specific phenotypes. *Biochimica et biophysica acta. Molecular basis of disease*, 1867(4), 166063. <https://doi.org/10.1016/j.bbadi.2020.166063>
- Theintz, G., Buchs, B., Rizzoli, R., Slosman, D., Clavien, H., Sizonenko, P. C., & Bonjour, J. P. (1992). Longitudinal monitoring of bone mass accumulation in healthy adolescents: evidence for a marked reduction after 16 years of age at the levels of lumbar spine and femoral neck in female subjects. *The Journal of clinical endocrinology and metabolism*, 75(4), 1060–1065. <https://doi.org/10.1210/jcem.75.4.1400871>
- Wasserman, H. M., Hornung, L. N., Stenger, P. J., Rutter, M. M., Wong, B. L., Rybalsky, I., Khoury, J. C., & Kalkwarf, H. J. (2017). Low bone mineral density and fractures are highly prevalent in pediatric patients with spinal muscular atrophy regardless of disease severity. *Neuromuscular disorders : NMD*, 27(4), 331–337. <https://doi.org/10.1016/j.nmd.2017.01.019>

Managing Mental Health and Well-Being

- Gould, R. L., Thompson, B. J., Rawlinson, C., Kumar, P., White, D., Serfaty, M. A., Graham, C. D., McCracken, L. M., Bursnall, M., Bradburn, M., Young, T., Howard, R. J., Al-Chalabi, A., Goldstein, L. H., Lawrence, V., Cooper, C., Shaw, P. J., & McDermott, C. J. (2022). A randomised controlled trial of acceptance and commitment therapy plus usual care compared to usual care alone for improving psychological health in people with motor neuron disease (COMMEND): study protocol. *BMC neurology*, 22(1), 431. <https://doi.org/10.1186/s12883-022-02950-5>

- Graham, C. D., Gouick, J., Ferreira, N., & Gillanders, D. (2016). The influence of psychological flexibility on life satisfaction and mood in muscle disorders. *Rehabilitation psychology*, 61(2), 210–217. <https://doi.org/10.1037/rep0000092>
- Hofmann, S. G., Asnaani, A., Vonk, I. J., Sawyer, A. T., & Fang, A. (2012). The Efficacy of Cognitive Behavioral Therapy: A Review of Meta-analyses. *Cognitive therapy and research*, 36(5), 427–440. <https://doi.org/10.1007/s10608-012-9476-1>
- Huber, M. A. S. (2014). Towards a new, dynamic concept of health : Its operationalisation and use in public health and healthcare and in evaluating health effects of food. *Doctoral Thesis at Maastricht University*.
<https://doi.org/10.26481/dis.20141217mh>
- Insel, T. R., & Fenton, W. S. (2005). Psychiatric epidemiology: it's not just about counting anymore. *Archives of general psychiatry*, 62(6), 590–592.
<https://doi.org/10.1001/archpsyc.62.6.590>
- Kalkman, J. S., Schillings, M. L., Zwarts, M. J., van Engelen, B. G., & Bleijenberg, G. (2007). Psychiatric disorders appear equally in patients with myotonic dystrophy, facioscapulohumeral dystrophy, and hereditary motor and sensory neuropathy type I. *Acta neurologica Scandinavica*, 115(4), 265–270. <https://doi.org/10.1111/j.1600-0404.2006.00737.x>
- Kessler, R. C., Berglund, P., Demler, O., Jin, R., Merikangas, K. R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of general psychiatry*, 62(6), 593–602. <https://doi.org/10.1001/archpsyc.62.6.593>
- Mongiovi, P., Dilek, N., Garland, C., Hunter, M., Kissel, J. T., Luebbe, E., McDermott, M. P., Johnson, N., & Heatwole, C. (2018). Patient Reported Impact of Symptoms in Spinal Muscular Atrophy (PRISM-SMA). *Neurology*, 91(13), e1206–e1214.
<https://doi.org/10.1212/WNL.0000000000006241>
- Rose, M., Graham, C. D., O'Connell, N., Vari, C., Edwards, V., Taylor, E., McCracken, L. M., Radunovic, A., Rakowicz, W., Norton, S., & Chalder, T. (2022). A randomised controlled trial of acceptance and commitment therapy for improving quality of life in people with muscle diseases. *Psychological medicine*, 1–14. Advance online publication.
<https://doi.org/10.1017/S0033291722000083>
- SMA, C. (2018). The Voice of the Patient: SMA.
- Voet, N., Bleijenberg, G., Hendriks, J., de Groot, I., Padberg, G., van Engelen, B., & Geurts, A. (2014). Both aerobic exercise and cognitive-behavioral therapy reduce chronic fatigue in FSHD: an RCT. *Neurology*, 83(21), 1914–1922.
<https://doi.org/10.1212/WNL.0000000000001008>
- Voet, N. B. M., & Sasse, N. (2020). Cognitive Behavioral Therapy in FSHD. *Neuro Rehabil*, 26(1), 23-31. https://www.hippocampus.de/media/316/cms_5e4cf326e6af9.pdf
- Wan, H. W. Y., Carey, K. A., D'Silva, A., Kasparian, N. A., & Farrar, M. A. (2019). "Getting ready for the adult world": how adults with spinal muscular atrophy perceive

- and experience healthcare, transition and well-being. *Orphanet journal of rare diseases*, 14(1), 74. <https://doi.org/10.1186/s13023-019-1052-2>
- Westrup, D. (2014). *Advanced Acceptance and Commitment Therapy: The Experiences Practitioner's Guide to Optimizing Delivery*. New Harbinger Publications, Inc., Oakland, CA.

Future Oriented Practices: Mechanisms of Data Management and Data Utilization Strategies

- U.S. Census Bureau QuickFacts: United States.
<https://www.census.gov/quickfacts/fact/table/US/PST045221>

Caregiver Experience: Fatigue, Self-care for the Caregiver, Compassion Fatigueon Fatigue

- Aranda-Reneo, I., Peña-Longobardo, L. M., Oliva-Moreno, J., Litzkendorf, S., Durand-Zaleski, I., Tizzano, E. F., & López-Bastida, J. (2020). The Burden of Spinal Muscular Atrophy on Informal Caregivers. *International journal of environmental research and public health*, 17(23), 8989. <https://doi.org/10.3390/ijerph17238989>
- Brandt, M., Johannsen, L., Inhestern, L., & Bergelt, C. (2022). Parents as informal caregivers of children and adolescents with spinal muscular atrophy: a systematic review of quantitative and qualitative data on the psychosocial situation, caregiver burden, and family needs. *Orphanet journal of rare diseases*, 17(1), 274.
<https://doi.org/10.1186/s13023-022-02407-5>
- Cure SMA Advocacy Team. Caregiving Needs of the SMA Community; In Their Words. *Cure SMA*. <https://www.curesma.org/wp-content/uploads/2021/10/IN-THEIR-OWN-WORDS-Caregiving-Needs-of-the-SMA-Community.pdf>
- Messina, S., Frongia, A. L., Antonaci, L., Pera, M. C., Coratti, G., Pane, M., Pasternak, A., Civitello, M., Montes, J., Mayhew, A., Finkel, R., Muntoni, F., Mercuri, E., & ISMAC group (2019). A critical review of patient and parent caregiver oriented tools to assess health-related quality of life, activity of daily living and caregiver burden in spinal muscular atrophy. *Neuromuscular disorders : NMD*, 29(12), 940–950.
<https://doi.org/10.1016/j.nmd.2019.10.001>
- Zajac, M. (2021). My Partner Has SMA. *Spinalmuscularatrophy.net*.
<https://spinalmuscularatrophy.net/spouse-care>
- Zajac, M. (2021). My Sibling Has SMA. *Spinalmuscularatrophy.net*.
<https://spinalmuscularatrophy.net/sibling-care>

Developmental Transition to Adulthood

- Got Transition. (2014-2023). <https://www.gottransition.org/>

- Trout, C. J., Case, L. E., Clemens, P. R., McArthur, A., Noritz, G., Ritzo, M., Wagner, K. R., Vroom, E., & Kennedy, A. (2018). A Transition Toolkit for Duchenne Muscular Dystrophy. *Pediatrics*, 142(Suppl 2), S110–S117. <https://doi.org/10.1542/peds.2018-0333M>