

**Stanford University 3rd Annual SMA CME Conference:
Clinical Decision-Making in the Midst of an Unfolding Phenotype (Recorded Sessions)**

Bibliography

SMA Treatment Updates:

- AveXis presents AVXS-101 IT data demonstrating remarkable increases in HFMSE scores and a consistent clinically meaningful response in older patients with SMA Type 2. NOVARTIS. (2020, March 24). <https://www.novartis.com/news/media-releases/avexis-presents-avxs-101-it-data-demonstrating-remarkable-increases-hfmse-scores-and-consistent-clinically-meaningful-response-older-patients-sma-type-2>
- Biogen. (2014, August 19 - 2016, November 21). A Study to Assess the Efficacy and Safety of Nusinersen (ISIS 396443) in Infants With Spinal Muscular Atrophy (ENDEAR). Identifier NCT02193074. <https://clinicaltrials.gov/ct2/show/NCT02193074>
- Biogen. (2014, November 24 - 2017, February 20). A Study to Assess the Efficacy and Safety of Nusinersen (ISIS 396443) in Participants With Later-onset Spinal Muscular Atrophy (SMA) (CHERISH). Identifier NCT02292537. <https://clinicaltrials.gov/ct2/show/NCT02292537>
- Biogen. (2020, March 26 -). Study of Nusinersen (BIIB058) in Participants With Spinal Muscular Atrophy (DEVOTE). Identifier NCT04089566. <https://clinicaltrials.gov/ct2/show/NCT04089566>
- Biogen. (2021, January 7 -). A Study of Nusinersen Among Participants With Spinal Muscular Atrophy Who Received Onasemnogene Apeparvovec (RESPOND). Identifier NCT04488133. <https://clinicaltrials.gov/ct2/show/NCT04488133>
- Food and Drug Administration. (2020). EVRYSDI™(risdiplam)[package insert]. South San Francisco: Genentech Inc.
- Glanzman, A. M., Mazzone, E., Main, M., Pelliccioni, M., Wood, J., Swoboda, K. J., Scott, C., Pane, M., Messina, S., Bertini, E., Mercuri, E., & Finkel, R. S. (2010). The Children’s Hospital of Philadelphia Infant Test of Neuromuscular Disorders (CHOP INTEND): Test development and reliability. In *Neuromuscular Disorders* (Vol. 20, Issue 3, pp. 155–161). Elsevier BV. <https://doi.org/10.1016/j.nmd.2009.11.014>
- Hua, Y., Vickers, T. A., Okunola, H. L., Bennett, C. F., & Krainer, A. R. (2008). Antisense masking of an hnRNP A1/A2 intronic splicing silencer corrects SMN2 splicing in transgenic mice. *American journal of human genetics*, 82(4), 834–848. <https://doi.org/10.1016/j.ajhg.2008.01.014>
- Kaufmann, P., McDermott, M. P., Darras, B. T., Finkel, R. S., Sproule, D. M., Kang, P. B., Oskoui, M., Constantinescu, A., Gooch, C. L., Foley, A. R., Yang, M. L., Tawil, R., Chung, W. K., Martens, W. B., Montes, J., Battista, V., O'Hagen, J., Dunaway, S., Flickinger, J., Quigley, J., ... Pediatric Neuromuscular Clinical Research Network for Spinal Muscular Atrophy (PNCr) (2012). Prospective cohort study of spinal muscular atrophy types 2 and 3. *Neurology*, 79(18), 1889–1897. <https://doi.org/10.1212/WNL.0b013e318271f7e4>
- Kletzl (2018, October). [Poster Abstract]. 23rd International Annual Congress of the World Muscle Society, Mendoza, Argentina.
- Lin, C.-W., Kalb, S. J., & Yeh, W.-S. (2015). Delay in Diagnosis of Spinal Muscular Atrophy: A Systematic Literature Review. In *Pediatric Neurology* (Vol. 53, Issue 4, pp. 293–300). Elsevier BV. <https://doi.org/10.1016/j.pediatrneurol.2015.06.002>
- Mailman, M. D., Heinz, J. W., Papp, A. C., Snyder, P. J., Sedra, M. S., Wirth, B., Burghes, A. H., & Prior, T. W. (2002). Molecular analysis of spinal muscular atrophy and modification of the

phenotype by SMN2. *Genetics in medicine : official journal of the American College of Medical Genetics*, 4(1), 20–26. <https://doi.org/10.1097/00125817-200201000-00004>

- Masson R (2020, February 5-7). [Poster Abstract]. 2nd International Scientific & Clinical Congress on Spinal Muscular Atrophy, Paris, France.
- Mendell (2016). 2nd International Scientific & Clinical Congress on Spinal Muscular Atrophy.
- Mendell, Jerry R. (2014, May 5 - 2017, December 15). Gene Transfer Clinical Trial for Spinal Muscular Atrophy Type 1. Identifier NCT02122952. <https://clinicaltrials.gov/ct2/show/NCT02122952>
- Mercuri, E., Darras, B. T., Chiriboga, C. A., Day, J. W., Campbell, C., Connolly, A. M., Iannaccone, S. T., Kirschner, J., Kuntz, N. L., Saito, K., Shieh, P. B., Tulinius, M., Mazzone, E. S., Montes, J., Bishop, K. M., Yang, Q., Foster, R., Gheuens, S., Bennett, C. F., Farwell, W., ... CHERISH Study Group (2018). Nusinersen versus Sham Control in Later-Onset Spinal Muscular Atrophy. *The New England journal of medicine*, 378(7), 625–635. <https://doi.org/10.1056/NEJMoa1710504>
- Naryshkin, N. A., Weetall, M., Dakka, A., Narasimhan, J., Zhao, X., Feng, Z., Ling, K. K., Karp, G. M., Qi, H., Woll, M. G., Chen, G., Zhang, N., Gabbeta, V., Vazirani, P., Bhattacharyya, A., Furia, B., Risher, N., Sheedy, J., Kong, R., Ma, J., ... Metzger, F. (2014). Motor neuron disease. SMN2 splicing modifiers improve motor function and longevity in mice with spinal muscular atrophy. *Science (New York, N.Y.)*, 345(6197), 688–693. <https://doi.org/10.1126/science.1250127>
- National Library of Medicine (U.S.). (2016, January 7 - 2016, August 4). A Single-Center, Randomized, Investigator/Subject-Blind, Adaptive Single-Ascending-Dose(SAD), Placebo-Controlled, Parallel Study to Investigate the Safety, Tolerability, Pharmacokinetics (Including the Effect of Food and the Effect of Itraconazole on the Pharmacokinetics of a Single Oral Dose of RO7034067), and Pharmacodynamics of RO7034067 Following Oral Administration in Healthy Subjects. Identifier NCT02633709. <https://clinicaltrials.gov/ct2/show/NCT02633709>
- Novartis Pharmaceuticals. (2021, September 8 -). Safety and Efficacy of Intravenous OAV101 (AVXS-101) in Pediatric Patients With Spinal Muscular Atrophy (SMA) (SMART). Identifier NCT04851873. <https://clinicaltrials.gov/ct2/show/NCT04851873>
- Proud, Crystal. (2022, February 2 -). Efficacy and Safety of Intrathecal OAV101 (AVXS-101) in Pediatric Patients With Type 2 Spinal Muscular Atrophy (SMA) (STEER). Identifier NCT05089656. <https://clinicaltrials.gov/ct2/show/NCT05089656>
- Rigo, F., Hua, Y., Krainer, A. R., & Bennett, C. F. (2012). Antisense-based therapy for the treatment of spinal muscular atrophy. *The Journal of cell biology*, 199(1), 21–25. <https://doi.org/10.1083/jcb.201207087>
- Roche, Hoffmann-La. (2014, November - 2015, July). A Study of RO6885247 in Adult and Pediatric Patients With Spinal Muscular Atrophy (MOONFISH). Identifier NCT02240355. <https://clinicaltrials.gov/ct2/show/NCT02240355>
- Roche, Hoffmann-La. (2016, December 23 - 2019, November 14). Investigate Safety, Tolerability, PK, PD and Efficacy of Risdiplam (RO7034067) in Infants With Type1 Spinal Muscular Atrophy (FIREFISH). Identifier NCT02913482. <https://clinicaltrials.gov/ct2/show/NCT02913482>
- Roche, Hoffmann-La. (2016, October 20 - 2019, September 9). A Study to Investigate the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics and Efficacy of Risdiplam (RO7034067) in Type 2 and 3 Spinal Muscular Atrophy (SMA) Participants (SUNFISH). Identifier NCT02908685. <https://clinicaltrials.gov/ct2/show/NCT02908685>
- Roche, Hoffmann-La. (2017, March 3 -). A Study of Risdiplam (RO7034067) in Adult and Pediatric Participants With Spinal Muscular Atrophy (Jewelfish). Identifier NCT03032172. <https://clinicaltrials.gov/ct2/show/NCT03032172>

- Rudnicki, S. A., Andrews, J. A., Duong, T., Cockroft, B. M., Malik, F. I., Meng, L., Wei, J., Wolff, A. A., Genge, A., Johnson, N. E., Tesi-Rocha, C., Connolly, A. M., Darras, B. T., Felice, K., Finkel, R. S., Shieh, P. B., Mah, J. K., Statland, J., Campbell, C., ... Day, J. W. (2021). Correction to: Reldesemtiv in Patients with Spinal Muscular Atrophy: a Phase 2 Hypothesis-Generating Study. In *Neurotherapeutics* (Vol. 18, Issue 3, pp. 2130–2130). Springer Science and Business Media LLC. <https://doi.org/10.1007/s13311-021-01120-8>
- Scholar rock to present Apitegromab topaz phase 2 pharmacologic data at the 2021 world congress of neurology. Businesswire. (2021, October 3). <https://www.businesswire.com/news/home/20211003005033/en/>
- Simone, C., Ramirez, A., Bucchia, M., Rinchetti, P., Rideout, H., Papadimitriou, D., Re, D. B., & Corti, S. (2016). Is spinal muscular atrophy a disease of the motor neurons only: pathogenesis and therapeutic implications?. *Cellular and molecular life sciences : CMLS*, 73(5), 1003–1020. <https://doi.org/10.1007/s00018-015-2106-9>
- Sumner, C. J., & Crawford, T. O. (2018). Two breakthrough gene-targeted treatments for spinal muscular atrophy: challenges remain. *The Journal of clinical investigation*, 128(8), 3219–3227. <https://doi.org/10.1172/JCI121658>
- Swoboda, K. J., Prior, T. W., Scott, C. B., McNaught, T. P., Wride, M. C., Reyna, S. P., & Bromberg, M. B. (2005). Natural history of denervation in SMA: relation to age, SMN2 copy number, and function. *Annals of neurology*, 57(5), 704–712. <https://doi.org/10.1002/ana.20473>
- The path to novel medicines. Scholar Rock. (2021, December 16). <https://scholarrock.com/our-pipeline/clinical-trials/>
- Tisdale, S., & Pellizzoni, L. (2015). Disease mechanisms and therapeutic approaches in spinal muscular atrophy. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 35(23), 8691–8700. <https://doi.org/10.1523/JNEUROSCI.0417-15.2015>
- Tiziano, F. D., Lomastro, R., Di Pietro, L., Barbara Pasanisi, M., Fiori, S., Angelozzi, C., Abiusi, E., Angelini, C., Sorarù, G., Gaiani, A., Mongini, T., Vercelli, L., Vasco, G., Vita, G., Luca Vita, G., Messina, S., Politano, L., Passamano, L., Di Gregorio, G., Montomoli, C., ... Morandi, L. (2013). Clinical and molecular cross-sectional study of a cohort of adult type III spinal muscular atrophy patients: clues from a biomarker study. *European journal of human genetics : EJHG*, 21(6), 630–636. <https://doi.org/10.1038/ejhg.2012.233>
- Wirth, B., Brichta, L., Schrank, B., Lochmüller, H., Blick, S., Baasner, A., & Heller, R. (2006). Mildly affected patients with spinal muscular atrophy are partially protected by an increased SMN2 copy number. *Human genetics*, 119(4), 422–428. <https://doi.org/10.1007/s00439-006-0156-7>
- “Biogen and Ionis Pharmaceuticals Report Nusinersen Meets Primary Endpoint at Interim Analysis of Phase 3 Ender Study in Infantile-Onset Spinal Muscular Atrophy.” Biogen, 1 Aug. 2016, <http://media.biogen.com/news-releases/news-release-details/biogen-and-ionis-pharmaceuticals-report-nusinersen-meets-primary>

Weighing Treatment Options:

- Finkel, R. S., Mercuri, E., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., ... SMA Care group (2018). Diagnosis and management of spinal muscular atrophy: Part 2: Pulmonary and acute care; medications, supplements and immunizations; other organ systems; and ethics. *Neuromuscular disorders : NMD*, 28(3), 197–207. <https://doi.org/10.1016/j.nmd.2017.11.004>

- Glascock, J., Sampson, J., Haidet-Phillips, A., Connolly, A., Darras, B., Day, J., Finkel, R., Howell, R. R., Klinger, K., Kuntz, N., Prior, T., Shieh, P. B., Crawford, T. O., Kerr, D., & Jarecki, J. (2018). Treatment Algorithm for Infants Diagnosed with Spinal Muscular Atrophy through Newborn Screening. *Journal of neuromuscular diseases*, 5(2), 145–158. <https://doi.org/10.3233/JND-180304>
- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., ... SMA Care Group (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for diagnosis, rehabilitation, orthopedic and nutritional care. *Neuromuscular disorders : NMD*, 28(2), 103–115. <https://doi.org/10.1016/j.nmd.2017.11.005>

Long Term Outcomes & Managing Treatment Expectations:

- Darras, B. T., Chiriboga, C. A., Iannaccone, S. T., Swoboda, K. J., Montes, J., Mignon, L., Xia, S., Bennett, C. F., Bishop, K. M., Shefner, J. M., Green, A. M., Sun, P., Bhan, I., Gheuens, S., Schneider, E., Farwell, W., & De Vivo, D. C. (2019). Nusinersen in later-onset spinal muscular atrophy. In *Neurology* (Vol. 92, Issue 21, pp. e2492–e2506). Ovid Technologies (Wolters Kluwer Health). <https://doi.org/10.1212/wnl.0000000000007527>
- Glascock, J., Sampson, J., Connolly, A. M., Darras, B. T., Day, J. W., Finkel, R., Howell, R. R., Klinger, K. W., Kuntz, N., Prior, T., Shieh, P. B., Crawford, T. O., Kerr, D., & Jarecki, J. (2020). Revised Recommendations for the Treatment of Infants Diagnosed with Spinal Muscular Atrophy Via Newborn Screening Who Have 4 Copies of SMN2. In *Journal of Neuromuscular Diseases* (Vol. 7, Issue 2, pp. 97–100). IOS Press. <https://doi.org/10.3233/jnd-190468>
- Glascock, J., Sampson, J., Haidet-Phillips, A., Connolly, A., Darras, B., Day, J., Finkel, R., Howell, R. R., Klinger, K., Kuntz, N., Prior, T., Shieh, P. B., Crawford, T. O., Kerr, D., & Jarecki, J. (2018). Treatment Algorithm for Infants Diagnosed with Spinal Muscular Atrophy through Newborn Screening. In *Journal of Neuromuscular Diseases* (Vol. 5, Issue 2, pp. 145–158). IOS Press. <https://doi.org/10.3233/jnd-180304>
- Kaufmann, P., McDermott, M. P., Darras, B. T., Finkel, R. S., Sproule, D. M., Kang, P. B., Oskoui, M., Constantinescu, A., Gooch, C. L., Foley, A. R., Yang, M. L., Tawil, R., Chung, W. K., Martens, W. B., Montes, J., Battista, V., O'Hagen, J., Dunaway, S., Flickinger, J., Quigley, J., ... Pediatric Neuromuscular Clinical Research Network for Spinal Muscular Atrophy (PNCR) (2012). Prospective cohort study of spinal muscular atrophy types 2 and 3. *Neurology*, 79(18), 1889–1897. <https://doi.org/10.1212/WNL.0b013e318271f7e4>
- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., ... Szlagatys-Sidorkiewicz, A. (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for diagnosis, rehabilitation, orthopedic and nutritional care. In *Neuromuscular Disorders* (Vol. 28, Issue 2, pp. 103–115). Elsevier BV. <https://doi.org/10.1016/j.nmd.2017.11.005>
- Montes, J., McDermott, M. P., Mirek, E., Mazzone, E. S., Main, M., Glanzman, A. M., Duong, T., Young, S. D., Salazar, R., Pasternak, A., Gee, R., De Sanctis, R., Coratti, G., Forcina, N., Fanelli, L., Ramsey, D., Milev, E., Civitello, M., Pane, M., Pera, M. C., ... Mercuri, E. (2018). Ambulatory function in spinal muscular atrophy: Age-related patterns of progression. *PloS one*, 13(6), e0199657. <https://doi.org/10.1371/journal.pone.0199657>

Beyond Motor Assessments: Gaps in Understanding Treatment Impact:

- Bernal, S., Alías, L., Barceló, M. J., Also-Rallo, E., Martínez-Hernández, R., Gámez, J., ... & Tizzano, E. F. (2010). The c. 859G> C variant in the SMN2 gene is associated with types II and III SMA and originates from a common ancestor. *Journal of medical genetics*, 47(9), 640-642.
- Calucho, M., Bernal, S., Alías, L., March, F., Venceslá, A., Rodríguez-Álvarez, F. J., Aller, E., Fernández, R. M., Borrego, S., Millán, J. M., Hernández-Chico, C., Cuscó, I., Fuentes-Prior, P., & Tizzano, E. F. (2018). Correlation between SMA type and SMN2 copy number revisited: An analysis of 625 unrelated Spanish patients and a compilation of 2834 reported cases. *Neuromuscular disorders : NMD*, 28(3), 208–215. <https://doi.org/10.1016/j.nmd.2018.01.003>
- Cuscó, I., Bernal, S., Blasco-Pérez, L., Calucho, M., Alias, L., Fuentes-Prior, P., & Tizzano, E. F. (2020). Practical guidelines to manage discordant situations of SMN2 copy number in patients with spinal muscular atrophy. In *Neurology Genetics* (Vol. 6, Issue 6, p. e530). Ovid Technologies (Wolters Kluwer Health). <https://doi.org/10.1212/nxg.0000000000000530>
- Howell, M. D., Ottesen, E. W., Singh, N. N., Anderson, R. L., Seo, J., Sivanesan, S., ... & Singh, R. N. (2017). TIA1 is a gender-specific disease modifier of a mild mouse model of spinal muscular atrophy. *Scientific reports*, 7(1), 1-18.
- Prior, T. W., Krainer, A. R., Hua, Y., Swoboda, K. J., Snyder, P. C., Bridgeman, S. J., Burghes, A. H., & Kissel, J. T. (2009). A positive modifier of spinal muscular atrophy in the SMN2 gene. *American journal of human genetics*, 85(3), 408–413. <https://doi.org/10.1016/j.ajhg.2009.08.002>
- Ramos, D. M., d'Ydewalle, C., Gabbeta, V., Dakka, A., Klein, S. K., Norris, D. A., Matson, J., Taylor, S. J., Zaworski, P. G., Prior, T. W., Snyder, P. J., Valdivia, D., Hatem, C. L., Waters, I., Gupte, N., Swoboda, K. J., Rigo, F., Bennett, C. F., Naryshkin, N., Paushkin, S., ... Sumner, C. J. (2019). Age-dependent SMN expression in disease-relevant tissue and implications for SMA treatment. *The Journal of clinical investigation*, 129(11), 4817–4831. <https://doi.org/10.1172/JCI124120>
- Ravi, B., Chan-Cortés, M. H., & Sumner, C. J. (2021). Gene-targeting therapeutics for neurological disease: lessons learned from spinal muscular atrophy. *Annual review of medicine*, 72, 1-14.
- Sumner, C. J., & Crawford, T. O. (2018). Two breakthrough gene-targeted treatments for spinal muscular atrophy: challenges remain. *The Journal of clinical investigation*, 128(8), 3219–3227. <https://doi.org/10.1172/JCI121658>
- Wadman, R. I., Stam, M., Jansen, M. D., van der Weegen, Y., Wijngaarde, C. A., Harschnitz, O., Soodaar, P., Braun, K. P., Dooijes, D., Lemmink, H. H., van den Berg, L. H., & van der Pol, W. L. (2016). A Comparative Study of SMN Protein and mRNA in Blood and Fibroblasts in Patients with Spinal Muscular Atrophy and Healthy Controls. *PLoS one*, 11(11), e0167087. <https://doi.org/10.1371/journal.pone.0167087>
- Wirth, B., Garbes, L., & Riessland, M. (2013). How genetic modifiers influence the phenotype of spinal muscular atrophy and suggest future therapeutic approaches. *Current opinion in genetics & development*, 23(3), 330–338. <https://doi.org/10.1016/j.gde.2013.03.003>
- Wu, X., Wang, S.-H., Sun, J., Krainer, A. R., Hua, Y., & Prior, T. W. (2017). A-44G transition in SMN2 intron 6 protects patients with spinal muscular atrophy. In *Human Molecular Genetics* (Vol. 26, Issue 14, pp. 2768–2780). Oxford University Press (OUP). <https://doi.org/10.1093/hmg/ddx166>
- Zaworski, P., von Herrmann, K. M., Taylor, S., Sunshine, S. S., McCarthy, K., Risher, N., Newcomb, T., Weetall, M., Prior, T. W., Swoboda, K. J., Chen, K. S., & Paushkin, S. (2016). SMN Protein Can Be Reliably Measured in Whole Blood with an Electrochemiluminescence (ECL) Immunoassay:

Implications for Clinical Trials. PLoS one, 11(3), e0150640.
<https://doi.org/10.1371/journal.pone.0150640>

Population-Based Testing and Newborn Screening: Impact on Referrals and Care:

- Deng, S., Lee, B. H., & Ciafaloni, E. (2021). Parent Perceptions in Choosing Treatment for Infants With Spinal Muscular Atrophy Diagnosed Through Newborn Screening. In *Journal of Child Neurology* (Vol. 37, Issue 1, pp. 43–49). SAGE Publications.
<https://doi.org/10.1177/08830738211040292>
- Hale, K., Ojodu, J., & Singh, S. (2021). Landscape of Spinal Muscular Atrophy Newborn Screening in the United States: 2018–2021. In *International Journal of Neonatal Screening* (Vol. 7, Issue 3, p. 33). MDPI AG. <https://doi.org/10.3390/ijns7030033>
- Kariyawasam, D., Russell, J. S., Wiley, V., Alexander, I. E., & Farrar, M. A. (2020). The implementation of newborn screening for spinal muscular atrophy: the Australian experience. *Genetics in medicine : official journal of the American College of Medical Genetics*, 22(3), 557–565. <https://doi.org/10.1038/s41436-019-0673-0>
- Kay, D. M., Stevens, C. F., Parker, A., Saavedra-Matiz, C. A., Sack, V., Chung, W. K., Chiriboga, C. A., Engelstad, K., Laureta, E., Farooq, O., Ciafaloni, E., Lee, B. H., Malek, S., Treidler, S., Anziska, Y., Delfiner, L., Sakonju, A., & Caggana, M. (2020). Implementation of population-based newborn screening reveals low incidence of spinal muscular atrophy. In *Genetics in Medicine* (Vol. 22, Issue 8, pp. 1296–1302). Elsevier BV. <https://doi.org/10.1038/s41436-020-0824-3>
- Kucera, K., Taylor, J., Robles, V., Clinard, K., Migliore, B., Boyea, B., Okoniewski, K., Duparc, M., Rehder, C., Shone, S., Fan, Z., Raspa, M., Peay, H., Wheeler, A., Powell, C., Bailey, D., & Gehtland, L. (2021). A Voluntary Statewide Newborn Screening Pilot for Spinal Muscular Atrophy: Results from Early Check. In *International Journal of Neonatal Screening* (Vol. 7, Issue 1, p. 20). MDPI AG. <https://doi.org/10.3390/ijns7010020>
- NOVARTIS. (2021, October 26). SPR1NT: An open-label, single-arm clinical trial of presymptomatic patients with SMA1. ZOLGENSMA® (onasemnogene abeparvovec-xioi). Retrieved March 6, 2022, from <https://www.zolgensma-hcp.com/clinical-experiences/spr1nt-trial-efficacy/>
- Verhaart, I., Robertson, A., Leary, R., McMacken, G., König, K., Kirschner, J., Jones, C. C., Cook, S. F., & Lochmüller, H. (2017). A multi-source approach to determine SMA incidence and research ready population. *Journal of neurology*, 264(7), 1465–1473. <https://doi.org/10.1007/s00415-017-8549-1>
- Vill, K., Schwartz, O., Blaschek, A., Gläser, D., Nennstiel, U., Wirth, B., Burggraf, S., Röschinger, W., Becker, M., Czibere, L., Durner, J., Eggermann, K., Olgemöller, B., Harms, E., Schara, U., Kölbel, H., & Müller-Felber, W. (2021). Newborn screening for spinal muscular atrophy in Germany: clinical results after 2 years. *Orphanet journal of rare diseases*, 16(1), 153. <https://doi.org/10.1186/s13023-021-01783-8>

Goal Centered Approach to Primary & Multi-Disciplinary Care:

- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., ... Szlagatys-Sidorkiewicz, A. (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for

diagnosis, rehabilitation, orthopedic and nutritional care. In *Neuromuscular Disorders* (Vol. 28, Issue 2, pp. 103–115). Elsevier BV. <https://doi.org/10.1016/j.nmd.2017.11.005>

- Sanders, Lee. (2019, April 19 -). GoalKeeper: Intelligent Information Sharing for Children With Medical Complexity (GoalKeeper). Identifier NCT03620071. <https://clinicaltrials.gov/ct2/show/NCT03620071>
- Wang, C. H., Finkel, R. S., Bertini, E. S., Schroth, M., Simonds, A., Wong, B., Aloysius, A., Morrison, L., Main, M., Crawford, T. O., Trela, A., & Participants of the International Conference on SMA Standard of Care (2007). Consensus statement for standard of care in spinal muscular atrophy. *Journal of child neurology*, 22(8), 1027–1049. <https://doi.org/10.1177/0883073807305788>

Transitional Care and Unique Care Considerations for Adults:

- Booth, F. W., Weeden, S. H., & Tseng, B. S. (1994). Effect of aging on human skeletal muscle and motor function. *Medicine and science in sports and exercise*, 26(5), 556–560.
- De Groot, I., & De Witte, L. (2005). Physical complaints in ageing persons with spinal muscular atrophy. In *Journal of Rehabilitation Medicine* (Vol. 37, Issue 4, pp. 258–262). Medical Journals Sweden AB. <https://doi.org/10.1080/16501970510030156>
- Duong, T., Wolford, C., McDermott, M. P., Macpherson, C. E., Pasternak, A., Glanzman, A. M., Martens, W. B., Kichula, E., Darras, B. T., De Vivo, D. C., Zolkipli-Cunningham, Z., Finkel, R. S., Zeineh, M., Wintermark, M., Sampson, J., Hagerman, K. A., Young, S. D., & Day, J. W. (2021). Nusinersen Treatment in Adults With Spinal Muscular Atrophy. In *Neurology: Clinical Practice* (Vol. 11, Issue 3, pp. e317–e327). Ovid Technologies (Wolters Kluwer Health). <https://doi.org/10.1212/cpj.0000000000001033>
- Jensen, M. P., Molton, I. R., Groah, S. L., Campbell, M. L., Charlifue, S., Chiodo, A., Forchheimer, M., Krause, J. S., & Tate, D. (2011). Secondary health conditions in individuals aging with SCI: Terminology, concepts and analytic approaches. In *Spinal Cord* (Vol. 50, Issue 5, pp. 373–378). Springer Science and Business Media LLC. <https://doi.org/10.1038/sc.2011.150>
- Kemp, B., & Mosqueda, L. A. (Eds.). (2004). *Aging with a disability: What the clinician needs to know*. JHU Press.
- Russman, B. S., Iannacone, S. T., Buncher, C. R., Samaha, F. J., White, M., Perkins, B., Zimmerman, L., Smith, C., Burhans, K., & Barker, L. (1992). Spinal muscular atrophy: new thoughts on the pathogenesis and classification schema. *Journal of child neurology*, 7(4), 347–353. <https://doi.org/10.1177/088307389200700403>
- Trucco, F., Ridout, D., Scoto, M., Coratti, G., Main, M. L., Muni Lofra, R., Mayhew, A. G., Montes, J., Pane, M., Sansone, V., Albamonte, E., D’Amico, A., Bertini, E., Messina, S., Bruno, C., Parasuraman, D., Childs, A.-M., Gowda, V., ... Willis, T. (2020). Respiratory Trajectories in Type 2 and 3 Spinal Muscular Atrophy in the iSMAC Cohort Study. In *Neurology* (Vol. 96, Issue 4, pp. e587–e599). Ovid Technologies (Wolters Kluwer Health). <https://doi.org/10.1212/wnl.00000000000011051>
- Wadman, R. I., Wijngaarde, C. A., Stam, M., Bartels, B., Otto, L. A. M., Lemmink, H. H., Schoenmakers, M. A. G. C., Cuppen, I., Berg, L. H., & Pol, W. L. (2018). Muscle strength and motor function throughout life in a cross-sectional cohort of 180 patients with spinal muscular atrophy types 1c–4. In *European Journal of Neurology* (Vol. 25, Issue 3, pp. 512–518). Wiley. <https://doi.org/10.1111/ene.13534>

- Zerres, K., & Rudnik-Schöneborn, S. (1995). Natural history in proximal spinal muscular atrophy. Clinical analysis of 445 patients and suggestions for a modification of existing classifications. *Archives of neurology*, 52(5), 518–523. <https://doi.org/10.1001/archneur.1995.00540290108025>
- Zerres, K., Rudnik-Schöneborn, S., Forrest, E., Lusakowska, A., Borkowska, J., & Hausmanowa-Petrusewicz, I. (1997). A collaborative study on the natural history of childhood and juvenile onset proximal spinal muscular atrophy (type II and III SMA): 569 patients. *Journal of the neurological sciences*, 146(1), 67–72. [https://doi.org/10.1016/s0022-510x\(96\)00284-5](https://doi.org/10.1016/s0022-510x(96)00284-5)

Autonomy to Managing Own Care: Promoting Independence and Caregiving:

- Camp M. M. (2001). The use of service dogs as an adaptive strategy: a qualitative study. *The American journal of occupational therapy : official publication of the American Occupational Therapy Association*, 55(5), 509–517. <https://doi.org/10.5014/ajot.55.5.509>
- Fairman, S. K., & Huebner, R. A. (2001). Service dogs: a compensatory resource to improve function. *Occupational therapy in health care*, 13(2), 41–52. https://doi.org/10.1080/J003v13n02_03
- Fischer, M. J., Asselman, F.-L., Kruitwagen-van Reenen, E. T., Verhoef, M., Wadman, R. I., Visser-Meily, J. M. A., van der Pol, W. L., & Schröder, C. D. (2019). Psychological well-being in adults with spinal muscular atrophy: the contribution of participation and psychological needs. In *Disability and Rehabilitation* (Vol. 42, Issue 16, pp. 2262–2270). Informa UK Limited. <https://doi.org/10.1080/09638288.2018.1555864>
- Onsager, S. (2011). Experiences with a service dog of an adolescent with spinal muscular atrophy. https://soundideas.pugetsound.edu/cgi/viewcontent.cgi?referer=&httpsredir=1&article=1023&context=ms_occ_therapy
- Winkelsas, A. M., Grunseich, C., Harmison, G. G., Chwalenia, K., Rinaldi, C., Hammond, S. M., Johnson, K., Bowerman, M., Arya, S., Talbot, K., Wood, M. J., & Fischbeck, K. H. (2021). Targeting the 5' untranslated region of SMN2 as a therapeutic strategy for spinal muscular atrophy. *Molecular therapy. Nucleic acids*, 23, 731–742. <https://doi.org/10.1016/j.omtn.2020.12.027>

Rehabilitation Evidence Review:

- Abeleira, M. T., Limeres, J., Outumuro, M., Vidal, P. S., Diniz-Freitas, M., Ruíz-Piñón, M., & Diz Dios, P. (2019). Benefits of Maxillary Expansion for a Patient With Spinal Muscular Atrophy Type 2. *American journal of physical medicine & rehabilitation*, 98(4), e32–e34. <https://doi.org/10.1097/PHM.0000000000001022>
- American Academy of Pediatrics Steering Committee on Quality Improvement and Management (2004). Classifying recommendations for clinical practice guidelines. *Pediatrics*, 114(3), 874–877. <https://doi.org/10.1542/peds.2004-1260>
- Bartels, B., Montes, J., van der Pol, W. L., & de Groot, J. F. (2019). Physical exercise training for type 3 spinal muscular atrophy. *The Cochrane database of systematic reviews*, 3(3), CD012120. <https://doi.org/10.1002/14651858.CD012120.pub2>
- Basoglu, B., Karaduman, A., & Aras, O. (2006). The effects of home program on muscle strength and motor function in subjects with spinal muscular atrophy. *FIZYOTERAPI REHABILITASYON*, 17(1), 3.

- Bora, G., Subaşı-Yıldız, Ş., Yeşbek-Kaymaz, A., Bulut, N., Alemdaroğlu, İ., Tunca-Yılmaz, Ö., Topaloğlu, H., Karaduman, A. A., & Erdem-Yurter, H. (2018). Effects of Arm Cycling Exercise in Spinal Muscular Atrophy Type II Patients: A Pilot Study. *Journal of child neurology*, 33(3), 209–215. <https://doi.org/10.1177/0883073817750500>
- Bulut, N., Yardimci, B. N., Ayvat, E., Aran, O. T., Yilmaz, Ö., & Karaduman, A. (2019). The effect of two different aerobic training modalities in a child with spinal muscular atrophy type II: a case report. *Journal of exercise rehabilitation*, 15(2), 322–326. <https://doi.org/10.12965/jer.1836604.302>
- Catteruccia, M., Vuillerot, C., Vaugier, I., Leclair, D., Azzi, V., Viollet, L., Estournet, B., Bertini, E., & Quijano-Roy, S. (2015). Orthopedic Management of Scoliosis by Garches Brace and Spinal Fusion in SMA Type 2 Children. *Journal of neuromuscular diseases*, 2(4), 453–462. <https://doi.org/10.3233/JND-150084>
- Cuisset, J. M., Estournet, B., & French Ministry of Health (2012). Recommendations for the diagnosis and management of typical childhood spinal muscular atrophy. *Revue neurologique*, 168(12), 902–909. <https://doi.org/10.1016/j.neurol.2012.07.020>
- Cunha, M. C., Oliveira, A. S., Labronici, R. H., & Gabbai, A. A. (1996). Spinal muscular atrophy type II (intermediary) and III (Kugelberg-Welander). Evolution of 50 patients with physiotherapy and hydrotherapy in a swimming pool. *Arquivos de neuro-psiquiatria*, 54(3), 402–406. <https://doi.org/10.1590/s0004-282x1996000300007>
- Dahl, A., Skjeldal, O. H., Simensen, A., Dalen, H. E., Bråthen, T., Ahlvin, P., Svendsby, E. K., Sveinall, A., & Fredriksen, P. M. (2004). Behandling i varmt klima for pasienter med nevro-muskulære sykdommer [Treatment of patients with neuromuscular disease in a warm climate]. *Tidsskrift for den Norske lægeforening : tidsskrift for praktisk medicin, ny række*, 124(13-14), 1795–1798.
- Di Pede, C., Salamon, E., Motta, M., Agosto, C., Benini, F., & Ferrari, A. (2019). Spinal bracing and lung function in type-2 spinal muscular atrophy. *European journal of physical and rehabilitation medicine*, 55(4), 505–509. <https://doi.org/10.23736/S1973-9087.18.05046-3>
- Dunaway S, Montes J, Ryan PA, Montgomery M, Sproule DM, De Vivo DC. Dunaway, S., Montes, J., Ryan, P. A., Montgomery, M., Sproule, D. M., & De Vivo, D. C. (2012). Spinal muscular atrophy type III: trying to understand subtle functional change over time--a case report. *Journal of child neurology*, 27(6), 779–785. <https://doi.org/10.1177/0883073811425423>
- Dunaway, S., Montes, J., O'Hagen, J., Sproule, D. M., Vivo, D. C., & Kaufmann, P. (2013). Independent mobility after early introduction of a power wheelchair in spinal muscular atrophy. *Journal of child neurology*, 28(5), 576–582. <https://doi.org/10.1177/0883073812449383>
- Eng, G. D., Binder, H., & Koch, B. (1984). Spinal muscular atrophy: experience in diagnosis and rehabilitation management of 60 patients. *Archives of physical medicine and rehabilitation*, 65(9), 549–553.
- Fehlings, D. L., Kirsch, S., McComas, A., Chipman, M., & Campbell, K. (2002). Evaluation of therapeutic electrical stimulation to improve muscle strength and function in children with types II/III spinal muscular atrophy. *Developmental medicine and child neurology*, 44(11), 741–744. <https://doi.org/10.1017/s0012162201002869>
- Figuers, Carol C. EdD, PT Aquatic Therapy Intervention for a Child Diagnosed With Spinal Muscular Atrophy, *Journal of Aquatic Physical Therapy: Winter 2005 - Volume 13 - Issue 1 - p 6-8*
- Finkel, R. S., Mercuri, E., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., ... SMA Care group (2018). Diagnosis and management of spinal muscular atrophy: Part 2: Pulmonary and acute

care; medications, supplements and immunizations; other organ systems; and ethics.

Neuromuscular disorders : NMD, 28(3), 197–207. <https://doi.org/10.1016/j.nmd.2017.11.004>

- Fujak, A., Kopschina, C., Forst, R., Mueller, L. A., & Forst, J. (2011). Use of orthoses and orthopaedic technical devices in proximal spinal muscular atrophy. Results of survey in 194 SMA patients. *Disability and rehabilitation. Assistive technology*, 6(4), 305–311. <https://doi.org/10.3109/17483107.2010.525292>
- Fujak, A., Raab, W., Schuh, A., Richter, S., Forst, R., & Forst, J. (2013). Natural course of scoliosis in proximal spinal muscular atrophy type II and IIIa: descriptive clinical study with retrospective data collection of 126 patients. *BMC musculoskeletal disorders*, 14, 283. <https://doi.org/10.1186/1471-2474-14-283>
- Gobbo, M., Lazzarini, S., Vacchi, L., Gaffurini, P., Bissolotti, L., Padovani, A., & Filosto, M. (2019). Exercise Combined with Electrotherapy Enhances Motor Function in an Adolescent with Spinal Muscular Atrophy Type III. *Case reports in neurological medicine*, 2019, 4839793. <https://doi.org/10.1155/2019/4839793>
- Granata, C., Cornelio, F., Bonfiglioli, S., Mattutini, P., & Merlini, L. (1987). Promotion of ambulation of patients with spinal muscular atrophy by early fitting of knee-ankle-foot orthoses. *Developmental medicine and child neurology*, 29(2), 221–224. <https://doi.org/10.1111/j.1469-8749.1987.tb02139.x>
- Haaker, G., & Fujak, A. (2013). Proximal spinal muscular atrophy: current orthopedic perspective. *The application of clinical genetics*, 6(11), 113–120. <https://doi.org/10.2147/TACG.S53615>
- Hartley, S., & Stockley, R. (2013). It's more than just physical therapy: reported utilization of physiotherapy services for adults with neuromuscular disorders attending a specialist centre. *Disability and rehabilitation*, 35(4), 282–290. <https://doi.org/10.3109/09638288.2012.691940>
- Jones, M. A., McEwen, I. R., & Hansen, L. (2003). Use of power mobility for a young child with spinal muscular atrophy. *Physical therapy*, 83(3), 253–262.
- Lemke, D., Rothwell, E., Newcomb, T. M., & Swoboda, K. J. (2014). Perceptions of equine-assisted activities and therapies by parents and children with spinal muscular atrophy. *Pediatric physical therapy : the official publication of the Section on Pediatrics of the American Physical Therapy Association*, 26(2), 237–244. <https://doi.org/10.1097/PEP.0000000000000027>
- Lewelt, A., Krossschell, K. J., Stoddard, G. J., Weng, C., Xue, M., Marcus, R. L., Gappmaier, E., Viollet, L., Johnson, B. A., White, A. T., Viazzo-Trussell, D., Lopes, P., Lane, R. H., Carey, J. C., & Swoboda, K. J. (2015). Resistance strength training exercise in children with spinal muscular atrophy. *Muscle & nerve*, 52(4), 559–567. <https://doi.org/10.1002/mus.24568>
- Lloyd Morris, E. H., Estilow, T., Glanzman, A. M., Cusack, S. V., & Yum, S. W. (2020). Improving Temporomandibular Range of Motion in People With Duchenne Muscular Dystrophy and Spinal Muscular Atrophy. *The American journal of occupational therapy : official publication of the American Occupational Therapy Association*, 74(2), 7402205080p1–7402205080p10. <https://doi.org/10.5014/ajot.2020.030825>
- Luc, M., Bensoussan, L., Viton, J. M., de Bovis, V. M., Collado, H., Pouget, J., & Delarque, A. (2007). Gait recovery in a distal spinal muscular atrophy patient wearing a patellar tendon-bearing orthosis and orthopaedic shoes. *Journal of rehabilitation medicine*, 39(2), 181–184. <https://doi.org/10.2340/16501977-0025>
- Madsen, K. L., Hansen, R. S., Preisler, N., Thøgersen, F., Berthelsen, M. P., & Vissing, J. (2015). Training improves oxidative capacity, but not function, in spinal muscular atrophy type III. *Muscle & nerve*, 52(2), 240–244. <https://doi.org/10.1002/mus.24527>

- McCartney, N., Moroz, D., Garner, S. H., & McComas, A. J. (1988). The effects of strength training in patients with selected neuromuscular disorders. *Medicine and science in sports and exercise*, 20(4), 362–368. <https://doi.org/10.1249/00005768-198808000-00006>
- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., ... SMA Care Group (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for diagnosis, rehabilitation, orthopedic and nutritional care. *Neuromuscular disorders : NMD*, 28(2), 103–115. <https://doi.org/10.1016/j.nmd.2017.11.005>
- Merlini, L.; Granata, C. (1990). Rehabilitation of children with muscle disease, *Current Opinion in Neurology & Neurosurgery* (Vol 3, Issue 5, 738-741)
- Milner-Brown, H. S., & Miller, R. G. (1988). Muscle strengthening through high-resistance weight training in patients with neuromuscular disorders. *Archives of physical medicine and rehabilitation*, 69(1), 14–19.
- Montes, J., Garber, C. E., Kramer, S. S., Montgomery, M. J., Dunaway, S., Kamil-Rosenberg, S., Carr, B., Cruz, R., Strauss, N. E., Sproule, D., & De Vivo, D. C. (2015). Single-Blind, Randomized, Controlled Clinical Trial of Exercise in Ambulatory Spinal Muscular Atrophy: Why are the Results Negative? In *Journal of Neuromuscular Diseases* (Vol. 2, Issue 4, pp. 463–470). IOS Press. <https://doi.org/10.3233/jnd-150101>
- Peeters, L., Janssen, M., Kingma, I., van Dieën, J. H., & de Groot, I. (2019). Patients With Spinal Muscular Atrophy Use High Percentages of Trunk Muscle Capacity to Perform Seated Tasks. *American journal of physical medicine & rehabilitation*, 98(12), 1110–1117. <https://doi.org/10.1097/PHM.0000000000001258>
- Salazar, R., Montes, J., Dunaway Young, S., McDermott, M. P., Martens, W., Pasternak, A., Quigley, J., Mirek, E., Glanzman, A. M., Civitello, M., Gee, R., Duong, T., Mazzone, E. S., Main, M., Mayhew, A., Ramsey, D., Muni Lofra, R., Coratti, G., Fanelli, L., De Sanctis, R., ... De Vivo, D. C. (2018). Quantitative Evaluation of Lower Extremity Joint Contractures in Spinal Muscular Atrophy: Implications for Motor Function. *Pediatric physical therapy : the official publication of the Section on Pediatrics of the American Physical Therapy Association*, 30(3), 209–215. <https://doi.org/10.1097/PEP.0000000000000515>
- Salem, Y., & Gropack, S. J. (2010). Aquatic therapy for a child with type III spinal muscular atrophy: a case report. *Physical & occupational therapy in pediatrics*, 30(4), 313–324. <https://doi.org/10.3109/01942638.2010.493097>
- Stark, C., Duran, I., Cirak, S., Hamacher, S., Hoyer-Kuhn, H. K., Semler, O., & Schoenau, E. (2018). Vibration-Assisted Home Training Program for Children With Spinal Muscular Atrophy. *Child neurology open*, 5, 2329048X18780477. <https://doi.org/10.1177/2329048X18780477>
- Tangsrud, S. E., Carlsen, K. C. L., Lund-Petersen, I., & Carlsen, K.-H. (2001). Lung function measurements in young children with spinal muscle atrophy; a cross sectional survey on the effect of position and bracing. In *Archives of Disease in Childhood* (Vol. 84, Issue 6, pp. 521–524). BMJ. <https://doi.org/10.1136/adc.84.6.521>
- Townsend, E. L., Simeone, S. D., Krosschell, K. J., Zhang, R. Z., Swoboda, K. J., & Project Cure SMA Investigator's Network (2020). Stander Use in Spinal Muscular Atrophy: Results From a Large Natural History Database. *Pediatric physical therapy : the official publication of the Section on Pediatrics of the American Physical Therapy Association*, 32(3), 235–241. <https://doi.org/10.1097/PEP.0000000000000713>
- Trabacca, A., Lucarelli, E., Pacifico, R., Vespino, T., Di Liddo, A., & Losito, L. (2020). The International Classification of Functioning, Disability and Health-Children and Youth as a

framework for the management of spinal muscular atrophy in the era of gene therapy: a proof-of-concept study. *European journal of physical and rehabilitation medicine*, 56(2), 243–251.

<https://doi.org/10.23736/S1973-9087.20.05968-7>

- Trenkle, J., Brugman, J., Peterson, A., Roback, K., & Krossschell, K. J. (2021). Filling the gaps in knowledge translation: Physical therapy recommendations for individuals with spinal muscular atrophy compared to standard of care guidelines. *Neuromuscular disorders : NMD*, 31(5), 397–408. <https://doi.org/10.1016/j.nmd.2021.02.011>
- Vry, J., Schubert, I. J., Semler, O., Haug, V., Schönau, E., & Kirschner, J. (2014). Whole-body vibration training in children with Duchenne muscular dystrophy and spinal muscular atrophy. *European journal of paediatric neurology : EJPN : official journal of the European Paediatric Neurology Society*, 18(2), 140–149. <https://doi.org/10.1016/j.ejpn.2013.09.005>
- Wang, C. H., Finkel, R. S., Bertini, E. S., Schroth, M., Simonds, A., Wong, B., Aloysius, A., Morrison, L., Main, M., Crawford, T. O., Trela, A., & Participants of the International Conference on SMA Standard of Care (2007). Consensus statement for standard of care in spinal muscular atrophy. *Journal of child neurology*, 22(8), 1027–1049. <https://doi.org/10.1177/0883073807305788>

Musculoskeletal Rehabilitation: Clinical Decision Making and Goals Based on Evolving Phenotype:

- Baranello, G., Vai, S., Broggi, F., Masson, R., Arnoldi, M. T., Zanin, R., Mastella, C., & Bianchi, M. L. (2019). Evolution of bone mineral density, bone metabolism and fragility fractures in Spinal Muscular Atrophy (SMA) types 2 and 3. *Neuromuscular disorders : NMD*, 29(7), 525–532. <https://doi.org/10.1016/j.nmd.2019.06.001>
- Bernatz, J. T., Anderson, P. A., & Halanski, M. A. (2020). Cervical Kyphosis in Spinal Muscular Atrophy: A Case Report. *JBJS case connector*, 10(2), e1900341. <https://doi.org/10.2106/JBJS.CC.19.00341>
- Chng, S. Y., Wong, Y. Q., Hui, J. H., Wong, H. K., Ong, H. T., & Goh, D. Y. (2003). Pulmonary function and scoliosis in children with spinal muscular atrophy types II and III. *Journal of paediatrics and child health*, 39(9), 673–676. <https://doi.org/10.1046/j.1440-1754.2003.00266.x>
- Davies, N. R., Galaretto, E., Piantoni, L., Remondino, R. G., Francheri Wilson, I. A., Monges, M. S., Frank, S., Bersusky, E. S., Tello, C. A., & Noel, M. A. (2020). Scoliosis in spinal muscular atrophy: is the preoperative magnetic resonance imaging necessary? In *Spine Deformity* (Vol. 8, Issue 5, pp. 1089–1091). Springer Science and Business Media LLC. <https://doi.org/10.1007/s43390-020-00134-0>
- Di Pede, C., Salamon, E., Motta, M., Agosto, C., Benini, F., & Ferrari, A. (2019). Spinal bracing and lung function in type-2 spinal muscular atrophy. *European journal of physical and rehabilitation medicine*, 55(4), 505–509. <https://doi.org/10.23736/S1973-9087.18.05046-3>
- Dunaway Young, S., Montes, J., Salazar, R., Glanzman, A. M., Pasternak, A., Mirek, E., Martens, W., Finkel, R. S., Darras, B. T., & De Vivo, D. C. (2020). Scoliosis Surgery Significantly Impacts Motor Abilities in Higher-functioning Individuals with Spinal Muscular Atrophy1. *Journal of neuromuscular diseases*, 7(2), 183–192. <https://doi.org/10.3233/JND-190462>
- Farber, H. J., Phillips, W. A., Kocab, K. L., Hanson, D. S., Heydemann, J. A., Dahl, B. T., Spoede, E. T., & Jefferson, L. S. (2020). Impact of scoliosis surgery on pulmonary function in patients with muscular dystrophies and spinal muscular atrophy. *Pediatric pulmonology*, 55(4), 1037–1042. <https://doi.org/10.1002/ppul.24664>

- Fujak, A., Ingenhorst, A., Heuser, K., Forst, R., & Forst, J. (2005). Treatment of scoliosis in intermediate spinal muscular atrophy (SMA type II) in childhood. *Ortopedia, traumatologia, rehabilitacija*, 7(2), 175–179.
- Fujak, A., Kopschina, C., Forst, R., Gras, F., Mueller, L. A., & Forst, J. (2010). Fractures in proximal spinal muscular atrophy. *Archives of orthopaedic and trauma surgery*, 130(6), 775–780. <https://doi.org/10.1007/s00402-010-1096-1>
- Fujak, A., Kopschina, C., Forst, R., Mueller, L. A., & Forst, J. (2011). Use of orthoses and orthopaedic technical devices in proximal spinal muscular atrophy. Results of survey in 194 SMA patients. *Disability and rehabilitation. Assistive technology*, 6(4), 305–311. <https://doi.org/10.3109/17483107.2010.525292>
- Fujak, A., Kopschina, C., Gras, F., Forst, R., & Forst, J. (2010). Contractures of the upper extremities in spinal muscular atrophy type II. Descriptive clinical study with retrospective data collection. *Ortopedia, traumatologia, rehabilitacija*, 12(5), 410–419.
- Fujak, A., Raab, W., Schuh, A., Richter, S., Forst, R., & Forst, J. (2013). Natural course of scoliosis in proximal spinal muscular atrophy type II and IIIa: descriptive clinical study with retrospective data collection of 126 patients. *BMC musculoskeletal disorders*, 14, 283. <https://doi.org/10.1186/1471-2474-14-283>
- Granata, C., Magni, E., Merlini, L., & Cervellati, S. (1990). Hip dislocation in spinal muscular atrophy. *La Chirurgia degli organi di movimento*, 75(2), 177–184.
- Hell, A. K., Braunschweig, L., Tsaknakis, K., von Deimling, U., Lüders, K. A., Hecker, M., & Lorenz, H. M. (2020). Children With Spinal Muscular Atrophy With Prior Growth-Friendly Spinal Implants Have Better Results After Definite Spinal Fusion in Comparison to Untreated Patients. In *Neurosurgery* (Vol. 87, Issue 5, pp. 910–917). Ovid Technologies (Wolters Kluwer Health). <https://doi.org/10.1093/neuros/nyaa053>
- Hensel, N., Brickwedde, H., Tsaknakis, K., Grages, A., Braunschweig, L., Lüders, K. A., Lorenz, H. M., Lippross, S., Walter, L. M., Tavassol, F., Lienenklaus, S., Neunaber, C., Claus, P., & Hell, A. K. (2020). Altered bone development with impaired cartilage formation precedes neuromuscular symptoms in spinal muscular atrophy. In *Human Molecular Genetics* (Vol. 29, Issue 16, pp. 2662–2673). Oxford University Press (OUP). <https://doi.org/10.1093/hmg/ddaa145>
- Kruse, T., Lehmann, H. C., Braumann, B., Fink, G. R., & Wunderlich, G. (2020). The Maximum Bite Force for Treatment Evaluation in Severely Affected Adult SMA Patients-Protocol for a Longitudinal Study. *Frontiers in neurology*, 11, 139. <https://doi.org/10.3389/fneur.2020.00139>
- Labianca, L., & Weinstein, S. L. (2019). Scoliosis and spinal muscular atrophy in the new world of medical therapy: providing lumbar access for intrathecal treatment in patients previously treated or undergoing spinal instrumentation and fusion. *Journal of pediatric orthopedics. Part B*, 28(4), 393–396. <https://doi.org/10.1097/BPB.0000000000000632>
- Larson, J. E., Snyder, B., Snyder, J., Troy, M., & Whitaker, A. T. (2019). Short-term clinical outcomes of hip reconstructive surgery in patients with spinal muscular atrophy. *Pediatrics*, 144(2_MeetingAbstract), 761-761.
- Luc, M., Bensoussan, L., Viton, J. M., de Bovis, V. M., Collado, H., Pouget, J., & Delarque, A. (2007). Gait recovery in a distal spinal muscular atrophy patient wearing a patellar tendon-bearing orthosis and orthopaedic shoes. *Journal of rehabilitation medicine*, 39(2), 181–184. <https://doi.org/10.2340/16501977-0025>
- Matsumoto, H., Mueller, J., Konigsberg, M., Ball, J., St. Hilaire, T., Pawelek, J., Roye, D. P., Cahill, P., Sturm, P., Smith, J., Thompson, G., Sponseller, P., Skaggs, D., & Vitale, M. G. (2020). Improvement of Pulmonary Function Measured by Patient-reported Outcomes in Patients With Spinal Muscular Atrophy After Growth-friendly Instrumentation. In *Journal of Pediatric*

Orthopaedics (Vol. 41, Issue 1, pp. 1–5). Ovid Technologies (Wolters Kluwer Health).

<https://doi.org/10.1097/bpo.0000000000001656>

- Mercuri, E., Finkel, R. S., Muntoni, F., Wirth, B., Montes, J., Main, M., Mazzone, E. S., Vitale, M., Snyder, B., Quijano-Roy, S., Bertini, E., Davis, R. H., Meyer, O. H., Simonds, A. K., Schroth, M. K., Graham, R. J., Kirschner, J., Iannaccone, S. T., Crawford, T. O., Woods, S., ... SMA Care Group (2018). Diagnosis and management of spinal muscular atrophy: Part 1: Recommendations for diagnosis, rehabilitation, orthopedic and nutritional care. *Neuromuscular disorders : NMD*, 28(2), 103–115. <https://doi.org/10.1016/j.nmd.2017.11.005>
- Mercuri, E., Lucibello, S., Pera, M. C., Carnicella, S., Coratti, G., de Sanctis, R., Messina, S., Mazzone, E., Forcina, N., Fanelli, L., Norcia, G., Antonaci, L., Frongia, A. L., & Pane, M. (2019). Long-term progression in type II spinal muscular atrophy: A retrospective observational study. *Neurology*, 93(13), e1241–e1247. <https://doi.org/10.1212/WNL.0000000000008166>
- Nasomyont, N., Hornung, L. N., & Wasserman, H. (2020). Intravenous bisphosphonate therapy in children with spinal muscular atrophy. *Osteoporosis international : a journal established as result of cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA*, 31(5), 995–1000. <https://doi.org/10.1007/s00198-019-05227-9>
- Ness, K., & Apkon, S. D. (2014). Bone health in children with neuromuscular disorders. *Journal of pediatric rehabilitation medicine*, 7(2), 133–142. <https://doi.org/10.3233/PRM-140282>
- Patel, J., & Shapiro, F. (2015). Simultaneous progression patterns of scoliosis, pelvic obliquity, and hip subluxation/dislocation in non-ambulatory neuromuscular patients: An approach to deformity documentation. In *Journal of Children's Orthopaedics* (Vol. 9, Issue 5, pp. 345–356). SAGE Publications. <https://doi.org/10.1007/s11832-015-0683-7>
- Rodillo, E., Marini, M. L., Heckmatt, J. Z., & Dubowitz, V. (1989). Scoliosis in spinal muscular atrophy: review of 63 cases. *Journal of child neurology*, 4(2), 118–123. <https://doi.org/10.1177/088307388900400208>
- Salazar, R., Montes, J., Dunaway Young, S., McDermott, M. P., Martens, W., Pasternak, A., Quigley, J., Mirek, E., Glanzman, A. M., Civitello, M., Gee, R., Duong, T., Mazzone, E. S., Main, M., Mayhew, A., Ramsey, D., Muni Lofra, R., Coratti, G., Fanelli, L., De Sanctis, R., ... De Vivo, D. C. (2018). Quantitative Evaluation of Lower Extremity Joint Contractures in Spinal Muscular Atrophy: Implications for Motor Function. *Pediatric physical therapy : the official publication of the Section on Pediatrics of the American Physical Therapy Association*, 30(3), 209–215. <https://doi.org/10.1097/PEP.0000000000000515>
- Salazar, R., Montes, J., Young, S. D., McDermott, M. P., Martens, W., Pasternak, A., ... & Darryl, C. (2018). Quantitative evaluation of lower extremity joint contractures in spinal muscular atrophy: implications for motor function. *Pediatric Physical Therapy*, 30(3), 209-215.
- Shen, P.-C., Lu, C.-C., Liang, W.-C., Tien, Y.-C., Jong, Y.-J., Lu, Y.-M., Liu, Z.-M., Shih, C.-L., & Chou, S.-H. (2020). Predictors for Deformity Progression in a Spinal Muscular Atrophy Cohort After Scoliosis Correction Surgery. In *Clinical Spine Surgery: A Spine Publication* (Vol. 33, Issue 8, pp. E407–E414). Ovid Technologies (Wolters Kluwer Health). <https://doi.org/10.1097/bsd.0000000000000989>
- Skalsky, A. J., & McDonald, C. M. (2012). Prevention and management of limb contractures in neuromuscular diseases. *Physical medicine and rehabilitation clinics of North America*, 23(3), 675–687. <https://doi.org/10.1016/j.pmr.2012.06.009>
- Sporer, S. M., & Smith, B. G. (2003). Hip dislocation in patients with spinal muscular atrophy. *Journal of pediatric orthopedics*, 23(1), 10–14.

- Sproule, D. M., Montes, J., Dunaway, S., Montgomery, M., Battista, V., Koenigsberger, D., Martens, B., Shen, W., Punyanitya, M., Benton, M., Butler, H., Caracciolo, J., Mercuri, E., Finkel, R., Darras, B., De Vivo, D. C., & Kaufmann, P. (2010). Adiposity is increased among high-functioning, non-ambulatory patients with spinal muscular atrophy. *Neuromuscular disorders* : NMD, 20(7), 448–452. <https://doi.org/10.1016/j.nmd.2010.05.013>
- Stępień, A., Mazurkiewicz, Ł., Maślanko, K., Rekowski, W., & Jędrzejowska, M. (2020). Cervical rotation, chest deformity and pelvic obliquity in patients with spinal muscular atrophy. *BMC musculoskeletal disorders*, 21(1), 726. <https://doi.org/10.1186/s12891-020-03710-7>
- Swarup, I., MacAlpine, E. M., Mayer, O. H., Lark, R. K., Smith, J. T., Vitale, M. G., Flynn, J. M., Anari, J. B., & Cahill, P. J. (2020). Impact of growth friendly interventions on spine and pulmonary outcomes of patients with spinal muscular atrophy. In *European Spine Journal* (Vol. 30, Issue 3, pp. 768–774). Springer Science and Business Media LLC. <https://doi.org/10.1007/s00586-020-06564-8>
- Thacker, M., Hui, J. H., Wong, H. K., Chatterjee, A., & Lee, E. H. (2002). Spinal fusion and instrumentation for paediatric neuromuscular scoliosis: retrospective review. *Journal of orthopaedic surgery (Hong Kong)*, 10(2), 144–151. <https://doi.org/10.1177/230949900201000207>
- Thompson, C. E., & Larsen, L. J. (1990). Recurrent hip dislocation in intermediate spinal atrophy. *Journal of pediatric orthopedics*, 10(5), 638–641. <https://doi.org/10.1097/01241398-199009000-00013>
- Troy, Michael (2020, June 12). [Conference Session]. CureSMA Research and Clinical Care Conference
- Vai, S., Bianchi, M. L., Moroni, I., Mastella, C., Broggi, F., Morandi, L., Arnoldi, M. T., Bussolino, C., & Baranello, G. (2015). Bone and Spinal Muscular Atrophy. *Bone*, 79, 116–120. <https://doi.org/10.1016/j.bone.2015.05.039>
- Wang, H. Y., Ju, Y. H., Chen, S. M., Lo, S. K., & Jong, Y. J. (2004). Joint range of motion limitations in children and young adults with spinal muscular atrophy. *Archives of physical medicine and rehabilitation*, 85(10), 1689-1693.
- Wang, H. Y., Ju, Y. H., Chen, S. M., Lo, S. K., & Jong, Y. J. (2004). Joint range of motion limitations in children and young adults with spinal muscular atrophy. *Archives of physical medicine and rehabilitation*, 85(10), 1689–1693. <https://doi.org/10.1016/j.apmr.2004.01.043>
- Willig, T. N., Bach, J. R., Rouffet, M. J., Krivickas, L. S., & Maquet, C. (1995). Correlation of flexion contractures with upper extremity function and pain for spinal muscular atrophy and congenital myopathy patients. *American journal of physical medicine & rehabilitation*, 74(1), 33–38. <https://doi.org/10.1097/00002060-199501000-00006>
- Young, S. D., Montes, J., Glanzman, A., Gee, R., Day, J., Finkel, R., ... & Berger, Z. (2020). SMA-CLINICAL: P. 79 Analysis of Cobb angle and clinical characteristics in children with spinal muscular atrophy who enrolled in CHERISH and SHINE. *Neuromuscular Disorders*, 30, S70.
- Zenios, M., Sampath, J., Cole, C., Khan, T., & Galasko, C. S. B. (2005). Operative treatment for hip subluxation in spinal muscular atrophy. In *The Journal of Bone and Joint Surgery. British volume* (Vols. 87-B, Issue 11, pp. 1541–1544). British Editorial Society of Bone & Joint Surgery. <https://doi.org/10.1302/0301-620x.87b11.16216>
- de Groot, I. J., & de Witte, L. P. (2005). Physical complaints in ageing persons with spinal muscular atrophy. *Journal of rehabilitation medicine*, 37(4), 258–262. <https://doi.org/10.1080/16501970510030156>